(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 10 May 2001 (10.05.2001)

PCT

(10) International Publication Number WO 01/32927 A2

(51) International Patent Classification7:

- (21) International Application Number: PCT/US00/30396
- (22) International Filing Date:

2 November 2000 (02.11.2000)

(25) Filing Language:

English

C12Q 1/68

(26) Publication Language:

English

(30) Priority Data: 60/163,508

4 November 1999 (04.11.1999) US

- (71) Applicant (for all designated States except US): INCYTE GENOMICS, INC. [US/US]; 3160 Porter Drive, Palo Alto, CA 94304 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SORNASSE, Thierry [BE/US]; 1171 Nilda Avenue, Mountain View, CA 94040 (US). SEILHAMER, Jeffrey, J. [US/US]; 12555 La Cresta, Los Altos Hills, CA 94022 (US). WAT-SON, George, A. [US/US]; 1950 Noel Drive, Los Altos, CA 94024 (US).

- (74) Agents: TURNER, Christopher et al.; Incyte Genomics, Inc., 3160 Porter Drive, Palo Alto, CA 94304 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TISSUE SPECIFIC GENES OF DIAGNOSTIC IMPORT

(57) Abstract: The present invention relates to a composition comprising a plurality of polynucleotides which are cell and/or tissue specific and which may be used in their entirety or in part as references in producing an expression profile that defines a metabolic or developmental process, treatment, condition, disease, or disorder.

TISSUE SPECIFIC GENES OF DIAGNOSTIC IMPORT

TECHNICAL FIELD

The present invention relates to a composition comprising a plurality of polynucleotides which 5 are cell and/or tissue specific. These polynucleotides may be used to define and direct a metabolic or developmental process, to identify or to monitor the progression of a condition, disease, or disorder, or to evaluate and monitor the efficacy of a treatment protocol.

BACKGROUND ART

Array technology can provide a simple way to explore the expression of a single polymorphic gene or the expression profile of a large number of related or unrelated genes. When the expression of a single gene is examined, arrays are employed to detect the expression of a specific gene or its variants. When an expression profile is examined, arrays provide a platform for examining which genes are tissue specific, direct the differentiation of a cell type or tissue, carry out housekeeping functions, function as parts of a signaling cascade, or characterize a particular genetic predisposition, to condition, disease, or disorder.

The application of gene expression profiling is particularly relevant to improving diagnosis and prognosis of disease. However, in order to determine whether expression of a particular gene in a particular disease is significant, it is useful to provide a reference set of tissue and cell specific genes against which genes expressed during the disease process may be compared. For example, both the levels and sequences expressed in brain tumors may be compared with the levels and sequences expressed in normal brain tissue. These comparisons may be made on a single array by incorporating a particular tissue or cell specific reference set alongside novel sequences or on multiple arrays, each of which contains at least some subset of the known reference set.

The present invention satisfies a need in the art in that it provides such a reference set. The

25 reference set may be used in its entirety or in part to produce an expression profile that may be used to
define and direct a metabolic or developmental process, to identify or to monitor the progression of a
condition, disease, or disorder, or to evaluate and monitor the efficacy of a treatment protocol.

SUMMARY

The present invention provides a plurality of tissue or cell specific polynucleotides which may be used on an array to produce an expression profile. This profile may define expression of the polynucleotides in normal tissue, during a particular metabolic or developmental process or during the onset, progression, or treatment of a human condition, disease, or disorder. In one embodiment, these polynucleotides are selected from SEQ ID NOs:1-416.

The invention also provides a plurality of polynucleotides which display tissue or cell specific

expression and are selected from: a) SEQ ID NOs:209-218 and 1-10, cell specific polynucleotides of heart and fragments thereof; b) SEQ ID NOs:219-249 and 11-41, cell specific polynucleotides of skeletal muscle and fragments thereof; c) SEQ ID NOs:250-251 and 42-43, cell specific polynucleotides of uterus and fragments thereof; d) SEQ ID NOs:252-256 and 44-48, cell specific polynucleotides of 5 ovary and fragments thereof; e) SEQ ID NOs:257-263 and 49-55, cell specific polynucleotides of stomach and fragments thereof; f) SEQ ID NOs:264-283 and 56-75, cell specific polynucleotides of intestine and fragments thereof; g) SEQ ID NOs:284-293 and 76-85, cell specific polynucleotides of lung and fragments thereof; h) SEQ ID NOs:294-345 and 86-137, cell specific polynucleotides of liver and fragments thereof; i) SEQ ID NOs:346-356 and 138-148, cell specific polynucleotides of kidney 10 and fragments thereof; j) SEQ ID NOs:357-374 and 149-166, cell specific polynucleotides of pancreas and fragments thereof; and k) SEO ID NOs:375-416 and 167-208, cell specific polynucleotides of brain and fragments thereof. In one aspect, the plurality of polynucleotides are immobilized on a substrate.

In another embodiment, the expression of a plurality of polynucleotides is used to detect 15 expression in a tissue. In one aspect, the tissue is embryonic stem cells which are differentiating into brain, heart, kidney, liver, lung, muscle or pancreatic tissues. In a second aspect, the tissue is a biopsy from diseased brain, heart, kidney, liver, lung, muscle, ovarian, pancreatic, small intestine, stomach, or uterine tissues which is being diagnosed for a cancer or immune or inflammatory disease or subjected to forensic analysis. In a third aspect, the point of origin of a metastatic cancer is determined.

In another embodiment, the polynucleotides are used in high throughput methods of screening molecules or compounds to identify a ligand, the method comprising combining a polynucleotide with molecules or compounds under conditions to allow specific binding and detecting specific binding, thereby identifying a ligand which specifically binds to the polynucleotide. The molecules or compounds to be screened are selected from DNA molecules, RNA molecules, PNAs, mimetics, 25 peptides, and proteins.

20

In another embodiment, the invention provides a substantially purified polynucleotide selected from SEQ ID NOs:212, 228, 233, 259, 271, 287, 316-319, 324, 370, 379, 380, 383, 410, and 412 or a fragment thereof, SEQ ID NO:4, 20, 25, 51, 63, 79, 108-111, 116, 162, 171, 172, 175, 202, and 204. In one aspect, the polynucleotide selected from SEQ ID NOs:NOs:212, 228, 233, 259, 271, 287, 30 316-319, 324, 370, 379, 380, 383, 410, and 412 or a fragment thereof, SEQ ID NO:4, 20, 25, 51, 63, 79, 108-111, 116, 162, 171, 172, 175, 202, and 204 is used in an expression vector transformed into a host cell to produce a protein or a portion thereof by culturing the host cell under conditions for the expression of protein and recovering the protein from the host cell culture.

In a third embodiment, the invention provides a protein or a portion thereof. In one aspect, the 35 protein is used in a high throughput method to screen large numbers of molecules or compounds to

identify at least one ligand which specifically binds the protein, the method comprising combining the protein with the molecules or compounds under conditions to allow specific binding and detecting specific binding, thereby identifying a ligand which specifically binds the protein. In a second aspect, the protein is used to purify a ligand, the method comprising combining the protein with a sample under conditions to allow specific binding, recovering the bound protein, and separating the protein from the ligand, thereby obtaining purified ligand. The molecules or compounds screened or purified may be selected from DNA molecules, RNA molecules, PNAs, mimetics, peptides, proteins, agonists, antagonists, antibodies or their fragments, immunoglobulins, inhibitors, drug compounds, and pharmaceutical agents. Any of these molecules or compounds may have diagnostic or therapeutic applications.

DESCRIPTION OF THE SEQUENCE LISTING AND TABLES

A portion of the disclosure of this patent document contains material that is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

The Sequence Listing is a compilation of polynucleotides obtained by sequencing and extension of clone inserts of different cDNAs. Each sequence is identified by a sequence identification number (SEQ ID NO or SEQ ID) and by the clone number (Incyte ID) from which it was obtained.

Table 1 lists the fragments and extended polynucleotides by their SEQ ID NO and cDNA respectively, tissue, and by the description associated with at least a fragment of a homologous polynucleotide in GenBank. The descriptions were obtained using the sequences of the Sequence Listing and BLAST analysis.

Table 2 lists the source of the RNAs used to produce target polynucleotides for hybridization to the UNIGEM V microarray (Incyte Genomics, Palo Alto CA). The columns present the Source No, 25 Tissue, Age, Ethnicity/Sex, Cause of Death, and Conditions or Diseases, as known for each donor.

Table 3 shows the data for each of the clones across each of the tissues used in the experiments. The columns present Clone ID and the tissues (with source number)—heart, skeletal muscle, uterus, stomach, small intestine, lung, liver, kidney, pancreas, spleen and brain. This data was produced using GEMTOOLS software (Incyte Genomics).

Table 4 presents the analysis of variance (ANOVA) for the data. The columns present Clone ID, Var. Betw (variance between), Var. Within (variance within), F (value), and Probability. These values were produced using batch ANOVA (Sokal and Rohlf (1969) <u>Biometry</u>; the <u>Principles and Practice of Statistics in Biological Research</u>, WH Freeman, San Francisco CA) and EXCEL98 software (Microsoft, Seattle WA).

Table 5 shows the cell and tissue specificity of the polynucleotides across tissues (heart,

30

35

skeletal muscle, uterus, stomach, small intestine, lung, liver, kidney, pancreas, spleen and brain). The cell and tissue specific groupings were produced using mean values [mean (tissue)- mean (entire set)] and grouped using EXCEL98 software (Microsoft).

DESCRIPTION OF THE INVENTION

5 Definitions

20

35

The term "array" refers to an ordered arrangement of hybridizable polynucleotides. These are arranged so that there are a "plurality" of polynucleotides, preferably at least one polynucleotide, preferably at least 100 polynucleotides, and more preferably at least 1,000 polynucleotides, and even more preferably at least 10,000 polynucleotides on a 1 cm² substrate. The maximum number of polynucleotides is unlimited, but is at least 100,000. Furthermore, the signal from each of the hybridized polynucleotides is individually distinguishable.

A "polynucleotide" refers to a chain of nucleotides. Preferably, the chain has from about 15 to 10,000 nucleotides and more preferably from about 400 to 6,000 nucleotides. The term "probe" refers to a probe polynucleotide capable of hybridizing with a target polynucleotide to form a hybridization complex. In most instances, the sequences of the probe and target polynucleotides will be complementary (no mismatches) when aligned. In some instances, there may be up to a 10% mismatch.

"Fragment" refers to any part of an Incyte clone or polynucleotide which retains a useful characteristic. Useful fragments may be used in hybridization technologies, to identify or purifyligands, or as a therapeutic to regulate replication, transcription or translation.

"Ligand" refers to any agent, molecule, or compound which will bind specifically to a complementary site on a polynucleotide or protein. Such ligands stabilize or modulate the activity of polynucleotides or proteins and may be composed of at least one of the following: inorganic and organic substances including nucleic acids, proteins, carbohydrates, fats, and lipids.

"Purified" refers to any molecule or compound that is removed, isolated, or separated from its natural environment and is at least about 60% free, and more preferably about 90% free, from other components with which it is naturally associated.

"Specific binding" refers to a special and precise interaction between two molecules which is dependent upon a particular structure such as molecular side groups. For example, the hydrogen bonding between two single stranded nucleic acids or the binding between an epitope or a protein and an agonist, antagonist, or antibody.

"Sample" is used in its broadest sense. A sample containing polynucleotides may comprise a bodily fluid; an extract from a cell, chromosome, organelle, or membrane isolated from a cell; genomic DNA, RNA, or cDNA in solution or bound to a substrate; a cell; a tissue; a tissue print; a finger print, a hair, and the like.

"Portion" refers to any part of a protein used for any purpose, but especially for the screening

of molecules or compounds to identify those which specifically bind to that portion and for producing antibodies.

The phrase "polynucleotide encoding a protein" refers to nucleic acid sequence that closely aligns with a sequence which encodes a conserved protein motif or domain that were identified by 5 employing analyses well known in the art. These analyses include Hidden Markov Models (HMMs) such as PFAM (Krogh (1994) J Mol Biol 235:1501-1531; Sonnhamer et al. (1988) Nucl Acids Res 26:320-322), BLAST (Basic Local Alignment Search Tool; Altschul (1993) J Mol Evol 36: 290-300; and Altschul et al. (1990) J Mol Biol 215:403-410), or other analytical tools such as BLIMPS (Henikoff et al. (1998) Nucl Acids Res 26:309-12). Additionally, "polynucleotide encoding a protein" 10 may refer to a polynucleotide that is expressed in or associated with specific human metabolic processes, conditions, disorders, or diseases.

"Cell specific", as defined herein, refers to those polynucleotides which occur at a statistically significant level in more than one tissue. The commonality between the tissues may be ascribed to the types of cells that are an integral part of or would be expected to be found in a particular tissue, e.g., blood cells, nerve cells, endothelial cells, and the like.

The Invention

The present invention provides a plurality of tissue or cell specific polynucleotides which may be used on an array to produce an expression profile. This profile may define expression of these polynucleotides in normal tissue, during a particular metabolic or developmental process or during the 20 onset, progression, or treatment of a human condition, disease, or disorder. These polynucleotides represent known and novel genes normally expressed in the cells or tissues of the brain, heart, intestine, kidney, liver, lung, smooth muscle, ovary, pancreas, spleen, stomach, or uterus. The expression of these polynucleotides may be compared to the expression of other known or novel genes found on an array. The plurality of polynucleotides, the entire reference set, comprises SEQ ID NOs:1-416. Tissue 25 or cell-specific reference sets may be selected from SEQ ID NOs:209-218 and 1-10, cell specific polynucleotides of heart and fragments thereof; b) SEQ ID NOs:219-249 and 11-41, cell specific polynucleotides of skeletal muscle and fragments thereof; c) SEQ ID NOs:250-251 and 42-43, cell specific polynucleotides of uterus and fragments thereof; d) SEQ ID NOs:252-256 and 44-48, cell specific polynucleotides of ovary and fragments thereof; e) SEQ ID NOs:257-263 and 49-55, cell 30 specific polynucleotides of stomach and fragments thereof; f) SEQ ID NOs:264-283 and 56-75, cell specific polynucleotides of intestine and fragments thereof; g) SEQ ID NOs:284-293 and 76-85, cell specific polynucleotides of lung and fragments thereof; h) SEQ ID NOs:294-345 and 86-137, cell specific polynucleotides of liver and fragments thereof; i) SEQ ID NOs:346-356 and 138-148, cell specific polynucleotides of kidney and fragments thereof; j) SEQ ID NOs:357-374 and 149-166, cell 35 specific polynucleotides of pancreas and fragments thereof; and k) SEQ ID NOs:375-416 and 167-208,

PCT/US00/30396 WO 01/32927

cell specific polynucleotides of brain and fragments thereof. The plurality of polynucleotides is arrayed on a substrate, preferably a microarray or used as probes.

The invention also provides a substantially purified polynucleotide selected from SEQ ID NOs:212, 228, 233, 259, 271, 287, 316-319, 324, 370, 379, 380, 383, 410, and 412 or a fragment 5 thereof, SEQ ID NO:4, 20, 25, 51, 63, 79, 108-111, 116, 162, 171, 172, 175, 202, and 204. These polynucleotides may be used in an expression vector transformed into a host cell to produce a protein or a portion thereof by culturing the host cell under conditions for the expression of protein and recovering the protein from the host cell culture.

The microarray can be used for large scale genetic or gene expression analysis of a large 10 number of novel target polynucleotides. These targets are prepared by methods well known in the art and are from mammalian cells or tissues which are in a certain stage of development or differentiation; have been treated with a known molecule or compound, such as a cytokine, growth factor, a drug, and the like; or have been extracted or biopsied from a mammal with a known or unknown condition, disorder, or disease before or after treatment. Specifically, the plurality of polynuleotides are useful to 15 determine the differentiation of embryonic stem cells toward brain, heart, kidney, liver, lung, muscle or pancreatic tissues or to determine whether a cancer is metastatic or its source by analyzing biopsied tissue from diseased brain, heart, kidney, liver, lung, muscle, ovarian, pancreatic, small intestine, stomach, or uterine tissues. The plurality of polynucleotides may be used during the diagnosis of a cancer, an immunopathology, a neuropathology, and the like.

The target polynucleotides are hybridized to the probe polynucleotides for the purpose of defining a novel gene profile associated with that developmental stage, treatment, condition, disorder or disease. Subsequently, the gene profile can be used for diagnosis, prognosis, or monitoring of treatments where altered expression of known and novel genes is associated with a cancer, an immunopathology, a neuropathology, and the like. In some cases, a gene profile can be used to 25 investigate an individual's predisposition to a condition, disorder or disease such as a cancer, an immunopathology, a neuropathology, and the like.

20

35

When the polynucleotides of the invention are employed as hybridizable polynucleotides on a microarray, the polynucleotides are organized in an ordered fashion so that each polynucleotide is present at a specified location on the substrate. Because the probe polynucleotides are at specified 30 locations on the substrate, their hybridization patterns and intensities can be compared with the hybridization patterns and intensities of other known and novel polynucleotides to create an expression profile. Such a profile, interpreted in terms of expression levels of the cell and tissue specific, known, and novel genes can be correlated with a particular metabolic process, developmental stage, treatment, condition, disorder, disease, or stage of disease.

The plurality of polynucleotides can also be used to identify or purify a molecule or compound

which specifically binds to at least one of the polynucleotides. These molecules may be identified from a sample or in high throughput mode from a large number of molecules and compounds including mRNAs, cDNAs, genomic fragments, and the like. Typically, the molecules or compounds will be of particular diagnostic or therapeutic interest.

If nucleic acid molecules in a sample enhance the hybridization background, it may be advantageous to remove the offending molecules. One method for removing such molecules is by hybridizing the sample with immobilized probe polynucleotides and washing away those molecules that do not form hybridization complexes. At a later point, hybridization complexes can be dissociated, thereby releasing those molecules which specifically bind the probe polynucleotides.

10 Method for Selecting Polynucleotide Probes

5

There are numerous different ways to select polynucleotides. Some of the more common ones include selecting probes from genes which are well known in the literature to have an association with a particular condition, disorder, or disease, which have a common functional characteristic such as the presence of a particular motif or domain or a signal peptide, which are expressed in a particular cell type or tissue such as blood or bone marrow, and the like.

Preferably, the probes are non-redundant; therefore, no more than one probe represents a particular gene. Control sequences, however, may be selected specifically for their redundancy.

Polynucleotides of the composition may be manipulated to optimize their performance in hybridization technologies. Polynucleotide selection may be optimized by examining the sequences using a computer algorithm to identify fragments lacking potential secondary structure. Computer algorithms such as those employed in Vector NTI software (Informax, N. Bethesda MD) or LASERGENE software (DNASTAR, Madison WI) are well known in the art. These programs search nucleic acid sequences to identify stem loop structures and tandem repeats and to analyze G+C content of the sequence. In mammalian arrays, those sequences with a G+C content greater than 60% may be excluded. Alternatively, polynucleotides can be optimized under experimental conditions to determine whether polynucleotide probes and their complementary targets hybridize optimally.

Where the greatest numbers of non redundant polynucleotides are desired, the polynucleotides may be compared with clustered or assembled sequences to assure that each polynucleotide is derived from a different gene. To obtain a longer or different probe for a particular gene, the polynucleotide may be physically extended utilizing the partial nucleotide sequences derived from the Incyte clone and employing the XL-PCR kit (Applied Biosystems, Foster City CA) or other means known in the art. Polynucleotide Probes

Polynucleotide probes can be genomic DNA or cDNA or mRNA, or any RNA-like or DNA-like material, such as peptide nucleic acids, branched DNAs and the like. They may be the sense or antisense strand. Where targets are double stranded, probes may be either sense or antisense

strands. Where targets are single stranded, probes are complementary single strands.

In one embodiment, polynucleotide probes are cDNAs. The size of the cDNAs may vary and is preferably from 15 to 10,000 nucleotides, more preferably from 60 to 4000 nucleotides, and most preferably from 200-600 nucleotides.

In another embodiment, probes are plasmids. In this case, the cDNA sequence of interest is the insert sequence. Excluding the vector DNA and regulatory sequences, cDNA size may vary preferably from 15 to 10,000 nucleotides, more preferably from 60 to 4000 nucleotides, and most perferably from 200-600 nucleotides.

Polynucleotide probes can be prepared by a variety of synthetic or enzymatic methods well known in the art. Probes can be synthesized, in whole or in part, using chemical methods well known in the art (Caruthers et al. (1980) Nucleic Acids Symp Ser (7):215-233). Alternatively, probes can be produced enzymatically or recombinantly, by in vitro or in vivo transcription.

Nucleotide analogues can be incorporated into the probes by methods well known in the art.

The only requirement is that the incorporated nucleotide analogues of the probe must base pair with

target nucleotides. For example, certain guanine nucleotides can be substituted with hypoxanthine
which base pairs with cytosine residues. However, these base pairs are less stable than those between
guanine and cytosine. Alternatively, adenine nucleotides can be substituted with 2,6-diaminopurine
which can form stronger base pairs than those between adenine and thymidine.

Additionally, probes can include nucleotides that have been derivatized chemically or enzymatically. Typical chemical modifications include derivatization with acyl, alkyl, aryl or amino groups.

Probes can be synthesized on a substrate. Synthesis on the surface of a substrate may be accomplished using a chemical coupling procedure and a piezoelectric printing apparatus as described by Baldeschweiler et al. (PCT /WO95/251116). Alternatively, the probe can be synthesized on a substrate surface using a self-addressable electronic device that controls when reagents are added as described by Heller et al. (USPN 5,605,662).

Complementary DNA (cDNA) can be arranged and then immobilized on a substrate. Probes can be immobilized by covalent means such as by chemical bonding procedures or UV. In one such method, a cDNA is bound to a glass surface which has been modified to contain epoxide or aldehyde groups. In another case, a cDNA probe is placed on a polylysine coated surface and then UV cross-linked as described by Shalon et al. (PCT/WO95/35505; incorporated herein by reference). In yet another method, a DNA is actively transported from a solution to a given position on a substrate by electrical means (Heller et al. supra). Alternatively, probes, clones, plasmids or cells can be arranged on a filter. In the latter case, cells are lysed, proteins and cellular components degraded, and the DNA is coupled to the filter by UV cross-linking.

Furthermore, probes do not have to be directly bound to the substrate, but rather can be bound to the substrate through a linker group. The linker groups are typically about 6 to 50 atoms long to provide exposure of the attached probe. Preferred linker groups include ethylene glycol oligomers, diamines, diacids and the like. Reactive groups on the substrate surface react with a terminal group of the linker to bind the linker to the substrate. The other terminus of the linker is then bound to the probe.

Probes can be attached to a substrate by sequentially dispensing reagents for probe synthesis on the substrate surface or by dispensing preformed DNA fragments to the substrate surface. Typical dispensers include a micropipette delivering solution to the substrate with a robotic system to control the position of the micropipette with respect to the substrate. There can be a multiplicity of dispensers so that reagents can be delivered to the reaction regions efficiently.

Sample Preparation

35

In order to conduct sample analysis, a sample containing targets is provided. The samples can be any sample containing targets and obtained from any bodily fluid (blood, urine, saliva, phlegm, 15 gastric juices, etc.), cultured cells, biopsies, or other tissue or forensic preparations.

DNA or RNA can be isolated from a sample according to any of a number of methods well known to those of skill in the art. For example, methods of purification of nucleic acids are described in Tijssen (1993) Laboratory Techniques in Biochemistry and Molecular Biology; Hybridization With Nucleic Acid Probes, Part I. Theory and Nucleic Acid Preparation, Elsevier Science, New York NY).

20 In one case, total RNA is isolated using TRIZOL reagent (Life Technologies, Gaithersburg MD), and mRNA is isolated using oligo d(T) column chromatography or glass beads. In one alternative, when targets are derived from an mRNA, targets can be a DNA reverse transcribed from an mRNA, an RNA transcribed from that DNA, a DNA amplified from that DNA, an RNA transcribed from the amplified DNA, and the like. When target is derived from DNA, target can be DNA amplified from DNA, or RNA reverse transcribed from DNA. In yet another alternative, targets are prepared by more than one method.

When targets are amplified it is desirable to amplify the nucleic acids in the sample and to maintain their relative abundances, including low abundance transcripts. Total mRNA can be amplified by reverse transcription using a reverse transcriptase and a primer consisting of oligo d(T) and a sequence encoding the phage T7 promoter to provide a single stranded DNA template. The second DNA strand is polymerized using a DNA polymerase and an RNAse which assists in breaking up the DNA/RNA hybrid. After synthesis of the double stranded DNA, T7 RNA polymerase can be added, and RNA transcribed from the second DNA strand template as described by Van Gelder et al. (USPN 5,545,522). RNA can be amplified in vitro, in situ or in vivo (Eberwine, USPN 5,514,545).

It is also advantageous to include quantitation controls to assure that amplification and labeling

procedures do not change the true abundance of transcripts in a sample. For this purpose, a sample is spiked with a known amount of control nucleic acid, and the probes include control probes which specifically hybridize with the control nucleic acid. After hybridization and processing, the hybridization signals should reflect accurately the amounts of control nucleic acid added to the sample.

Prior to hybridization, it may be desirable to fragment the nucleic acids of the sample. Fragmentation improves hybridization by minimizing secondary structure and cross-hybridization among the nucleic acids in the sample or with noncomplementary probes. Fragmentation can be performed by mechanical or chemical means.

5

35

The nucleic acids may be labeled with one or more labeling moieties to allow for detection and quantitation of hybridization complexes. The labeling moieties can include compositions that can be detected by spectroscopic, photochemical, biochemical, bioelectronic, immunochemical, electrical, optical or chemical means. The labeling moieties include radioisotopes, such as ³²P, ³³P or ³⁵S; chemiluminescent compounds, labeled binding proteins, heavy metal atoms, spectroscopic markers such as fluorescent markers and dyes; magnetic labels, linked enzymes, mass spectrometry tags, spin labels, electron transfer donors and acceptors, and the like.

Exemplary dyes include quinoline dyes, triarylmethane dyes, phthaleins, azo dyes, cyanine dyes, and the like. Preferably, fluorescent markers absorb light above about 300 nm, more preferably above 400 nm, and usually emit light at wavelengths at least greater than 10 nm above the wavelength of the light absorbed. Preferred fluorescent markers include fluorescein, phycoerythrin, rhodamine, 20 lissamine, and Cy3 and Cy5.

Labeling can be carried out during an amplification reaction, such as polymerase chain and <u>in</u> <u>vitro</u> transcription reactions; by nick translation, or by 5' or 3'-end-labeling reactions. In one case, labeled nucleotides are used in an <u>in vitro</u> transcription reaction. When the label is incorporated after or without an amplification step, the label is incorporated either by using a terminal transferase or a kinase on the 5' end of the target polynucleotide and then incubating overnight with a labeled oligonucleotide in the presence of T4 RNA ligase.

Alternatively, the labeling moiety can be incorporated after hybridization once a probe/target complex has formed. In one case, biotin is first incorporated during an amplification step as described above. After the hybridization reaction, unbound nucleic acids are rinsed away so that the only biotin remaining bound to the substrate is that attached to targets that are hybridized to probes. Then, an avidin-conjugated fluorophore, such as avidin-phycoerythrin, that binds with high affinity to biotin is added. In another case, the labeling moiety is incorporated by intercalation into preformed target/probe complexes. In this case, an intercalating dye such as a psoralen-linked dye can be employed.

Screening Assays

Probes or polynucleotides may be used to screen a library of molecules or compounds for

specific binding affinity. The libraries may be DNA molecules, RNA molecules, PNAs, peptides, proteins such as transcription factors, enhancers, repressors, and other organic or inorganic ligands which regulate activities such as replication, transcription, or translation of polynucleotides in the biological system. The assay involves combining the probe with the library of molecules or compounds under conditions that allow specific binding, and detecting specific binding to a ligand which specifically binds the probe.

Similarly, a protein or a portion thereof transcribed and translated from a probe may be used to screen libraries of molecules or compounds in any of a variety of screening assays. The protein or portion thereof may be free in solution, affixed to an abiotic or biotic substrate, borne on a cell surface, or located intracellularly. Specific binding between the protein and a ligand may be measured. Depending on the kind of library being screened, the assay may be used to identify DNA, RNA, or PNAs, agonists, antagonists, antibodies, immunoglobulins, inhibitors, mimetics, peptides, proteins, drugs, or any other ligand, that specifically binds the protein.

Purification of Ligand

15

Probes may be used to purify a ligand from a sample. A method for using a probe to purify a ligand would involve combining the probe with a sample under conditions to allow specific binding, detecting specific binding, recovering the bound protein, and using an appropriate agent to separate the polynucleotide from the purified ligand.

Similarly, the encoded protein or a portion thereof may be used to purify a ligand from a sample. A method for using a protein or a portion thereof to purify a ligand would involve combining the protein or a portion thereof with a sample under conditions to allow specific binding, detecting specific binding between the protein and ligand, recovering the bound protein, and using an appropriate agent to separate the protein from the purified ligand.

Hybridization and Detection

Hybridization causes a denatured polynucleotide probe and a denatured complementary target to form a stable duplex through base pairing. Hybridization methods are well known to those skilled in the art. (See Ausubel, <u>supra</u>, units 2.8-2.11, 3.18-3.19 and 4.6-4.9.) Conditions can be selected for hybridization where completely complementary probe and target can hybridize, i.e., each base pair must interact with its complementary base pair. Alternatively, conditions can be selected where probe and target have mismatches of up to about 10% but are still able to hybridize. Suitable conditions can be selected by varying the concentrations of salt in the prehybridization, hybridization, and wash solutions or by varying the hybridization and wash temperatures. With some substrates, temperature can be decreased by adding formamide to the prehybridization and hybridization solutions.

Hybridization can be performed at low stringency with buffers, such as 5xSSC with 1% sodium dodecyl sulfate (SDS) at 60°C, which permits hybridization between probe and target

sequences that contain some mismatches to form probe/target complexes. Subsequent washes are performed at higher stringency with buffers such as 0.2xSSC with 0.1% SDS at either 45°C (medium stringency) or 68°C (high stringency), to maintain hybridization of only those probe/target complexes that contain completely complementary sequences. Background signals can be reduced by the use of 5 detergents such as SDS, Sarcosyl, or TRITON X-100 (Sigma-Aldrich, St. Louis MO) or a blocking agent, such as salmon sperm DNA.

Hybridization specificity can be evaluated by comparing the hybridization of control probe to target sequences that are added to a sample in a known amount. The control probe may have one or more sequence mismatches compared with the corresponding target. In this manner, it is possible to 10 evaluate whether only complementary probes are hybridizing to the targets or whether mismatched hybrid duplexes are forming.

Hybridization reactions can be performed in absolute or differential hybridization formats. In the absolute hybridization format, probes from one sample are hybridized to microarray probes, and signals detected after hybridization complexes form. Signal strength correlates with probe levels in a 15 sample. In the differential hybridization format, differential expression of a set of genes in two biological samples is analyzed. Probes from the two samples are prepared and labeled with different labeling moieties. A mixture of the two labeled targets is hybridized to the microarray probes, and signals are examined under conditions in which the emissions from the two different labels are individually detectable. Targets in the microarray that are hybridized to substantially equal numbers of 20 probes derived from both biological samples give a distinct combined fluorescence (Shalon, PCT/WO95/35505). In a preferred embodiment, the labels are fluorescent labels with distinguishable emission spectra, such as a lissamine conjugated nucleotide analog and a fluorescein conjugated nucleotide analog. In another embodiment Cy3 and Cy5 fluorophores (Amersham Pharmacia Biotech, Piscataway NJ) are employed.

After hybridization, the microarray is washed to remove nonhybridized polynucleotides, and complex formation between the hybridizable array probes and the targets is examined. Methods for detecting complex formation are well known to those skilled in the art. In a preferred embodiment, the probes are labeled with a fluorescent label, and measurement of levels and patterns of fluorescence indicative of complex formation is accomplished by fluorescence microscopy, preferably confocal 30 fluorescence microscopy. An argon ion laser excites the fluorescent label, emissions are directed to a photomultiplier, and the amount of emitted light is detected and quantitated. The detected signal should be proportional to the amount of probe/target complexes at each position of the microarray. The fluorescence microscope can be associated with a computer-driven scanner device to generate a quantitative two-dimensional image of hybridization intensity. The scanned image is examined to 35 determine the abundance/expression level of hybridized probe.

25

Typically, microarray fluorescence intensities can be normalized to take into account variations in hybridization intensities when more than one microarray is used under similar test conditions. In a preferred embodiment, individual polynucleotide probe/target complex hybridization intensities are normalized using the intensities derived from internal normalization controls contained on each 5 microarray.

Expression Profiles

This section describes an expression profile using the polynucleotides of this invention. The reference set can be used as part of a expression profile which detects changes in the expression of novel genes whose transcripts are modulated in a particular metabolic response, treatment, condition, disorder, or disease. These genes will include genes whose altered expression is correlated with a cancer, an immunopathology, a neuropathology, and the like.

The expression profile comprises a plurality of detectable hybridization complexes. Each complex is formed by hybridization of one or more probes to one or more complementary targets. At least one of the probes, preferably a plurality of probes, is hybridized to a complementary target forming, at least one and preferably, a plurality of complexes. A complex is detected by incorporating at least one labeling moiety. The expression profiles provide "snapshots" that can show unique expression patterns that are characteristic of a metabolic process, treatment, condition, disorder or disease.

After performing hybridization experiments and detecting signals from a microarray, particular 20 probes can be identified and selected based on their expression patterns. Such probes can be used to clone a full length sequence for the gene, to screen a library for a closely related homolog, to screen for or purify ligands, or to produce a protein.

Utility of the Invention

The plurality of polynucleotides can be used as hybridizable elements in a microarray. Such a microarray can be employed in several applications including diagnostics, prognostics and treatment regimens, and drug discovery and development for conditions, disorders, and diseases such as cancer, an immunopathology, a neuropathology and the like.

Expression Profiles

In one situation, the microarray is used to monitor the progression of disease. The differences in gene expression between healthy and diseased tissues or cells can be assessed and cataloged. By analyzing changes in patterns of gene expression, disease can be diagnosed at earlier stages before the patient is symptomatic. The invention can be used to formulate a prognosis and to design a treatment regimen. The invention can also be used to monitor the efficacy of treatment. For treatments with known side effects, the microarray is employed to "fine tune" the treatment regimen. A dosage is established that causes a change in genetic expression patterns indicative of successful treatment.

Expression patterns associated with the onset of undesirable side effects are avoided. This approach may be more sensitive and rapid than waiting for the patient to show inadequate improvement, or to manifest side effects, before altering the course of treatment.

Alternatively, animal models which mimic a human disease can be used to characterize

5 expression profiles associated with a particular condition, disorder or disease or the treatment of the condition, disorder or disease. Experimental treatment regimens may be tested in these animal models using microarrays to establish and then follow expression profiles over time. In addition, microarrays may be used with cell cultures or tissues removed from animal models to rapidly screen large numbers of candidate drug molecules, looking for ones that produce an expression profile similar to those of

10 known therapeutic drugs, with the expectation that molecules with the same expression profile will likely have similar therapeutic effects. Thus, the invention provides the means to rapidly determine the molecular mode of action of a drug.

Embryonic Stem Cells

Embryonic (ES) stem cells isolated from rodent or human embryos retain the potential to form

15 embryonic tissues. When ES cells such as the mouse 129/SvJ cell line are placed in a blastocyst from
the C57BL/6 mouse strain, they resume normal development and contribute to tissues of the live-born
animal. ES cells are preferred for use in the creation of experimental knockout and knockin animals.

In mice, the method for this process is well known in the art and the steps are: the cDNA is introduced
into a vector, the vector is transformed into ES cells, transformed cells are identified and microinjected
20 into mouse cell blastocysts, blastocysts are surgically transferred to pseudopregnant dams. The
resulting chimeric progeny are genotyped and bred to produce heterozygous or homozygous strains.

ES cells are also used for the treatment of victims of Parkinson's disease, stroke, and other neuropathologies (The Scientist, 14(18):1ff; September 2000). Pharmaceutical companies are also targeting disorders of the liver, kidney, and pancreas, specifically alpha-1 antitrypsin, polycystic kidney disease, and diabetes, respectively. In time, traumatic damage to the nervous system and internal organs may also be treated by transplantation of cells or organs which are differentiated from embryonic stem cells. The present invention may be used to characterize the developmental pathways of the differentiation processes that give rise to brain, heart, kidney, liver, lung, muscle, ovarian, pancreatic, small intestine, stomach, or uterine tissues.

30 Knockout Analysis

In gene knockout analysis, a region of a gene is enzymatically modified to include a non-natural intervening sequence such as the neomycin phosphotransferase gene (neo; Capecchi (1989) Science 244:1288-1292). The modified gene is transformed into cultured ES cells and integrates into the endogenous genome by homologous recombination. The inserted sequence disrupts transcription and translation of the endogenous gene.

Knockin Analysis

ES cells can be used to create knockin humanized animals or transgenic animal models of human diseases. With knockin technology, a region of a human gene is injected into animal ES cells, and the human sequence integrates into the animal cell genome. Transgenic progeny or inbred lines are studied and treated with potential pharmaceutical agents to obtain information on the progression and treatment of the analogous human condition.

As described herein, the uses of the cDNAs, provided in the Sequence Listing of this application, and their encoded proteins are exemplary of known techniques and are not intended to reflect any limitation on their use in any technique that would be known to the person of average skill in the art. Furthermore, the cDNAs provided in this application may be used in molecular biology techniques that have not yet been developed, provided the new techniques rely on properties of nucleotide sequences that are currently known to the person of ordinary skill in the art, e.g., the triplet genetic code, specific base pair interactions, and the like. Likewise, reference to a method may include combining more than one method for obtaining, assembling or expressing cDNAs that will be known to those skilled in the art. It is also to be understood that this invention is not limited to the particular methodology, protocols, and reagents described, as these may vary. It is also understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention which will be limited only by the appended claims. The examples below are provided to illustrate the subject invention and are not included for the purpose of limiting the invention.

EXAMPLES

For purposes of example, the preparation and sequencing of the BRAINON01 cDNA library is described. Preparation and sequencing of other cDNAs in libraries in the LIFESEQ database (Incyte Genomics) have varied over time, and the gradual changes involved use of kits, plasmids, and machinery available at the particular time the library was made and analyzed.

I cDNA Library Construction

The BRAINON01 normalized cDNA library was constructed from cancerous brain tissue obtained from a 26-year-old Caucasian male during cerebral meningeal excision following diagnosis of grade 4 oligoastrocytoma localized in the right fronto-parietal part of the brain. The tumor had been irradiated (5800 rads). Patient history included hemiplegia, epilepsy, ptosis of eyelid, and common migraine, and medications included Dilantin® (Parke-Davis, Morris Plains NJ).

The frozen tissue was homogenized and lysed using a POLYTRON homogenizer (PT-3000;
Brinkmann Instruments, Westbury NY) in guanidinium isothiocyanate solution. The lysate was extracted with acid phenol, pH 4.7, per Stratagene RNA isolation protocol (Stratagene, San Diego
35 CA). The RNA was extracted with an equal volume of acid phenol, reprecipitated using 0.3 M sodium

acetate and 2.5 volumes of ethanol, resuspended in DEPC-treated water, and treated with DNase for 25 min at 37°C. The RNA extraction was repeated with phenol, pH 8.7, and precipitated with sodium acetate and ethanol as before. The mRNA was isolated with the OLIGOTEX kit (Qiagen, Chatsworth CA) and used to construct the cDNA library.

The mRNA was handled according to the recommended protocols in the SUPERSCRIPT plasmid system (Life Technologies). cDNAs were fractionated on a SEPHAROSE CL4B column (Amersham Pharmacia Biotech), and those cDNAs exceeding 400 bp were ligated into PSPORT I plasmid (Life Technologies). The plasmid was transformed into DH5α competent cells (Life Technologies) to construct the BRAINOT03 library.

10 II Normalization of the cDNA Library

5

4.9 x 10⁶ independent clones of the BRAINOT03 library were grown in liquid culture under carbenicillin (25mg/L) and methicillin (1mg/ml) selection following transformation by electroporation into DH12S competent cells (Life Technologies). The culture was monitored using a DU-7 spectrophotometer (Beckman Coulter, Fullerton CA) until it reached an OD600 of 0.2, and then superinfected with a 5-fold excess of the helper phage M13K07 (Vieira et al. (1987) Methods Enzymol 153:3-11).

To reduce the number of highly expressed cDNAs, the library was normalized in a single round according to the procedure of Soares et al. (1994, Proc Natl Acad Sci 91:9928-9932) with the following modifications: 1) the primer to template ratio in the primer extension reaction was increased from 2:1 to 10:1, 2) the ddNTP concentration was reduced to 150µM to allow generation of longer (400-1000nt) primer extension products, and 3) the reannealing hybridization was extended from 13 to 48 hours. After the single stranded DNA circles were purified by hydroxyapatite chromatography and converted to partially double-stranded by random priming, the cDNAs were electroporated into DH10B competent bacteria (Life Technologies) to construct the BRAINON01 normalized library.

25 III Isolation and Sequencing of cDNA Clones

Plasmid DNA was released from bacterial cells and purified using the REAL Prep 96 plasmid kit (Qiagen). This kit enabled the simultaneous purification of 96 samples in a 96-well block using multi-channel reagent dispensers. The recommended protocol was employed except for the following changes: 1) the bacteria were cultured in 1 ml of sterile TERRIFIC BROTH (BD Biosciences, Sparks MD) with carbenicillin at 25 mg/L and glycerol at 0.4%; 2) the cultures were inoculated, incubated for 19 hours, and then lysed with 0.3 ml of lysis buffer; and 3) following isopropanol precipitation, the plasmid DNA pellet was resuspended in 0.1 ml of distilled water.

The cDNAs were prepared using a MICROLAB 2200 system (Hamilton, Reno NV) in combination with DNA ENGINE thermal cyclers (PTC200; MJ Research, Waltham MA). The 35 cDNAs were sequenced by the method of Sanger and Coulson (1975; J Mol Biol 94:441f) using ABI

PRISM 377 DNA sequencing systems (Applied Biosystems). Most of the sequences were sequenced using standard ABI protocols and kits (Applied Biosystems) at solution volumes of 0.25x - 1.0x. In the alternative, some of the sequences were sequenced using solutions and dyes from Amersham Pharmacia Biotech.

5

IV Selection of Sequences for the Microarray

Incyte clones were mapped to non-redundant Unigene clusters (Unigene database (build 46), NCBI; Shuler (1997) J Mol Med 75:694-698), and the 5' clone with the strongest BLAST alignment (at least 90% identity and 100 bp overlap) was chosen, verified, and used in the construction of the microarray. The UNIGEM V microarray (Incyte Genomics) contains 7075 array elements which represent 4610 annotated genes and 2,184 unannotated clusters. Table 1 shows the GenBank 119 annotations for SEQ ID NOs:1-416 of this invention as produced by BLAST analysis.

V Homology Searching of Polynucleotides and Proteins

BLAST involves finding similar segments between the query sequence and a database

15 sequence, evaluating the statistical significance of any similarities, and reporting only those matches that satisfy a user-selectable threshold of significance. BLAST produces alignments of both nucleotide and amino acid sequences to determine sequence similarity.

The fundamental unit of the analysis is the High scoring Segment Pair (HSP). An HSP consists of two sequence fragments of arbitrary, but equal lengths, whose alignment is locally maximal 20 and for which the alignment score meets or exceeds threshold of significance set by the user.

The basis of the search is the product score, which is defined as:

% sequence identity x % maximum BLAST score

The product score takes into account both the degree of identity between two sequences and the length of the sequence match as reflected in the BLAST score. The BLAST score is calculated by scoring +5 for every base that matches in an HSP and -4 for every mismatch. For a product score of 40, the match will be exact within a 1% to 2% error and for a product score of 70, the match will be exact. Homologous molecules usually show product scores between 15 and 40, although lower scores may identify related molecules. The P-value for any given HSP is a function of its expected frequency of occurrence and the number of HSPs observed against the same database sequence with scores at least as high.

Percent sequence identity is found in a comparison of two or more amino acid or nucleic acid sequences. Percent identity can be determined electronically using the MEGALIGN program, a component of LASERGENE software (DNASTAR). The percent similarity between two amino acid sequences is calculated by dividing the length of sequence A, minus the number of gap residues in

sequence A, minus the number of gap residues in sequence B, into the sum of the residue matches between sequence A and sequence B, times one hundred. Gaps of low or of no homology between the two amino acid sequences are not included in determining percentage similarity.

Sequences with conserved protein motifs may be searched using the BLOCKS search program.

5 This program analyses sequence information contained in the Swiss-Prot and PROSITE databases and is useful for determining the classification of uncharacterized proteins translated from genomic or cDNA sequences (Bairoch et al. (1997) Nucleic Acids Res 25:217-221; Attwood et al. (1997) J Chem Inf Comput Sci 37:417-424). PROSITE database is a useful source for identifying functional or structural domains that are not detected using motifs due to extreme sequence divergence. Using weight matrices, these domains are calibrated against the SWISS-PROT database to obtain a measure of the chance distribution of the matches.

The PRINTS database can be searched using the BLIMPS search program to obtain protein family "fingerprints". The PRINTS database complements the PROSITE database by exploiting groups of conserved motifs within sequence alignments to build characteristic signatures of different protein families. For both BLOCKS and PRINTS analyses, the cutoff scores for local similarity were: >1300=strong, 1000-1300=suggestive; for global similarity were: p<exp-3; and for strength (degree of correlation) were: >1300=strong, 1000-1300=weak.

VI Extension of cDNA Clones

Some of the nucleic acid sequences of the Sequence Listing, designed F, R, or T, were produced by extension of an appropriate fragment of the original clone insert using oligonucleotide primers designed from this fragment. One primer was synthesized to initiate 5' extension of the known sequence, and the other primer, to initiate 3' extension of the known sequence. The initial primers were designed using OLIGO software (Molecular Insights, Cascade CO), or another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68°C to about 72°C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

Selected human cDNA libraries were used to extend the sequence. If more than one extension was necessary or desired, additional or nested sets of primers were designed.

High fidelity amplification was obtained by PCR using methods well known in the art. PCR was performed in 96-well plates using the DNA ENGINE thermal cycler (MJ Research). The reaction mix contained DNA template, 200 nmol of each primer, reaction buffer containing Mg²⁺, (NH₄)₂SO₄, and β-mercaptoethanol, Taq DNA polymerase (Amersham Pharmacia Biotech), ELONGASE enzyme (Life Technologies), and Pfu DNA polymerase (Stratagene), with the following parameters for primer pair PCI A and PCI B: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7: storage at 4°C. In the

alternative, the parameters for primer pair T7 and SK+ were as follows: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 57°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7: storage at 4°C.

The concentration of DNA in each well was determined by dispensing 100 μ l PICOGREEN 5 reagent (0.25% v/v PICOGREEN (Molecular Probes, Eugene OR) dissolved in 1x TE) and 0.5 μ l of undiluted PCR product into each well of an opaque fluorimeter plate (Corning Costar, Acton MA), allowing the DNA to bind to the reagent. The plate was scanned in a Fluoroskan II (Labsystems Oy, Helsinki FI) to measure the fluorescence of the sample and to quantify the concentration of DNA. A 5 μ l to 10 μ l aliquot of the reaction mixture was analyzed by electrophoresis on a 1% agarose minigel to 10 determine which reactions were successful in extending the sequence.

The extended nucleotides were desalted and concentrated, transferred to 384-well plates, digested with CviJI cholera virus endonuclease (Molecular Biology Research, Madison WI), and sonicated or sheared prior to religation into pUC 18 vector (Amersham Pharmacia Biotech). For shotgun sequencing, the digested nucleotides were separated on 0.6% to 0.8% agarose gels, fragments were excised, and agar digested with AGARACE (Promega). Extended clones were religated using T4 ligase (New England Biolabs, Beverly MA) into pUC 18 vector (Amersham Pharmacia Biotech), treated with Pfu DNA polymerase (Stratagene) to fill-in restriction site overhangs, and transfected into competent <u>E</u>. <u>coli</u> cells. Transformed cells were selected on antibiotic-containing media, and individual colonies were picked and cultured overnight at 37°C in 384-well plates in LB/2x carbenicillin liquid media.

The cells were lysed, and DNA was amplified using Taq DNA polymerase (Amersham Pharmacia Biotech) and Pfu DNA polymerase (Stratagene) with the following parameters: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min; Step 4: 72°C, 2 min; Step 5: steps 2, 3, and 4 repeated 29 times; Step 6: 72°C, 5 min; Step 7: storage at 4°C. DNA was quantified by PICOGREEN reagent (Molecular Probes) as described above. Samples with low DNA recoveries were reamplified using the conditions described above. Samples were diluted with 20% dimethysulphoxide (1:2 v/v), and sequenced using DYENAMIC energy transfer sequencing primers and the DYENAMIC DIRECT kit (Amersham Pharmacia Biotech) or the ABI PRISM BIGDYE terminator kit (Applied Biosystems).

VII mRNA for Target Polynucleotides

The mRNAs or tissues for preparing target polynucleotides were obtained from Biochain Institute (San Leandro CA), International Institute for Advanced Medicine (Exeter PA), and Oncormed (Gaithersburg MD). RNA was extracted from tissue samples using the extraction protocol and purification procedures described above.

VIII Microarray Preparation, Labeling of Targets, and Hybridization Analyses

35 Substrate Preparation

30

Probe polynucleotides were amplified from bacterial vectors by thirty cycles of PCR using

primers complementary to vector sequences flanking the insert and purified using SEPHACRYL-400 beads (Amersham Pharmacia Biotech). Purified polynucleotides were robotically arrayed onto a glass microscope slide (Corning Science Products, Corning NY) previously coated with 0.05% aminopropyl silane (Sigma-Aldrich) and cured at 110°C. The microarray was exposed to UV irradiation in a 5 STRATALINKER UV-crosslinker (Stratagene).

Target Preparation

Each mRNA sample, shown in Table 2, was reverse transcribed using MMLV reverse transcriptase in the presence of dCTP-Cy3 or dCTP-Cy5 (Amersham Pharmacia Biotech) according to standard protocol. After incubation at 37°C, the reaction was stopped with 0.5 M sodium hydroxide, and RNA was degraded at 85°C. The target polynucleotides were purified using CHROMASPIN 30 columns (Clontech, Palo Alto CA) and ethanol precipitation.

Hybridization

The hybridization mixture, containing 0.2 mg of each of the Cy3 and Cy5 labeled target polynucleotides, was heated to 65°C, and dispensed onto the UNIGEM V microarray (Incyte Genomics) surface. The microarray was covered with a coverslip and incubated at 60°C C. The microarrays were sequentially washed at 45°C in moderate stringency buffer (1xSSC and 0.1% SDS) and high stringency buffer (0.1xSSC) and dried.

Detection

A confocal laser microscope was used to detect the fluorescence-labeled hybridization

20 complexes. Excitation wavelengths were 488 nm for Cy3 and 632 nm for Cy5. Each array was scanned twice, one scan per fluorophore. The emission maxima was 565 nm for Cy3 and 650 nm for Cy5. The emitted light was split into two photomultiplier tube detectors based on wavelength. The output of the photomultiplier tube was digitized and displayed as an image, where the signal intensity was represented using a linear 20 color transformation, with red representing a high signal and blue a low signal. The

25 fluorescence signal for each probe was integrated to obtain a numerical value corresponding to the signal intensity using GEMTOOLS expression analysis software (Incyte Genomics).

IX Data Analysis and Results

Out of the 7075 genes present on UNIGEM V, 3627 genes or 51 % were expressed at a significant level across all 30 tissue samples. Significance was defined as signal to background ratio exceeding 2.5 and area hybridization exceeding 40% for both probes. All data was transformed so that differential gene expression values were Log base 2 scale.

Analysis of Variance

For each gene, an ANOVA test was run using the tissue categories as the grouping variable.

The ANOVA tested whether measurements across samples belonging to known categories were

associated with those categories. ANOVA compares the Variance between (Vb) categories to the

Variance within (Vw) categories. The ratio of Vb divided by Vw (F ratio) was compared to the F

PCT/US00/30396 WO 01/32927

distribution for a population of equal degree of freedom (DF) and the probability of the F ratio was returned.

Anova Computation

5

 $F = \frac{Vbetween}{Vwithin} \qquad Vwithin = \frac{\sum_{i} (X_{i} - \overline{X_{G}})^{2}}{(N - k)} \qquad Vbetween = \frac{\sum_{G} N_{G}(\overline{X_{G}} - \overline{X_{T}})^{2}}{(k - 1)}$

DF = (N-k)*(k-1)

X;: Individual value

No: Number of Individuals in Category

Xa: Category Mean

X,: Population Mean

N : Number of Individuals k: Number of Categories

The null hypothesis states that if the measurement variations between samples are due to chance only, the variance within categories and variance between categories should be the same. 10 Therefore, in the absence of any significant association between gene expression and tissue categories, the probability returned by ANOVA is equal to 1. Reciprocally, a strong association between gene expression and tissue categories implies that the variance between samples is significantly greater than the variance within categories, and therefore the probability returned by ANOVA is small.

The data for the 340 genes shown in Table 3 was used to produce Table 4 which shows that each gene 15 selected for annotation scored an ANOVA probability equal or below 10⁻⁵.

Gene Annotation

Since selection criterion imposed that the variances of measurement within tissue categories were small (see above), it was acceptable to summarize these measurements as the average of the measurements within each tissue category. Furthermore, in order to emphasize differences between 20 tissue categories for each gene, the differences between tissue averages and all-tissues average were computed; formula and values are shown in Table 5.

Using these differential average values, genes were associated with a primary tissue category according to the highest differential average value. A minimum differential average value of 1.5 was required to associate a gene with a tissue category. When possible, genes were associated with a 25 secondary, tertiary, and even quaternary tissue category according to the second, third, and fourth highest differential average values, respectively.

X Screening Molecules for Specific Binding with the Polynucleotide or Protein

The polynucleotide or fragments thereof and the protein or portions thereof are labeled with ³²P-dCTP, Cy3-dCTP, Cy5-dCTP (Amersham Pharmacia Biotech), or BIODIPY or FITC (Molecular 30 Probes), respectively. Candidate molecules or compounds previously arranged on a substrate are incubated in the presence of labeled nucleic or amino acid. After incubation under conditions for either a

polynucleotide or protein, the substrate is washed, and any position on the substrate retaining label, which indicates specific binding or complex formation, is assayed. The binding molecule is identified by its arrayed position on the substrate. Data obtained using different concentrations of the nucleic acid or protein are used to calculate affinity between the labeled nucleic acid or protein and the bound molecule.

5 High throughput screening using very small assay volumes and very small amounts of test compound is fully described in Burbaum et al. USPN 5,876,946.

All patents and publications mentioned in the specification are incorporated herein by reference. Various modifications and variations of the described method and system of the invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention.

10 Although the invention has been described in connection with specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. Indeed, various modifications of the described modes for carrying out the invention that are obvious to those skilled in the field of molecular biology or related fields are intended to be within the scope of the following claims.

Description of GenBank Homolog	g602702 mitochondrial 2,4-dienoyl-CoA	g285990 mRNA for KIAK0002 gene	g1399027 cysteine rich prot 2	g6808282 mRNA; cDNA DKFZp58600221	g3452378 glutamate oxaloacetate transaminase, exon 9	g189010 HUMMLC2At	g809558 mRNA for cardiac myosin bindin	g1526977 mRNA for ryanodine receptor 2	g1841371 MURR1 mRNA	g4071059 TINNI3	g28596 aldolase A	g178645 erythroid ankyrin mRNA	g3882276 mRNA for KIAA0778 protein	g306472 DHP-sensitive calcium channel	g791039 mRNA for skeletal muscle-specific calpain	g179787 carbonic anhydrase III	g34788 mRNA for muscle specific enolase	g1021572 CpG island DNA genomic Mse1 fragment	g1212945 mRNA for guanidinoacetateN-methyltransferase	g7297634 CG5676 gene product	g3153910 muscle glycogen phosphorylase	g4808812 myosin heavy chain IIa	g3127082 FIP2 alternatively translated mRNA	g4426911 phytanoil-CoA alpha hydroxylase	g5759308 putative glialblastoma cell differentiation-related protein	g1220345 myosin light chain 2	g409928 adenylyl cyclase-associated prot (CAP2)	g439602 Rad mRNA	g6523810 FEZ2 protein	g1620035 XIB mRNA, complete cds	g34837 MYF6 for muscle determination factor	g188591 alkali myosin light chain 1
Descr	g6027	g2859	g1399	80898	g3452	g1890	g8095	g1526	g1841	g4071	g2859	g1786	g3882	g3064	g7910	g1797	g3478	g1021	g1212	g7297	g3153	g4808	g3127	g4426	g5759	g1220	g4099	g4396	g6523	g1620	g3483	g1885
Tissue	heart	heart	heart	heart	heart	heart	heart	heart	heart	heart	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle
cDNA	1345551CB1	1618422.con	4646418CB1	608361.con	2483470CB1	1850033CB1	3030106CB1	718807.con	2880435.con	187326.con	3208425.con	1668474.con	1622542.con	4014318.con	1485879CB1	2637261CB1	1719955.con	2256026.con	2501821CB1	1532783CB1	3013501CB1	3405838CB1	1627492.con	3354111CB1	1866437CB1	972224.con	1413644CB1	1538224.con	2623268.con	1665533.con	981484CB1	973629.con
SEQ ID	506	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
cDNA	2380381	1618422	2672064	608361	1922596	1850033	286984	718807	2880435	187326	3208425	1668474	1622542	4014318	2394888	1345550	1719955	2256026	1538086	958633	2635943	121888	1627492	4073867	2190170	972224	1413644	1538224	2623268	1665533	981484	973629
SEQ ID	-	7	က	4	v	9	7	∞	9	2	11	12	13	4	15	9	11	<u>&</u>	19	20	21	22	23	*	22	92	27	78	53	30	31	32

			ding protein																													
Description of GenBank Homolog	g188582 myosin light chain 1 slow a	g402646 mRNA for fast MyBP-C	g338826 TCB gene encoding cytosolic thyroid hormone-binding protein	g180621 cytoplasmic linker protein-170 alpha 2	g337721 ryanodine receptor mRNA	g1943766 sarcolipin	g180708 calcineurin A2	g339964 slow-twitch skeletal troponin I	g546020 troponin T	g190153 replication factor C	g181070 cysteine-rich peptide mRNA	g181375 cholesterol side-chain cleavage	g32344 gene for heterogeneous RNP	g257052 3 beta-hydroxysteroid dehydrogenase	g186836 laminin B1 chain	g35902 mRNA for ribosomal protein L7	g7339519 mRNA for procathepsin E	g3005731 clone 24747 mRNA sequence	g8346840 partial LGALS9 gene for galectin 9 exons	g31771 mRNA for gastric lipase	g38068 Japanese macaque pepsinogen A-2/3	g1658285 gastricsin mRNA	g35706 pS2 mRNA induced by estrogen	g599833 VE-cadherin mRNA	g719268 cysteine-rich heart protein (hCRHP)	g1185451 cytochrome P450 monooxygenase	g181532 defensin 5 gene	g181546 defensin 6 mRNA	g30822 mRNA for diacylglycerol kinase	g178285 angiotensin I-converting enzym	g6647301 matriptase mRNA	g391772 regenerating protein I
Tissue	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	skel muscle	Uterus	Uterus	Ovary	Ovary	Ovary	Ovary	Ovary	Stomach	Stomach	Stomach	Stomach	Stomach	Stomach	Stomach	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine
cDNA	1539638CB1	3010791CB1	2832314.con	912973CB1	122365CB1	974936CB1	1987831.con	1642009CB1	2148260CB1	1852756CB1	2852042.con	2665890CB1	2831248.con	182802.con	1520287CB1	1120.con	1516165CB1	1636639.con	1985870.соп	3665933CB1	910612.con	807530CB1	963536.con	434377.con	2121863.con	1597231CB1	4174437.con	2182901.con	1811382CB1	1630553.con	155179CB1	2132487.con
SEQ ID	241	242	243	2 4 4	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	5 61	292	263	5 94	265	5 9	267	268	569	270	172	272
cDNA	1539638	3015758	2832314	1702996	839947	1867522	1987831	2639708	973815	2079906	2852042	2368282	2831248	182802	1003884	1120	1285380	1636639	1985870	1677936	910612	2594407	963536	434377	2121863	1597231	4174437	2182901	1747979	1630553	478960	2132487
SEQ ID	33	35	35	36	37	38	39	\$	4	42	43	4	45	4	41	84	49	20	51	25	53	\$	55	26	27	58	89	3	19	62	63	8

SEQ ID
274 1800311CB1 Intestine
610574CB1
276 1805613.con Intestine 277 989613CB1 Intestine
278 1804662.con Intestine
279 2921194.con Intestine
280 395368.con Intestine
281 1845979CB1 Intestine
282 1751028CB1 Intestine
283 1501077CB1 Intestine
284 3130321CB1 Lung
285 1910091.con Lung
•
287 g6580818 Lung
1965041.con
_
1222317CB1
5
1988674.con
293 1672640.con Lung
294 g4884115 Liver
1504934.con
7
297 1359832.con Liver
298 1583076.con Liver
299 139838CB1 Liver
300 1344654.con Liver
301 2513979.con Liver
302 2369312.con Liver
303 2514629CB1 Liver
304 85246.con Live

Description of GenBank Homolog	g178994 liver arginase mRNA	g179078 asialoglycoprotein receptor H1	g5020419 carbamyl phosphate synthetase I	g180255 ceruloplasmin	g182389 coagulation factor X	g179721 complement component C8-gamma	g179970 corticosteroid binding globulin	g180986 cytochrome P450IIA3 (CYP2A3)	g263688 cytochrome P450 2C [Macaca	g510085 (clone NF 10) cytochrome P450 nifedipine oxidase	g181394 cytosolic epoxide hydrolase	g8164183 22kDa peroxisomal membrane p	g6523808 carbonyl reductase mRNA	g7023255 cDNA FLJ10913 fis	g7023313 cDNA FLJ10948 fis	g182406 fibrinogen alpha subunit	g188630 flavin-containing monooxygenase form II	g183655 glutathione S-transferase	g31675 mRNA for group-specific component	g6759555 mRNA for putative progesterone bp	g184487 hemopexin mRNA	g184391 histidine-rich glycoprotein	g2865608 homogentisate 1,2-dioxygenas	g494988 nicotinamide N-methyltransferase	g183117 insulin-like growth factor bp	g33988 mRNA for inter-alpha-trypsin inhibitor	g33984 second protein of inter-alpha-trypsin inhibitor complex	g3236285 leptin receptor short form	g180947 carboxylesterase mRNA	g24444 mRNA for alpha1-acid glycoprotein (orosomucoid)	g189410 oxytocin mRNA	g35896 mRNA for retinol binding protein
Tissue	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver
cDNA	139825CB1	138274CB1	4285165CB1	630729CB1	946822.con	2517330.con	272669CB1	138361CB1	168865CB1	271684CB1	2513588CB1	1626663CB1	1923613.con	2058620.con	1965888CB1	1486348.con	2590673.con	1995380.con	2078240CB1	1846226.con	185986CB1	085596CB1	1544305CB1	149832CB1	1448718.con	2517268.con	085011CB1	2843638.con	1297817CB1	2517374CB1	2005973CB1	2515729CB1
SEQ ID	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336
cDNA	166337	138274	1633340	1982416	946822	2517330	2516489	88741	168865	231779	234123	1833801	1923613	2058620	1930954	1511658	2590673	1995380	167409	1846226	2052185	2517389	911015	604856	1448718	2517268	167134	2843638	1813269	1861971	2005973	2515729
SEQ ID	26	86	8	100	101	102	103	104	105	901	107	108	601	110	===	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128

Description of GenBank Homolog	g35689 liver mRNA for protein C	g5834471 mRNA for regucalcin	g1160968 serum amyloid A	g337749 serum amyloid A protein	g432974 sterol carrier protein X	g5596369 transferrin receptor 2 alpha	g36712 mRNA for tyrosine aminotransferase	g4530276 lipopolysaccharide-binding p	g36574 mRNA for S-protein	g2707821 aldehyde reductase (ALDR1)	g3523100 Ksp-cadherin (CDH16)	g2708638 carbonic anhydrase precursor	g521073 mRNA for chloride channel	g1809239 glycoprotein receptor gp330	g2213812 podocalyxin-like protein	g7768681 genomic DNA, chromosome 21q	g296365 mRNA for propionyl-CoA carboxylase a-chain	g452649 mRNA for lung amiloride sensitive Na+ channel	g339204 (clone V6) transcobalamin II	g340165 uromodulin (Tamm-Horsfall glycoprotein)	g537511 alpha-amylase mRNA	g187149 bile salt-activated lipase (BAL)	g35329 mRNA for procarboxypeptidase A1	g790226 preprocarboxypeptidase A2	g180885 colipase mRNA	g180331 cystic fibrosis mRNA, CFTR	g182057 pancreatic elastase IIA mRNA	g607029 elastase III B mRNA	g163497 PDI (E.C.5.3.4.1)	g325464 endogenous retrovirus type C oncovirus sequence	g31107 mRNA for elongation factor 2	g1244511 pancreatic zymogen granule membrane protein GP-2
Tissue	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas
cDNA	2132356.con	2614869CB1	2631845.con	086390CB1	2881975CB1	g5596369	606122.con	2515740CB1	1272023CB1	1634342.con	629242CB1	3766382.con	3485891CB1	3321896CB1	1297562.con	2910715.con	1612344CB1	1453049.con	1881237CB1	3669695CB1	2776408CB1	1330674.con	2377834.con	1307376CB1	4166960CB1	g180331	2383205.con	2015871.con	2088868CB1	1709828.con	1515152CB1	3665105.con
SEQ ID	337	338	339	340	341	342	343	34 44	345	346	347	348	349	320	351	352	353	354	355	356	357	358	329	360	361	362	363	364	365	366	367	368
cDNA	2132356	1001726	2631845	86390	1287840	2516905	606122	3553733	1813381	1634342	1418871	3766382	943181	603761	1297562	2910715	196975	1453049	1968695	958344	254081	1330674	2377834	2075464	2383235	1285503	2383205	2015871	2374046	1709828	2061119	3665105
SEQ ID	129	130	131	132	133	134	135	136	137	138	139	149	4	142	143	144	145	146	147	148	149	120	151	152	153	154	155	156	157	158	159	160

Description of GenBank Homolog	g893381 mRNA for Reg-related sequence	g7023457 cDNA FLJ11041 fis	g187231 pancreatic lipase related prote	g190012 phospholipase A-2	g521215 pancreatic trypsin 1	g3928429 mRNA for trypsinogen IV a-form	g1709300 amyloid precursor-like protei	g182736 cerebellar degeneration-assoc prot	g397934 a2-chimaerin	g251801 glial fibrillary acidic protein	g7669991 mRNA; cDNA DKFZp761L0516	Incyte Unique	g600118 extensin-like protein	g189982 testis-specific cAMP-dependent prot kinase catalytic subunit	g6523828 P19 protein mRNA	89588045 BRI3	g3892873 mRNA for GABA-B R1b receptor	g251801 glial fibrillary acidic protein	g493133 glutamate receptor 2	g2894085 mRNA for p40	g5689336 mRNA for EB3 protein	g3451335 F22162_1	g4426596 islet-brain 1 mRNA	g4322560 cell-line OV177 DRR1	g2865218 integrin binding protein Del-1	g1263035 neuronal membrane glycoprot	g1710283 neuronal olfactomedin-related ER localized prot	g3882192 mRNA for KIAA0736 protein	g1665814 mRNA for KIAA0275 gene	g307306 neuroendocrine-specific protein A	g687589 (AF1q) mRNA	g35958 beta-tubulin gene (5-beta)
Tissue	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain
cDNA	2068983.con	3526170CB1	5070239CB1	949518CB1	2085191.con	2792982.con	787351CB1	382416.con	1852659.con	3220181.con	1726307.con	1904244.con	2039955.con	2675641.con	1412749.con	1963854.con	2949085.con	2963196.con	3493359CB1	1674985.con	2109054.con	3317039.con	2838551.con	1477568.con	2963871.con	2847104CB1	2292011.con	1349484.con	1674253.con	1932189.con	1558165CB1	1486358.con
SEQ ID	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	386	330	391	392	393	394	395	396	397	398	366	400
cDNA	2068983	2242648	885032	2383830	2085191	2792982	243123	382416	1852659	3220181	1726307	1904244	2039955	2675641	1412749	1963854	2949085	2963196	1505977	1674985	2109054	3317039	2838551	1477568	2963871	1740547	2292011	1349484	1674253	1932189	1403041	1486358
SEQ ID	191	162	163	164	165	166	167	168	691	170	171	172	173	174	175	176	171	178	179	180	181	182	183	184	185	186	187	188	189	190	161	192

WO 01/32927

Tissue Description of GenBank Homolog	g2645406 calmodulin-stimulated phosphodiesterase PDE1B1	g1710192 clone 23586 mRNA sequence	g559331 mRNA for KIAA0080 gene	g1503987 mRNA for KIAA0202 gene	g662277 mRNA for MOBP	g1236938 transcriptional activator mRN	g1927201 FEZ1 mRNA	3' of g1403054???	g3290199 peanut-like 2 (PNUTL2) mRNA	g7669991 mRNA; cDNA DKFZp761L0516	g190084 proteolipid protein	g5817080	g2921407 EEN-B1 mRNA	g31657 GAT1 mRNA for GABA transporter	g307287 (clone CCG-B7) mRNA sequence	g35439 mRNA for protein gene product	
Tissue	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	
cDNA	3869211CB1	530629.con	g559331	1989129.con	1486348.con	1397294.con	2844322.con	1481440.con	026459CB1	1406786.con	1485846.con	2153242.con	3335607CB1	3244361.con	1289007CB1	1286746CB1	
SEQID	401	405	403	\$	405	406	404	408	409	410	41	412	413	414	415	416	
cDNA	1439065	530629	1672676	1989129	1486348	1397294	2844322	1481440	26459	1406786	1485846	2153242	2157981	3244361	1986737	2506867	
SEQID CDNA SEQID	193	161	195	961	161	861	199	200	201	202	203	5 5	202	506	207	208	

Table 2

Source No:	Tissue	Age	Ethnicity/Sex	Cause of Death	Conditions or Diseases
122	Ventricle	39	WO	gunshot wound	
1822	Heart	4	CM	intracranial hemorrhage	
B7015	Heart				
9869	Skeletal Muscle	ន	A/M	accident	
376	Tibia	4	5	. AZ	type II diabetes
4071	raigh fagil	8	2	NA VA	cancer
2869	Utens	4	A∕F	accident	
8869	Uterus	\$	A/F	accident	
1119	Ovary	4	5	NA NA	cancer
6869	Stomach	83	A/F	accident	
0669	Stomach	\$	A/M	accident	
1669	Sm Intestine	22	A/F	accident	
6392	Colon	9	ΑÆ	accident	
3779	Lung	13	8	intracranial hemorrhage	
2881	Lung	=	5	drowning	
2152	Lung	12	Š	accident	ADD, hyperactivity
4209	Liver	26	5	NA V	cancer
4133	Liver	8	S	Y.V	cancer
2147	Liver	œ	5	closed head injury	diabetes, asthma
6993	Kidney	22	ΑW	accident	
6994	Kidney	92	AM	accident	
\$669	Kidney	\$	AM	accident	
9669	Pancreas	24	ΑM	accident	
2669	Spleen	28	A/M	accident	
8669	Spleen	33	AM	accident	
6669	Brain	27	Α/M	accident	-
7000	Brain	23	AM	accident	
3971	Striatum	78	CM	NA	Alzheimer's

			_			_								_							_									
Lung (3779)	-0.85	-0.26	0.49	0.00	-1.85	-1.85	-2.23	-0.85	-0.14	-2.04	-1.68	-1.85	-2.96	-1.49	-1.93	-1.43	-1.00	-1.54	-2.04	0.00	-1.68	-1.77	-0.77	-1.26	-1.43	-1.38	-1.07	0.00	-0.49	-3.36
Colon (6392)	0.26	0.14	-0.38	-0.14	-0.77	-2.04	-2.70	-1.77	-0.49	-2.66	-1.07	-1.26	-2.20	-0.14	-2.98	-4.05	-0.85	-2.20	-0.58	0.38	-0.93	•1.00	-0.77	-1.58	-0.38	-1.77	-0.38	-0.49	-1.58	4.4
Small Intest (6991)	0.14	0.68	-0.68	0.14	-1.00	-2.23	-2.77	-1.20	0:00	-2.66	-1.43	-1.54	-2.23	-0.85	-3.00	-3.95	-1.00	-2.14	-0.85	-1.20	-1.72	-2.38	-0.93	-2.17	-0.58	-1.43	-0.49	-0.38	-1.43	-3.84
Small Intest (6991)	-0.26	0.38	-0.58	0.26	-1.00	-1.68	-2.68	-1.38	-0.26	-2.79	-1.14	-0.38	-2.35	-0.14	-2.81	-3.67	-0.93	-2.04	-0.26	-0.93	-2.23	-2.14	-0.93	-2.43	-0.68	-1.72	0.00	-0.49	-1.68	-4.25
Stomach (6990)	-0.38	-0.68	0.00	0.26	-0.49	-1.89	-2.81	-1.63	-0.38	-2.46	-1.07	-1.14	-1.85	-0.49	-2.07	-3.85	-0.93	-1.54	-1.72	-1.14	0.14	0.26	-0.14	-1.07	-1.00	-1.14	-0.77	-0.26	-1.63	-4.06
Stomach (6989)	-0.38	-0.26	-0.38	0.58	-1.20	-1.68	-2.04	-0.93	-0.49	2.56	-1.20	0.14	-2.00	-0.58	-2.70	-3.66	-1.49	-2.20	-0.68	-1.32	0.00	0.14	0.00	-0.93	-0.68	-0.85	-0.58	-0.26	-1.43	-3.81
Ovary (1119)	-0.38	-0.26	-0.85	-0.77	-1.93	-2.07	-2.66	-1.14	-0.58	-2.49	-1.63	-2.23	-2.51	-1.85	-1.93	-3.43	-1.07	-5.00	-1.54	-2.85	-0.58	-0.68	1.54	-1.72	-1.20	-1.14	-1.00	0.00	-1.26	4.09
Uterus (6988)	-1.00	0.68	0.58	0.58	-2.10	-1.81	-2.32	-1.68	0.14	-1.96	-1.72	-0.77	-2.17	-1.96	-0.58	-3.55	-1.07	-1.54	0.49	-2.56	1.38	1.43	-0.77	0.14	-0.85	-1.07	-1.14	0.00	-1.20	-2.85
Uterus (6987)	-0.93	0.58	0.58	0.93	-2.00	-1.49	-2.38	-1.63	0.14	-2.49	-1.63	0.00	-2.63	-1.85	-1.00	-3.38	-1.14	-1.93	0.77	-2.46	1.07	1.07	-0.85	0.00	-0.93	-1.49	-0.85	0.14	-1.43	-3.46
Thigh (4071)	-0.14	-1.43	-0.68	-0.14	99.0	-1.14	-1.93	-1.00	-0.77	-0.38	1.54	1.20	1.81	0.85	1.26	-1.26	2.07	2.54	1.68	1.63	0.77	0.93	-1.20	-1.63	2.29	2.61	1.93	2.70	2.81	3.32
Tibia (376)	'	•	٠			٠	-1.26	•	-	•														•						
Skeletal Muscle (6986)	0.77	-1.58	-0.26	99.0	1.85	-1.00	-2.07	-1.14	-0.77	-0.58	2.81	1.20	3.05	2.14	1.63	0.58	0.85	2.23	1.63	1.07	1.07	1.26	-0.58	-1.43	3.34	3.07	1.81	3.32	2.98	3.10
Heart (B7015)	2.04	1.38	1.58	1.68	1.49	1.00	2.93	3.25	2.29	3.69	1.81	2.89	2.46	1.93	2.77	2.63	1.81	2.46	2.38	1.93	0.49	0.58	2.20	1.54	0.38	0.77	-0.77	-1.14	-1.81	-3.99
. Heart (1822)	1.32	1.14	2.17	1.89	1.81	4.06	3.20	3.39	1.68	3.14	2.23	3.14	2.17	1.63	2.32	3.12	2.43	2.98	2.89	1.72	1.26	1.20	1.68	5.0 4	1.14	0.00	-0.58	0.26	-1.20	-3.90
Ventricle (122)	1.38	1.14	2.23	2.70	1.72	1.26	3.83	2.79	1.96	3.87	2.61	3.42	5.66	2.29	3.45	3.54	2.79	3.17	1.54	2.35	2.29	2.29	2.38	1.89	0.93	8	-0.38	-0.14	-1.26	-3.61
Clone ID	2380381	1618422	2672064	608361	1922596	1850033	286984	718807	2880435	187326	1997963	467700	57382	1222442	4013105	924319	1645119	1379925	190061	3506985	551403	3948420	1722853	1557490	3208425	1668474	1622542	4014318	2394888	1345550

																_						_								
Lung (3779)	-1.96	-0.26	-1.14	-0.38	-3.28	-2.98	-1.14	-0.85	0.26	-3.17	-1.89	0.26	-1.14	-0.14	-0.85	-3.41	-0.49	-2.20	-0.26	-0.68	-0.68	-3.88	-0.85	-2.61	-2.41	-1.43	0.00	-1.07	-1.20	-1.38
Colon (6392)	-2.38	-0.93	-1.26	-0.26	-3.10	4.4	-0.38	0.14	0.14	-3.61	-1.20	-0.68	-0.49	-0.26	-1.14	-3.10	-0.14	-3.25	-0.14	-0.38	-0.85	-5.05	-0.77	-2.89	-3.60	-2.26	-1.00	-2.00	-1.63	-1.54
Small Intest (6991)	-2.32	-0.68	-0.93	-0.38	-2.41	-3.90	0.00	0.00	0.00	-3.72	-0.93	-0.38	-0.58	-0.26	-0.93	-2.96	0.00	-2.66	-0.38	-0.14	-0.77	4.37	-0.58	-2.91	-3.66	-1.38	-1.20	-2.07	-1.54	-1.49
Small Intest (6991)	-2.72	-0.68	-0.77	-0.68	-3.17	4.01	-0.58	-0.14	-0.14	-3.54	-0.85	-0.58	-0.85	-0.77	-0.93	-2.89	-0.14	-3.23	-0.38	-0.49	-0.68	-5.26	-0.38	-2.49	-3.22	-1.54	-1.14	-1.68	-1.43	-1.58
Stomach (6990)	-2.49	-0.85	-1.14	-0.58	-3.23	-3.38	-0.58	-0.26	-0.14	-3.34	-1.63	-0.93	-0.26	-0.38	-0.85	-2.72	-0.38	-2.49	-0.26	0.49	-0.38	-3.90	-0.68	-2.98	-2.98	-1.72	-0.14	-1.54	-0.14	-0.77
Stomach (6989)	-2.20	-0.85	-0.68	-0.26	-2.29	-3.22	-0.58	-0.26	0.00	-2.72	-0.58	-0.58	0.58	-0.58	-0.58	-2.61	-0.26	-2.58	-0.26	-0.14	-0.68	-3.94	-0.38	-2.72	-3.12	-1.32	-0.38	-1.14	-0.58	-1.32
Ovary (1119)	-2.51	-0.49	-1.00	0.93	-3.19	-3.42	99.0	0.00	99.0	-3.32	-1.58	-0.26	-0.26	-0.26	-1.26	-3.09	0.14	-2.58	-0.26	-0.49	-1.72	-5.17	×	-3.02	-3.02	×	-1.32	-2.26	-1.32	-1.26
Uterus (6988)	-2.58	-0.26	-1.14	99.0	-2.58	-3.36	-0.14	-0.38	0.58	-2.81	-0.14	-0.14	0.58	-0.14	-1.20	-2.83	0.26	-2.63	0.00	0.77	-1.32	-4.94	-0.14	-2.61	-2.72	-2.17	-1.07	-1.93	-0.93	-0.93
Uterus (6987)	-2.72	-0.26	-1.20	0.58	-2.79	-3.60	0.00	-0.38	9.0	-2.81	-0.85	0.14	0.38	-0.14	-1.20	-2.87	0.26	-2.63	-0.14	1.07	-1.58	4.88	-0.26	-2.63	-2.58	-2.07	-1.00	-1.43	-0.68	-0.93
Thigh (4071)	2.61	2.79	1.85	1.43	2.98	2.85	2.20	1.68	2.38	3.26	1.96	1.38	1.93	1.63	2.17	3.31	1.20	2.94	0.93	2.10	2.10	3.50	1.43	3.45	3.77	3.81	2.23	2.68	3.50	2.23
Tibia (376)	2.04	5.66	1.26	1.58	2.91	3.38	2.07	1.38	2.14	3.29	2.10	2.07	1.38	2.20	1.85	3.51	1.26	3.86	1.72	2.00	1.63	4.18	1.32	3.17	3.15	3.57	1.63	5.66	2.85	2.35
Skeletal Muscle (6986)	4.05	2.49	2.23	2.26	4.00	2.93	2.41	2.35	2.93	4.73	2.83	1.89	1.43	1.89	1.72	4.27	1.49	4.54	2.58	2.00	2.38	4.66	1.54	3.41	3.12	3.69	1.85	2.85	3.92	3.25
Heart (B7015)	-0.26	-0.85	0.00	1.49	-2.04	-1.54	0.14	0.26	0.38	-3.56	-0.58	1.07	-0.58	0.26	-0.58	-2.32	-0.58	-2.77	0.38	-0.26	-1.26	-4.61	0.14	-1.58	-1.43	1.00	1.63	1.85	0.58	7. 7. 7.
Неал (1822)	0.49	-0.14	0.00	1.14	-1.26	-1.72	0.26	0.49	0.49	-1.68	0.00	1.77	0.14	0.49	-0.77	-0.83	-0.49	-1.68	0.85	0.00	-0.38	-2.10	-0.14	-2.20	-2.26	1.8.1	1.68	1.32	1.77	2.4]
Ventricle (122)	-0.26	-0.14	-0.38	0.93	-2.20	-1.68	0.00	0.85	0.49	-2.26	-0.14	0.68	-0.58	0.58	-0.77	-1.68	-1.07	-1.49	0.85	-0.38	0.14	-3.29	0.14	-1.72	-1.63	2.23	1.85	2.89	1.14	2.68
Clone ID	1719955	2256026	1538086	958633	2635943	121888	1627492	4073867	2190170	972224	1413644	1538224	2623268	1665533	981484	973629	1539638	3015758	2832314	1702996	839947	1867522	1987831	2639708	973815	169884	2638235	305198	27997	986558

	_					٠							_																	_
Lung (3779)	-1.77	-1.54	-1.43	-0.14	-5.02	-2.38	-2.51	-3.80	-3.83	-1.32	-1.43	-3.31	-1.00	-1.81	-2.23	-2.38	-1.07	-1.14	-0.38	-0.85	-0.93	- \$2.1-	-0.38	0.58	-0.68	-0.58	0.14	0.14	-1.00	-1.96
Colon (6392)	-1.20	-0.93	-1.43	-0.38	-4.86	-2.43	-4.4]	-5.49	4.43	-1.54	-0.49	-2.89	-0.77	-0.93	-0.85	-0.68	-0.38	-1.32	0.58	0.26	-0.49	0.77	-0.58	0.00	0.00	0.14	0.38	0.14	0.26	-0.58
Small Intest (6991)	-1.58	-1.14	-1.26	-0.26	4.69	-2.23	-3.87	-5.37	4.13	-1.58	·1.00	-3.62	-0.58	-1.00	-1.20	-1.8	-0.93	-1.20	0.49	0.14	-0.38	0.26	-1.14	-0.26	-0.14	-0.26	-0.38	-0.38	0.0	-0.93
Small Intest (6991)	-1.20	-1.00	-1.38	-0.77	-5.00	-1.96	4. 8	-6.14	-5.09	-1.43	-0.93	-3.61	-0.85	-0.49	-0.49	-0.77	-0.85	-1.68	0.85	0.85	-1.07	1.00	-1.07	-0.26	0.38	0.14	-0.49	0.00	0.85	-1.00
Stomach (6990)	-1.26	-0.49	-1.26	0.14	-5.50	-2.17	-3.28	4.98	-3.93	-1.58	0.38	-2.74	-0.26	-1.00	-1.38	4.1.5	-1.20	-1.32	-0.85	-0.14	-0.58	-0.68	-1.07	-0.85	-0.49	-0.49	0.00	-0.58	-0.38	0.14
Stomach (6989)	-0.26	-0.58	-1.14	-0.14	-5.22	-5.00	-2.72	-4.65	-3.09	-1.43	-0.26	-2.43	-0.77	-0.14	0.38	-0.93	-0.77	-1.00	0.77	1.49	0.00	0.85	0.14	0.49	1.00	0.26	0.49	0.49	1.20	0.26
Ovary (1119)	-2.20	-1.32	-1.68	-0.38	4.92	-2.49	-2.74	-4.67	4.49	-0.77	-1.96	4.	-0.26	-1.26	-0.49	-1.85	-0.26	-1.07	0.58	0.14	0.93	0.00	1.68	1.72	1.58	1.38	1.32	2.14	1.14	2:07
Uterus (6988)	-0.26	-0.85	-1.07	-0.26	-4.87	-1.43	-2.72	4.19	-4.19	9:1	-1.43	4.19	0.49	0.26	1.63	-1.89	-0.77	-0.93	2.14	2.68	2.07	1.58	2.70	5.66	1.85	1.71	1.81	5.66	3.14	2.43
Uterus (6987)	0.58	-1.00	<u>-1.00</u>	-0.26	-4.95	-1.38	-2.70	4.18	4.28	-1.14	-1.14	-4.02	0.14	1.07	1.63	-2.32	-0.85	-0.85	2.10	2.93	2.04	1.96	3.23	2.61	1.81	1.58	2.23	2.51	3.39	2.07
Thigh (4071)	2.98	1.26	2.63	1.49	3.07	3.29	2.77	3.61	3.12	1.77	2.10	3.81	1.49	2.74	2.83	3.02	2.63	1.54	-1.32	-2.20	0.00	0.68	-1.32	-0.68	0.49	-0.26	-0.49	1.00	-2.32	0.26
Tibia (376)	3.23	1.07	1.68	2.32	2.68	3.28	3.23	4.26	2.96	1.93	2.00	3.94	2.00	3.54	2.81	2.93	5.66	1.68	-1.14	-2.07	0.26	0.68	-2.04	-0.49	0.14	-0.68	-0.58	1.85	-2.46	0.26
Skeletal Muscle (6986)	3.29	2.54	3.00	1.43	4.22	3.02	2.85	4.15	2.89	2.70	2.87	3.10	2.17	3.42	2.98	3.17	3.52	2.51	-1.20	-1.49	0.68	1.14	-1.58	-0.58	0.77	-0.26	0.38	1.20	-1.49	0.58
Heart (B7015)	-0.68	1.14	0.14	0.93	2.00	2.17	0.49	-1.85	2.20	0.85	1.07	1.68	1.54	-0.68	-1.00	0.58	0.00	-0.38	-1.68	-2.23	0.77	0.77	-1.89	-0.49	-0.93	-0.26	0.14	0.00	-2.98	-0.77
Heart (1822)	-0.26	1.63	2.00	0.77	2.32	2.17	0.77	-0.77	-0.26	0.93	1.32	2.14	1.89	-0.14	-0.58	1.63	0.26	0.26	-1.07	-1.54	1.43	0.77	-1.32	-0.26	-0.26	-0.26	0.00	0.26	-1.49	-0.38
Ventricle (122)	1.63	1.49	0.85	1.8.	1.93	2.35	0.77	-0.85	2.72	1.26	1.32	1.96	1.85	0.00	-0.14	0.26	1.26	-0.14	-1.63	-1.68	2.07	1.38	-1.32	0.00	97.	0.00	0.38	9.	-1.68	-1.14
Clone ID	224996	661259	3246379	78783	2639181	1672467	2950063	3288518	184110	1368173	1813409	58309	1721744	1924344	3176845	2286809	1985244	1570042	2079906	2852042	1319020	1572555	782235	1314882	1403636	1968921	1558081	2495131	4049957	1686585

 -		_							_												_			_					_	_
Lung (3779)	-2.56	-0.85	-1.85	1.54	-2.29	-0.58	0.14	-1.07	0.77	0.00	-0.26	-0.38	-0.85	0.38	-1.14	-0. 14	0.14	0.00	0.38	4.85	4.45	-2.49	-2.61	-1.07	-0.14	-0.85	-0.58	0.68	-1.26	70 0
Colon (6392)	0.14	0.77	1.20	1.38	-2.32	-0.85	0.38	0.26	0.38	0.38	-0.68	0.26	0.00	0.14	-1.00	0.58	-0.49	0.49	0.93	4.80	4.8	-4.45	-2.10	1.72	1.14	0.85	1.81	1.96	-2.04	1 20
Small Intest (6991)	0.14	1.07	1.20	0.77	-2.26	-0.85	-0.14	0.85	0.14	0.00	-0.68	-0.26	0.00	-0.58	-1.38	0.14	-0.58	0.49	0.38	-5.19	-5.17	-5.17	-1.49	1.72	1.63	1.07	1.54	1.63	-1.63	78.0
Small Intest (6991)	0.77	1.32	96:1	1.32	-2.38	-0.68	-0.26	0:00	-0.14	-0.38	-0.38	-0.77	-0.38	-0.38	9. 1.	0.14	-0.14	0.49	0.58	-1.68	-1.20	-1.26	-1.32	1.85	1.26	0.38	0.85	0.38	-1.93	× 0
Stomach (6990)	0.14	0.00	0.14	0.26	-2.43	-0.93	0.38	-0.58	0.00	0.14	0.14	-0.49	-0.26	0.14	9:	0.58	1.96	2.46	1.96	3.6	3.67	3.51	3.45	3.38	1.58	3.26	1.26	2.35	2.49	1 38
Stomach (6989)	1.54	1.32	2.10	1.14	-2.41	-0.26	0.26	0.00	0.00	0.14	0.49	0.14	0.38	0.14	-0.68	0.49	1.85	1.49	1.68	3.82	3.89	4.19	3.10	3.12	5.00	3.00	1.58	5.0 <u>4</u>	1.72	1 14
Ovary (1119)	-0.77	0.49	-0.49	8:	-1.68	3.64	2.49	3.54	1.49	2.23	1.32	2.23	1.38	3.0	2.83	2.54	-0.85	-0.68	-0.68	-5.33	4.54	-5.38	-3.26	-1.81	-0.49	-2.38	-2.04	-1.54	-1.77	67
Uterus (6988)	2.81	2.79	2.87	2.79	1.68	-0.77	1.32	-1.07	1.14	1.14	-1.07	1.43	1.49	2.04	-0.14	1.38	-0.58	0.58	-0.58	-5.17	-4.59	-5.08	-3.12	-1.77	-0.49	-2.46	-1.93	-1.68	-2.00	-2.29
Uterus (6987)	3.22	2.77	3.14	7 5	2.68	-0.49	1.14	-1.20	1.32	0.58	-0.77	1.54	1.20	2.07	0.26	1.07	-0.58	0.85	-0.49	-5.38	4.75	-5.20	-3.00	<u>-</u> .x	-0.68	-2.46	-1.85	-1.81	-2.29	-2.63
Thigh (4071)	-2.38	-2.04	-1.43	-0.49	-2.14	-0.58	-0.14	-0.93	-0.93	0.38	-0.68	-0.38	-1.81	-0.49	-0.85	-1.26	-0.68	-0.77	-0.85	-5.10	4.	-4.56	-2.70	-1.20	-0.49	5.05	-1.93	-1.54	9:1	-2.66
Tibia (376)	-2.38	-1.96	-1.20	-0.49	-1.85	-0.38	0.00	-0.26	-0.26	0.38	-0.58	-0.68	-1.38	-0.26	-0.85	-1.20	-0.77	-0.38	-0.58	4. 8	-3.98	4.32	-2.23	-0.14	-0.49	-1.32	-1.38	99.0	-0.49	-2.23
Skeletal Muscle (6986)	-1.77	-1.85	-1.26	-0.38	-2.23	-0.68	0.00	-0.58	-1.14	0.49	-0.49	0.77	-1.77	-0.14	-0.77	-0.85	-0.58	-0.85	-0.68	-5.28	-4.35	-4.76	-2.74	-0.68	-0.68	-2.17	-2.32	-1.07	-0.26	-2.66
Heart (B7015)	-2.23	-2.54	-2.49	0.77	-2.14	-0.26	0.00	-1.26	0.49	0.14	1.20	1.07	-0.58	-0.58	-0.26	-1.32	0.14	0.93	-0.49	-5.13	-3.51	-5.62	-1.85	-2.14	-0.49	-2.46	-2.32	-2.29	-1.77	3.6
Heart (1822)	-1.07	-1.38	-1.20	0.1	-2.54	-1.14	0.00	-0.68	0.26	0:00	1.20	0.00	0.26	0.00	-0.77	-0.68	-0.58	0.49	-0.58	-5.86	-5.09	-5.01	-2.96	-0.38	-0.77	-2.70	-2.14	-1.68	-1.07	-2.29
Ventricle (122)	-0.49	-2.38	-2.23	0.26	-1.77	-0.93	0:00	-0.58	0.14	-0.38	1.49	0.58	0.14	-0.14	-0.58	-0.77	-0.68	0.77	-0.58	-5.83	-4.84	-4.89	-3.20	-0.93	-0.58	-2.74	-2.20	-1.68	-1.26	-2.41
Clone ID	2696735	1720149	1866751	1851696	93820	2368282	2831248	182802	1003884	1120	1308542	3820761	1999167	1522716	1612969	337500	1285380	1636639	1985870	1677936	910612	2594407	963536	2252895	2804190	1998428	1800114	1806769	2474163	1435374

	Г			_			_							_							_									
Lung (3779)	0.77	1.14	-0.85	-3.07	-3.09	0.00	-0.77	0.0	-0.38	-2.93	-1.20	0.77	-0.49	-1.68	-1.58	0.14	-1.54	-0.58	-0.68	-3.00	-1.07	-1.68	-1.20	-2.72	4.09	-1.89	-2.46	-1.85	2.98	
Colon (6392)	2.32	2.43	1.72	3.25	3.61	1.72	3.00	1.72	2.68	2.91	3.26	1.43	2.98	2.9	1.93	1.96	3.09	2.10	1.81	3.41	2.26	3.09	3.38	2.72	2.56	2.41	2.93	2.72	-1.00	
Small Intest (6991)	2.00	2.10	1.81	3.31	3.62	1.54	2.98	1.81	2.61	3.60	3.31	1.54	3.05	3.07	2.07	2.04	3.51	2.14	2.14	3.39	2.81	3.10	3.09	2.72	3.26	3.05	2.68	2.56	-0.58	9
Small Intest (6991)	1.68	2.38	1.58	2.63	5.66	1.8	3.12	1.49	2.17	2.35	3.22	1.07	2.54	2.66	1.54	1.8.1	2.81	1.81	1.89	2.63	2.38	3.68	2.29	2.17	2.26	2.26	2.26	2.41	9:1-	970
Stomach (6990)	-1.20	1.14	-0.77	-4.63	-4.50	0.38	-1.63	0.38	-0.38	-2.87	-2.14	0.68	-0.85	-1.89	-0.77	0.77	-1.49	-0.49	-1.07	-1.96	-1.00	0.93	2.32	0.58	-4.98	-2.49	-2.51	-2.10	-1.07	070
Stomach (6989)	-1.00	0.85	-0.38	-1.89	-1.89	0.49	-1.20	0.58	0.49	-2.49	-1.77	0.49	0.00	-1.38	-0.38	0.38	-1.38	-0.26	-1.00	-1.07	-0.26	1.32	1.54	1.32	-2.63	-0.38	-2.35	-1.72	-0.93	070
Ovary (1119)	-1.00	-0.26	×	-3.93	-3.86	-0.26	-1.96	-1.07	-1.00	-3.23	-1.49	-0.38	-0.85	-2.32	-1.07	0.85	-2.35	-0.38	×	-3.56	-1.77	-2.61	-1.38	-2.58	-5.16	×	-2.54	-2.20	-1.08	200
Uterus (6988)	-0.14	0.85	-1.32	-3.74	-3.25	0.14	-0.58	-0.77	-1.07	-3.19	-1.38	-1.89	-0.77	-2.56	-1.14	0.68	-2.49	-0.26	-0.38	-3.19	-1.38	-2.72	-1.77	-3.02	-5.31	-1.81	-0.38	-2.14	-0.93	070
Uterus (6987)	-0.38	1.14	-1.38	-4.28	-3.45	97.0	-1.20	-1.00	-0.77	-3.56	-1.26	-1.72	-0.85	-2.32	-1.26	0.58	-2.56	-0.38	-0.58	-3.36	-1.49	-2.96	-2.07	-3.29	-4.97	-2.23	-0.49	-2.23	-0.77	36.0
Thigh (4071)	-0.49	-0.58	0.14	-3.47	-3.22	-0.68	-1.07	-0.58	-0.38	-2.68	-0.68	-1.7	-0.38	-2.26	-1.00	-1.07	-2.10	-0.14	9:	-2.89	-1.20	-2.17	-1.85	-2.63	4.49	-1.93	-2.29	-1.26	-0.85	38 0.
Tibia (376)	0.26	0.14	1.07	-3.17	-2.20	-0.38	-0.85	-0.26	-0.14	-2.29	-0.26	-1.38	0.14	-1.38	-0.49	-0.85	-1.85	0.26	-0.93	-2.43	-1.20	-1.77	-1.07	-2.00	4.26	1.32	-1.77	-1.07	-0.77	, O
Skeletal Muscle (6986)	-0.26	0.00	0.77	-3.47	-3.02	-0.77	-0.93	-0.49	0.14	-2.81	-0.77	-1.43	0.00	-1.85	-0.77	-0.49	-2.14	0.00	-1.26	-2.61	-1.07	-2.38	-2.04	-2.94	4.71	÷.	-2.00	-1.20	-0.77	200
Heart (B7015)	0.14	-0.26	0.93	-4.21	-3.56	-1.32	-1.54	-1.07	-1.20	-3.02	-2.79	-1.68	-1.85	-2.00	-1.26	0.0	-3.51	-0.85	-0.77	-3.32	-0.77	-3.55	-3.68	-3.23	-4.82	-2.04	-2.07	-2.68	-1.07	-0.93
Heart (1822)	-0.58	-0.26	1.32	4.47	4.10	-0.49	-0.77	-0.85	-0.58	-3.0 <u>4</u>	-1.77	-0.93	-0.85	-1.96	-0.49	-0.14	-2.23	0.00	-1.07	-2.07	-1.07	-2.61	-2.26	-2.93	-3.09	-1.93	-2.17	-1.71	-0.77	-0.49
Ventricle (122)	-0.14	-0.26	1.72	-4.32	-3.98	-0.58	-1.14	-0.58	0:00	-2.79	-1.96	-0.14	-0.38	-1.72	-0.14	-0.38	-2.32	0.14	-0.38	-1.68	-0.26	-2.41	-2.10	-2.91	-3.46	<u>-</u> . 2	-2.10	-1.68	-0.68	-0.14
Clone ID	434377	2121863	1597231	4174437	2182901	1747979	1630553	478960	2132487	2921152	1846428	2796143	1805613	1431273	1804662	2921194	395368	2182861	1806436	2922143	1696001	1635004	2132752	1734393	4179338	1427623	3320987	2239819	876720	1600161

	Г						_					_		_	_	_											-			
Lung (3779)	1.49	1.43	1.77	2.35	1.96	2.35	2.17	1.72	1.81	-0.14	-1.77	0.14	-0.26	-0.38	-2.26	-0.26	-2.49	-0.58	-2.54	-3.79	-0.26	-0.58	-1.68	-0.68	-0.49	-0.14	-0.49	-1.20	-1.49	-1.00
Colon (6392)	0.58	-0.58	-0.85	0.00	0.26	-1.49	-0.68	0.00	-0.68	0.00	-2.46	0.00	-0.38	0.14	-2.74	-1.14	-3.19	-3.39	-3.32	-4.80	-1.58	-0.85	0.49	-0.68	0.00	0.14	-1.26	-2.04	-0.85	0.14
Small Intest (6991)	0.26	-0.68	-0.77	0.26	-0.14	-1.32	-0.68	-0.85	-0.58	0.14	-2.04	-0.38	-0.38	-0.14	-2.23	-1.43	-3.42	-3.56	-2.23	4.37	-1.00	-0.58	0.58	-1.07	-0.14	0.14	-0.85	-1.49	-1.32	0.00
Small Intest (6991)	0.26	-0.14	-1.07	0.00	0.00	-1.14	-0.26	-0.77	-1.07	0.00	-2.35	-0.58	-1.32	-0.26	-3.17	•1.00	-3.41	-3.96	-3.57	4.99	-1.72	-0.93	0.49	-0.68	-0.26	0.26	-0.93	-2.00	-0.93	0.38
Stomach (6990)	1.07	-0.58	-0.38	0.49	0.00	0.00	-0.68	-0.49	-0.14	-0.14	-2.61	0.14	-0.77	97.0	-2.68	-1.32	-3.41	-2.63	-3.72	4.53	-1.32	-0.7	-1.58	-0.85	-0.58	-0.38	-1.20	-2.17	-0.77	-0.49
Stomach (6989)	99.0	-0.14	-0.77	0.14	0.14	0.14	-0.77	-0.14	-0.26	-0.26	-1.89	0.00	-0.26	0.49	-2.14	-1.32	-2.38	.3.23	-3.09	-3.61	-0.85	-0.77	-1.00	-0.49	-0.26	-0.14	-1.00	-1.63	-0.85	-0.26
Ovary (1119)	1.14	0.00	-0.49	¥.	-1.07	-1.85	-1.20	0.49	-0.85	-0.58	-1.63	-1.20	-1.43	-1.43	-2.61	-1.20	-2.66	-1.20	-3.61	4. 8.	-1.20	-0.85	-1.77	-1.72	97.0	-0.85	-1.20	-1.32	-2.54	-0.77
Uterus (6988)	0:00	0.14	0.77	-1.20	97.0	-1.81	-1.07	1.07	-1.14	-0.93	-1.81	-1.00	-1.14	-1.20	-3.36	-1.32	-2.77	-2.68	-3.71	4.50	-1.20	-0.68	-1.85	-1.96	-0.49	-0.85	·1.00	-1.63	-2.35	-1.00
Uterus (6987)	0.26	-0.26	0.38	-1.14	0.68	-1.63	-0.85	9.	-0.58	-0.68	-5.00	-1.00	-1.20	-1.26	-3.15	-1.00	.3.0g	-2.87	4 8	-4.65	-0.93	-0.85	-1.68	-1.38	0.00	-0.68	-1.20	-1.81	-2.63	-0.68
Thigh (4071)	00.0	-0.38	0.00	-0.68	-0.38	-1.20	-1.26	0.38	-1.85	-0.77	-1.58	-1.38	-1.81	-1.43	-2.87	9:	-2.63	-2.38	-5.66	-3.95	-1.20	-0.38	-1.68	-1.38	0.00	-0.49	-0.93	-1.14	-2.26	-1.20
Tibia (376)	0.00	-0.26	0.85	-0.49	-0.26	-0.77	-0.58	0.58	-1.93	-0.49	-1.07	-0.93	-2.17	-1.72	-2.20	-0.85	-1.8	-1.89	-2.26	-3.35	-0.85	-0.26	-1.43	-1.20	-0.14	-0.85	-0.58	-1.26	-1.71	-0.77
Skeletal Muscle (6986)	0.00	-0.49	0.14	-0.77	0.26	-1.20	-1.26	0.58	-2.04	-0.58	-1.38	-0.93	-1.54	-1.26	-2.43	. 1.8	-2.38	-2.72	-2.61	-4.26	-1.00 -1.00	-0.26	-1.32	-1.07	-0.14	-0.26	-0.93	-1.14	-2.04	-1.26
Heart (B7015)	-0.58	0.26	0.93	-2.10	0.14	-0.26	-1.54	0.58	-1.77	-0.14	-1.77	-1.14	-0.85	-0.77	-2.68	-0.68	-2.32	-3.20	-3.42	4.89	-2.20	8:-	-0.58	-0.26	0.14	0.14	-1.20	-1.14	-1.68	8:
Heart (1822)	0.00	0.38	0.85	-1.20	-0.14	-1.43	-1.07	1.38	-1.26	-0.14	-1.89	-1.32	-1.32	-1.26	-2.32	-1.38	-3.52	-3.23	-3.17	-4.22	-1.68	-0.58	-1.58	-0.68	0.14	-0.26	-1.14	-1.32	-1.68	-0.85
Ventricle (122)	-0.49	0.26	0.93	-1.26	-0.26	-1.68	-1.32	2.35	-1.72	0.26	-1.81	-1.68	-1.81	-1.58	-2.14	-1.54	-3.35	-3.05	-3.12	-4.17	-1.32	-0.38	-1.20	0.00	-0.26	0.0	-0.14	-1.26	-1.43	-0.93
Clone ID	2174130	2219077	1965041	1649959	1222317	2510171	1988674	1672640	1749417	1926543	1504934	2512879	1359832	1583076	139838	1344654	2513979	2369312	2048364	85246	166337	138274	1633340	1982416	946822	2517330	2516489	88741	168865	231779

	Ventricle	Heart	Heart	Skeletal	Tibia	Thigh	Uterus	Utens	Ovary	Stomach	Stomach	Small	Small	Colon	Lung
Clone ID	(122)	(1822)	(B7015)	Muscle (6986)	(376)	(4071)	(6987)	(8869)	(6111)	(6869)	(0669)	Intest (6991)	intest (6991)	(6392)	(3779)
234123	0.14	-0.26	0.26	-0.93	-1.07	-1.07	-1.32	-1.26	-1.07	-0.49	-0.93	0.26	0.26	0.26	-0.85
1833801	0.58	-0.26	0.14	99.0	0.68	0.49	-0.14	-0.26	×	-0.14	89.0	0.77	0.93	1.07	0.00
1923613	0.14	6.14 4	-0.38	0.26	0.26	0.00	-0.93	-1.07	-0.26	-0.38	-0.49	-1.07	·1.00	-1.00	0.14
2058620	0.77	0.38	0.93	1.07	0.38	0.14	-0.68	-0.38	0.00	-0.49	-0.77	-0.49	-0.68	-0.14	-0.93
1930954	0.58	-0.14	0.49	0.68	0.49	0.38	0.00	-0.26	×	0.00	0:00	0.38	0.38	0.38	-0.58
1511658	4.14	-4.22	-4.73	-4.17	-3.78	-4.20	-4.55	4.8	4.56	-3.94	-2.74	4.96	-4.56	-4.85	4.4
2590673	-0.77	9. 1.0	-0.68	-1.00	-1.07	-1.32	-1.49	-1.43	-1.32	-0.26	-1.00	-1.49	-1.14	-1.58	-0.93
1995380	-1.49	-1.54	-0.93	-1.58	-1.38	-1.43	-1.07	-1.68	0.26	-0.14	-0.26	-0.38	-0.49	0.26	0.93
167409	-3.54	-3.75	4.34	-3.31	-3.42	-3.63	-3.83	-3.84	-3.36	-1.81	-2.46	-4.39	-3.17	-3.69	-3.61
1846226	-1.54	-1.14	-1.32	-1.43	-1.07	-1.58	0.26	0.38	0.77	0.00	-0.14	0.14	0.38	89.0	-0.49
2052185	-3.02	-3.09	-4.51	-2.81	-2.41	-2.89	-3.31	-3.19	-3.42	-3,49	-3.94	-3.57	-2.85	-3.55	-3.28
2517389	-1.32	-1.81	-0.85	-1.32	-1.54	-1.72	-1.85	-1.93	-1.85	-1.32	-1.32	-1.54	-1.89	-1.72	-1.58
911015	-1.00	-1.20	-1.43	-0.77	-0.49	-0.77	-0.85	-1.00	-0.77	-0.49	-0.38	-0.38	-0.14	-0.14	0.00
604856	-1.14	-0.26	-0.58	-1.07	-0.77	-1.54	-1.26	-1.68	-1.32	-1.00	-0.14	-1.68	-1.85	-1.20	-0.58
1448718	-2.49	-2.10	-2.89	-1.72	-0.77	-2.32	-2.14	-1.43	-1.68	-0.68	-2.66	-2.58	-1.58	-2.04	-1.72
2517268	-1.07	-1.49	-1.68	-1.26	-1.38	-1.54	-2.07	-1.89	-2.10	-1.43	-1.54 	-1.93	-1.81	-1.96	-1.68
167134	-0.49	-1.00	-1.26	-1.49	-1.68	-1.81	-2.41	-2.20	-2.38	-0.93	-1.14	-1.68	-1.43	-1.89	-1.96
2843638	0.26	-0.38	0.14	-0.58	-0.26	-0.38	-0.14	-0.14	0.77	0.00	0.0	-0.14	-0.26	-0.26	0.49
1813269	-1.8]	-1.43	-2.00	-2.58	-1.85	-1.93	-0.14	-0.49	-2.10	-1.54	-2.38	-1.43	-1.8	-0.49	0.49
1861971	4.31	-4.39	-4.51	4 =	-3.86	-3.91	-4.55	-4.07	4.36	-3.88	4.02	-5.78	-4.69	-5.18	-3.34
2005973	-0.14	-1.14	-1.43	-1.72	-1.38	-1.00	-1.71	-1.77	-1.93	-0.26	0.0	-0.77	-0.58	0.26	-1.38
2515729	-2.58	-2.79	-2.10	-2.20	-2.10	-2.54	-2.85	-2.89	-3.23	-2.66	-2.58	-2.43	-2.74	-2.07	-2.32
2132356	-0.77	-0.77	-1.49	-0.26	0.00	-0.38	-0.85	-0.68	×	-0.68	-1.07	-1.14	-0.77	-0.93	-0.58
1001726	-0.38	-0.38	-0.77	-0.68	-0.26	-0.68	-0.38	-0.58	×	-0.77	-0.49	-1.00	-1.00	-1.32	0.38
2631845	-2.77	-2.35	-1.96	-1.96	-0.38	-2.07	-2.10	-2.46	-2.46	-1.38	-1.58	-2.00	-2.46	0.14	-0.38
86390	-0.85	-0.58	-1.89	-0.93	-0.14	-0.85	-0.68	-1.07	-0.77	-0.68	-0.77	-1.38	-1.20	-1.07	-0.26
1287840	-0.26	-0.14	0.38	-0.26	-0.38	-0.38	-0.26	-0.14	0.14	0.26	-0.14	0.38	0.49	0.49	-0.26
2516905	0.26	-0.49	-0.77	-0.38	-0.68	-0.58	-0.93	-1.14	-1.32	-0.49	-0.26	-0.49	-0.93	-0.77	-0.58
606122	-1.20	-1.43	-0.77	-1.20	-1.32	-1.43	-1.49	-1.71	-1.58	-0.68	-1.38	-0.85	-1.26	-1.20	-1.14
3553733	-0.85	-0.68	-2.20	-0.26	-0.38	-0.58	-1.49	-1.32	-1.54	-1.20	-0.68	-1.20	-0.85	-1.26	-0.58

														_																
Lung (3779)	-2.43	0.00	-1.07	-2.58	-1.07	-2.17	0.00	-1.14	-2.56	-2.43	0.38	-0.77	-0.85	-1.14	0.14	-1.81	-1.68	0.38	-2.00	-1.14	-1.07	-2.85	-0.58	-2.49	-2.07	0.38	-2.43	0.0	-0.77	0.00
Colon (6392)	-2.83	-0.26	1.49	0.85	0.77	99.0	1.58	8.	99.0	1.32	1:02	1.58	0.77	1.85	-3.10	-2.29	0.14	0.14	0:00	-1.43	-2.72	-3.61	-0.26	-3.22	-2.04	0.85	-0.49	-1.54	-0.68	0.77
Small Intest (6991)	-2.29	-0.49	0.58	2.00	<u>.</u> .	0.77	1.20	0.93	0.14	1.26	1.14	1.20	0.77	1.63	-2.10	-2.23	0.00	0.00	-0.49	-1.20	-1.96	-2.56	-0. <u>14</u>	-2.29	-1.89	0.58	-0.38	-1.00	-0.58	0.93
Small Intest (6991)	-2.70	-0.68	1.32	0.14	0.49	-0.68	1.49	0.49	0.49	9.	1.58	1.26	0.14	1.63	-3.55	-1.72	-0.26	0.38	-0.14	-0.93	-2.85	-3.25	-0.77	-2.98	-2.17	0.38	-0.26	-1.07	-0.68	0.26
Stomach (6990)	-2.49	-0.49	0.00	-3.28	-1.77	-3.07	0.38	-1.63	-0.14	-0.68	0.00	-1.43	-1.20	-2.23	-2.83	-1.63	-1.63	-0.58	-2.14	-1.72	-1.93	-3.12	-0.77	-2.94	-1.96	0.26	-2.49	-0.49	-1.07	-0.38
Stomach (6989)	-2.20	-0.38	-0.26	-2.32	-1.63	-2.46	0.14	-1.20	-0.38	-0.85	0.00	-0.77	-1.43	-1.14	-2.41	-1.93	-1.58	-0.26	-1.93	-1.43	-1.89	-2.46	-0.93	-2.54	-1.93	0.58	-2.81	-0.85	-1.38	0.26
Ovary (1119)	-1.81	1.96	.1.32	-2.43	-1.32	-2.20	0.58	-1.32	-2.77	-2.35	-1.38	99.0	-3.35	-2.26	-2.17	-2.00	-1.63	0.14	×	-2.07	-1.96	-2.81	-1.38	-3. Q	-1.54	-1.58	-3.05	-1.07	-1.54	-0.38
Uterus (6988)	-2.17	1.20	-1.49	-2.77	-1.26	-2.26	-1.49	-1.07	-5.66	-3.41	-1.68	-0.14	-3.22	-2.58	-2.96	-1.77	-1.32	-1.43	-2.91	-2.07	-2.10	-3.09	-1.63	-2.98	-1.38	-1.72	-3.47	-1.38	-0.68	-0.58
Uterus (6987)	-2.23	0.77	-1.68	-2.79	-1.26	-2.14	-1.14	-1.14	-3.10	-3.14	-1.49	-0.14	-3.23	-2.85	-2.98	-1.63	-1.43	-1.32	-3.20	-1.85	-2.04	-3.29	-1.58	-2.93	-1.54	-1.81	-3.09	-1.14	-0.77	-0.93
Thigh (4071)	-1.81	÷1.00	-1.20	-2.10	-0.38	-1.89	-1.20	-1.07	-2.17	-3.25	-1.38	-1.26	-2.81	-2.35	-2.20	-1.58	-1.68	-1.71	-2.66	-1.58	1.81	-2.89	-1.68	-2.41	-1.89	-1.26	-2.61	-1.26	0.58	-1.58
Tibia (376)	-1.38	-0.85	-0.58	-2.04	-0.77	-1.43	-1.07	-0.77	-1.96	-2.20	-1.14	-1.20	-2.74	-2.04	-1.72	-1.26	-1.07	-1.32	-1.81	-1.26	-1.43	-2.58	-0.85	-2.07	-1.26	-1.00	-2.23	-1.00	1.20	-0.77
Skeletal Muscle (6986)	-1.77	-1.07	-1.38	-2.23	-0.58	-1.72	-0.77	-1.81	-2.07	-3.32	-0.93	-1.20	-3.02	-2.23	-2.10	-1.43	-1.85	-1.63	-2.58	-1.32	-2.14	-2.70	-1.58	-2.72	-1.07	-1.32	-2.72	-1.43	0.58	-1.20
Heart (B7015)	-2.20	-1.00	-1.93	-2.56	-0.38	-1.93	-0.68	-2.20	-3.54	4.39	-1.49	-0.93	-3.20	-3.25	-2.68	-1.85	-1.20	-0.68	-2.26	8:-	-1.77	-2.43	-3.19	-3.25	-2.10	-2.14	-2.81	-1.38	-2.07	-1.32
Heart (1822)	-1.20	-0.85	-1.81	-2.94	-1.43	-3.36	-1.20	-2.23	-2.51	-3.43	-1.49	-1.93	-2.29	-2.20	-2.38	-1.49	-1.77	-1.07	-2.14	-1.32	-1.96	-2.46	-1.93	-2.49	-1.43	-1.38	-3.07	-1.26	-0.93	-0.77
Ventricle (122)	0.14	-1.58	-1.81	-2.61	-1.38	-3.82	-0.68	-1.49	-2.32	-3.63	-1.43	-2.35	-2.26	-2.14	-2.14	-1.14	-1.20	-1.26	-2.10	- 1.80	-5.04	-2.29	-1.77	-2.26	-1.49	-1.07	-2.51	-0.93	-0.93	-0.93
Clone ID	1813381	1988108	1644648	2516104	2516448	2514507	1427470	1311471	195142	29598	1968576	2959255	446969	1631511	1508741	2513602	1981145	2103752	2658782	2099420	637639	279249	1379063	89747	2515873	1432372	1633719	1712663	4285203	1634342

	_	Г							_					-				_		-											_
Į ring	(3779)	-3.00	-2.85	-2.72	-2.54	-3.79	-5.96	-5.18	-1.20	-1.81	-2.89	-3.35	-5.13	-1.32	-0.85	-0.26	-2.14	0.68	1.07	-1.07	-0.77	-2.07	-1.07	-1.72	7.0	-0.77	-0.14	-0.85	-1.38	-0.93	0.03
Colon	(6392)	-2.87	-2.17	-3.02	-2.07	-5.38	-4.61	-3.29	1.43	0.85	-2.14	2.56	-0.68	-2.17	<u>-1.8</u>	-0.77	-1.54	0.38	0.49	0.00	2.20	-1.32	-2.26	-1.96	1.20	-0.85	-0.49	-1.38	-0.93	-0.58	13
Small	Intest (6991)	-2.66	-1.63	-3.00	-2.04	-4.98	-5.04	-3.79	1.26	0.00	-2.38	1.58	-0.68	-2.56	-1.54	-1.07	-1.58	0.49	0.49	-0.49	0.93	-1.26	-1.89	-1.68	1.32	-0.77	0.14	-0.77	-0.85	-0.58	0.49
Small	Intest (6991)	-2.61	-3.14	-3.41	-2.56	-5.48	-5.34	-3.92	0.77	0.26	-2.29	1.14	-2.46	-2.04	-1.72	-0.68	-2.00	0.14	0.14	-0.58	-0.77	-1.49	-3.04	-1.58	1.14	-1.20	-0.38	-1.63	-0.77	-0.14	0.68
Stomach	(0669)	-3.25	-2.89	-3.19	-1.77	-5.38	-6.41	-5.17	0.93	0.0	-0.26	-1.26	-2.14	-0.58	-1.77	-0.68	2.07	0.77	0.49	-0.49	2.38	-0.68	-2.66	-2.29	-0.68	-0.14	-0.49	9:	-0.68	-0.38	-0.14
Stomach	(6869)	-3,00	-2.70	-3.31	-1.96	4.29	-5.93	4.8	99.0	-0.14	-0.77	0.38	-1.81	-1.00	-1.68	-0.68	1.38	0.49	0.14	-0.68	2.46	-1.26	-1.54	-5.00	-0.14	-0.58	-0.58	-1.32	-0.26	-0.49	0.26
Ovary	(6111)	-3.75	-3.14	-3.02	-2.85	-4.47	-6.11	-5.05	-1.89	0.93	-3.99	-4.02	-5.80	-1.00	-1.77	-0.58	-2.51	-0.38	-0.93	-0.68	-1.81	-1.93	-0.77	-2.17	-0.14	0.14	0.26	-1.26	-0.38	-1.54	-0.26
Uterus	(8869)	-3.63	-3.36	-2.79	-2.56	4.74	-6.35	-5.16	-1.32	0.00	-3.09	-3.23	-5.82	-3.05	-1.49	-0.77	-1.20	-0.14	-0.38	1.20	-1.72	-1.63	-0.77	-1.85	-0.38	-0.38	-0.49	-1.00	-0.38	-1.32	0.14
Uterus	(6987)	-3.45	-3.23	-3.05	-2.58	4.47	-6.36	-5.09	-1.93	-0.26	-3.22	-3.45	-5.71	-2.43	-1.49	-0.58	-1.14	0.00	-0.14	1.38	-1.93	-1.77	-0.77	-1.96	-0.77	0.00	-0.14	-1.20	-0.14	-1.14	0.0
Thigh	(4071)	-3.32	-3.09	-2.35	-2.49	4.12	-5.49	-4.69	-2.00	-1.85	-3.43	-3.25	-5.13	-2.41	-1.26	-1.07	-2.87	0.00	-0.49	-0.68	-1.26	-1.32	-0.93	-2.20	-1.00	0.14	0.00	-0.68	-1.43	-1.00	-1.26
Tibia	(376)	-2.87	-2.94	-2.77	-1.85	-1.85	-5.71	4.52	-1,89	-1.58	-2.72	-2.61	4. %	-1.93	-0.83	-0.77	-1.85	-0.38	-0.26	-0.58	-0.38	-1.32	-0.93	-1.77	-0.85	0.49	0.26	-0.49	-0.93	-0.93	-0.85
Skeletal	Muscle (6986)	-2.98	-3.38	-3.05	-2.51	4.50	-6.41	-5.27	-1.58	-1.93	-2.83	-3.12	-5.68	-2.49	-1.07	-1.07	-2.87	-0.38	-0.68	-0.85	-1.72	-1.63	-0.93	-1.71	-0.68	0.26	0.14	-0.93	-1.77	-0.85	-1:00
Неап	(87015)	-4.06	4.01	-2.43	-1.26	-5.52	-5.57	-3.51	1.20	-1.07	-2.74	-2.61	-5.69	-1.77	-2.23	9:	-2.74	-0.38	-1.68	-1.32	-3.02	-2.54	-0.93	-0.58	-0.85	-1.07	-0.49	-1.68	8.	-0.14	-1.26
Heart	(1822)	-2.56	-3.34	-2.85	-2.14	.s.	-6.31	-5.87	2.20	-1.26	-4.35	-3.74	-6.51	-1.32	-1.54	-0.77	-2.72	-0.49	-1.00	0.00	-1.38	-1.20	-0.68	-1.93	-0.93	-1.14	-0.14	-1.07	-0.68	-0.85	-0.58
Ventricle	(122)	-2.41	-3.15	-3.02	-2.00	-5.43	-6.27	-6.01	1.38	-1.58	-3.91	-3.43	-6.10	-0.14	-1.20	-0.77	-2.66	-0.38	-0.68	-1.14	-1.38	-1.32	-1.49	-1.58	-0.38	-0.93	0.00	-1.00	-1.14	-0.14	-0.49
	Clone ID	3665105	2068983	2242648	885032	2383830	2085191	2792982	179929	2741788	2373608	2182095	2923150	293495	4284270	958923	1921393	1447866	1666737	586245	194162	243123	382416	1852659	3220181	1726307	1904244	2039955	2675641	1412749	1963854

Clone ID	Ventricle (122)	Heart (1822)	Heart (B7015)	Skeletal Muscle (6986)	Tibia (376)	Thigh (4071)	Uterus (6987)	Uterus (6988)	Ovary (1119)	Stomach (6989)	Stomach (6990)	Small Intest (6991)	Small Intest (6991)	Colon (6392)	Lung (3779)
2949085	0.14	0.00	-0.38	-0.49	-0.77	-0.85	0.26	0.26	0.00	-0.49	-0.38	-0.93	-0.49	-0.77	-0.68
2963196	-0.68	-1.8	-2.00	-1.00	-1.00	-1.32	-1.58	-1.77	-1.89	-1.07	-1.49	-1.38	-1.49	-1.68	-2.14
1505977	-1.26	-1.00	-2.20	-1.77	-1.58	-1.68	-1.20	-0.68	-1.77	-1.20	-1.89	-2.49	-1.49	-2.38	-1.68
1674985	0.38	-0.14	0.26	-0.58	-0.68	-0.77	-0.58	-0.49	-0.38	-0.77	-1.00	-0.49	-0.49	-0.77	-0.77
2109054	0.58	0.68	-0.38	1.26	1.58	0.85	0.14	0.14	0.14	-0.58	-0.85	-1.43	-0.93	-1.43	-0.85
3317039	-0.49	-0.49	-1.43	-0.26	-0.26	-0.38	-0.38	-0.26	-0.14	-0.26	-0.38	-0.85	-0.58	-0.93	-0.77
2838551	-0.38	-0.68	-0.49	-0.68	-0.58	-0.68	-0.26	-0.58	-0.68	-0.58	-0.77	-0.49	-0.93	-0.71	-0.58
1477568	-0.26	-0.14	-0.49	-1.00	-0.58	-1.38	-1.00	-1.32	-1.77	-1:00	-1.14	-2.00	-1.81	-1.00	-1.77
2963871	-0.77	-0.49	-0.38	-0.68	-0.38	-0.77	0.49	99.0	0.00	-0.26	-0.26	-0.58	0.14	0.00	0.00
1740547	-1.07	-0.85	-1.00	-1.32	-1.07	-1.07	-1:00	-1.20	-1.26	-0.85	-0.93	-1.00	-0.77	-0.85	-1.00
2292011	-1.14	-1.32	-1.96	-1.96	-1.43	-2.04	-1.85	-1.49	-2.32	-1.38	-2.04	-2.54	-1.77	-2.46	-1.43
1349484	-0.14	0.00	-0.77	0.14	0.49	0.0	0.26	0.14	×	-0.58	-0.26	-0.49	-0.38	-0.26	0.0
1674253	-0.77	-0.68	-1.07	-0.68	-0.49	-0.68	-1.20	-1.07	-0.85	-0.85	-0.93	-0.85	-0.68	-0.77	0.38
1932189	-1.43	-1.81	-1.77	-2.20	-2.04	-2.46	-2.77	-2.68	-2.91	-1.72	-2.04	-2.10	-2.00	-5.00	-2.74
1403041	0.77	-0.26	-1.20	0.00	0.26	-0.68	0.14	-0.26	-0.93	-0.68	-0.85	-1.14	-0.85	9. 1.00	-0.38
1486358	-1.8	-1.00	-1.38	-1.77	-1.72	-2.23	-1.63	-1.20	-1.07	-1.32	-1.58	-1.89	-1.58	-1.43	-1.72
1439065	0.38	0.00	0.14	-0.38	-0.49	-0.14	-0.58	-0.49	×	-0.14	-0.38	-0.26	0.14	-0.26	0.00
530629	-0.26	-0.38	-1.72	-0.26	0.00	-0.38	-0.58	-0.93	×	-0.68	9.1.	-0.93	-0.14	-0.58	-0.14
1672676	-1.20	-1.07	-1.54	-1.81	-1.63	-1.58	-0.93	-0.85	97:	-1.32	-1.81	-1.89	-1.32	-1.68	1.8.1
1989129	-1.00	-0.49	-1.43	-1.07	-0.85	-1.14	-0.38	-0.26	-0.58	-0.58	-0.38	-0.77	-0.58	-0.49	-0.68
1486348	-2.58	-2.17	-2.77	-1.00	-0.85	-1.58	-1.14	-1.00	-1.07	-1.68	-1.96	-1.81	.1.81	-1.81	-1.20
1397294	-0.58	-1.00	-1.63	-0.85	-0.26	-0.49	-1.00	-0.68	-1.43	-0.68	-0.49	-1.49	-1.07	-0.68	-0.26
2844322	-1.26	-0.68	-1.26	-1.32	-1.38	-1.49	-0.68	-0.77	-1.20	-1.26	-1.81	-1.85	-1.49	-1.85	-1.00
1481440	-0.93	-0.85	-2.10	-0.38	-0.26	-0.58	-1.07	-0.77	0.0	-1.07	-1.32	-1.20	-0.93	-1.20	-0.58
26459	0.14	-0.58	-0.14	-1.14	-1.43	-1.49	-1.68	-1.58	-1.63	-1.00	-1.20	-1.43	-1.49	-1.49	-1.00
1406786	-1.32	-1.00	-0.77	0.14	-0.26	-0.14	-0.14	-0.49	-0.38	-0.68	-0.58	-1.14	-0.93	-1.07	-0.58
1485846	4.60	4. 2	-4.43	4.69	4.13	4.8	-3.92	4 8	-4.36	-4.23	4.69	-4.26	-3.79	-4.02	-4.72
2153242	-1.68	-1.96	-1.93	-1.72	-1.26	-1.72	-1.85	-1.93	-2.10	-1.49		-0.93	-1.20	-1.00	-1.26
2157981	-0.77	-1.85	-1.85	-5.00	-1.20	-1.81	-2.10	-1.07	-1.38	-1.49	-1.20	-2.07	-1.63	-1.93	-1.68
3244361	-1.00	-0.49	-1.26	-0.49	-0.38	-0.58	-0.68	-0.68	97:	-0.77	-0.85	-1.20	-0.85	-0.93	9:

Table 3

•						4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4									
	Ventricle	Loan	Loon	Skeletal	Tikis	Trick	I france	I leans) Fund	Chamash	Granos	Small	Small	1000	1
	(122)	(1822)	(B7015)	Muscle	(376)	(4071)	(6987)	(6988)	(6111)	(6869)	(0669)	Intest	Intest	(6392)	(3776)
CIOILE ID				(00,00)								(1660)	(1660)		
1986737	-1.32	-0.49	-1:01	99.0	0.26	-0.14	-1.26	-0.77	-1.96	-1.63	-2.10	-1.54	-1.54	-1.20	-1.63
2506867	-2.38	-1.49	-3.04	-1.49	-1.00	-2.04	-2.07	-0.77	-0.49	-2.41	-2.61	-2.04	-1.58	-1.81	-2.07
1211682	1.38	0.85	89.0	-1.96	<u>-</u> .x	-5 -5	-1.81	-1.85	-1.14	-1.26	-1.43	-0.49	-0.38	-0.49	-2.10
1416354	2.10	0.49	1.32	-1.43	-0.93	-1.58	-1.00	-0.85	-1.43	-1.54	-1.63	-1.20	÷.	-1.14	-1.38
2963962	1.20	0.77	89.0	-1.07	-0.38	-1.20	99.0	1.49	-0.38	-0.58	-0.93	-0.93	-0.85	-0.68	-1.43
1761086	0.14	0.14	-0.49	0.49	0.00	0.14	-1.93	-2.00	-2.26	-0.14	-0.26	99.0	0.93	0.93	-1.54
2588552	-0.77	-0.77	-2.29	1.00	0.26	0.38	-1.89	-1.89	-1.77	-0.49	-0.85	-1.85	-1.00	-1.77	1.20
1901271	-1.38	-1.00	-1.89	-2.63	-2.17	-2.07	-1.43	-1.43	-0.68	-0.93	-0.77	0.14	0.77	99.0	-0.68
1740924	-0.14	-0.58	-0.49	-0.68	-0.85	-0.85	-1.14	-1.26	-1.00	-0.58	-0.58	-0.68	-0.77	-1.20	-0.68
1480159	-1.68	-1.58	-2.04	-1.00	-0.93	-1.00	-1.93	-1.54	-1.77	-1.77	-1.63	-1.77	-1.20	-1.32	-1.38

	Lung	Lung	Liver	Liver	Liver	Kidney	Kidney	Kidney	Pancreas	Spleen	Spleen	Spleen	Brain	Brain	Striatum
Clone ID	(2881)	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(\$669)	(9669)	(6997)	(8669)	(8669)	(6669)	(7000)	(3971)
2380381	-0.93	-0.77	89.0	1.07	0.58	1.00	0.49	0.77	8.	-1.00	-1.26	-0.49	-0.77	-0.93	-1.07
1618422	-0.14	0.00	-1.38	-1.63	-1.14	-1.49	-1.38	-1.43	-0.49	-0.14	-0.14	-0.49	0.26	0.77	-0.49
2672064	0.14	0.26	-1.38	-1.32	-1.89	0.00	0.00	0.38	-1.77	-0.49	-1.32	0.00	0.58	0.14	0.14
608361	0.14	0.00	-0.38	-0.68	-0.14	-1.00	-0.77	-1.14	0.93	0.14	0.00	-0.26	-0.85	-1.14	-0.68
1922596	-1.93	-1.77	1.26	1.81	0.49	0.85	0.26	0.49	-1.58	-1.63	-2.10	-1.38	1.32	0.58	-0.14
1850033	-2.79	-2.38	-3.05	-2.66	-2.14	-2.51	-2.32	-2.77	-2.14	-2.26	-2.20	-2.23	-2.14	-2.83	-2.23
286986	-2.91	-2.51	-2.93	-2.85	-2.70	-2.91	-2.93	-3.07	-2.77	-3.00	-2.35	-2.38	-3.15	-3.38	-2.72
718807	-1.58	-1.54	-1.32	-2.07	-1.58	-2.49	-1.93	-2.10	-0.58	-1.81	-1.38	-1.77	0.49	0.26	0.38
2880435	-0.49	-0.58	-0.68	-0.77	-0.49	-0.14	-0.26	0.00	-0.58	-0.68	0.00	-0.14	-0.38	0.26	0.26
187326	-2.85	-2.91	-2.43	-2.66	-2.72	-3.00	-3.75	-2.83	-2.32	-2.56	-2.89	-2.49	-3.22	-3.25	-2.20
1997963	-1.68	-1.63	-2.32	-1.58	-2.04	0.00	-0.77	-0.49	-1.68	-2.58	-2.63	-1.89	-0.26	-1.00	-1.14
467700	-2.07	-2.54	-2.43	-2.38	-2.14	-2.41	-2.35	-2.41	-1.96	-2.29	-2.07	-1.81	-3.17	-2.61	-1.89
57382	-3.57	-3.51	-3.51	-3.45	-3.20	-1.63	-2.43	-2.20	-3.19	-3.66	-3.12	-3.29	-1.43	-2.14	-1.85
1222442	-2.04	-1.77	-0.68	0.26	0.49	0.93	0.38	0.68	-1.26	-1.32	-1.58	-1.00	0.14	-0.58	-0.77
4013105	-3.05	-2.81	-3.25	-3.15	-2.85	-0.26	-1.20	-0.85	-2.83	-1.38	-2.68	-0.93	-0.58	-1.32	-1.81
924319	-0.68	-2.51	4.03	4.03	-3.39	-4.17	4.19	-4.38	-3.68	-3.96	-3.69	-3.68	-4.45	-4.63	-4.08
1645119	-1.38	-1.38	-0.77	-0.68	-0.68	-0.85	-0.72	9:	9.1-	-1.26	-1.07	-0.85	-0.38	-1.20	-0.93
1379925	-2.29	-2.17	-1.93	-1.81	-1.72	-1.58	-1.58	-1.96	-2.10	-0.93	-1.68	-1.54	-1.54	-2.14	-1.43
1900061	-2.46	-2.56	-2.29	-2.00	-1.93	-1.85	-1.96	-1.81	-1.96	-2.70	-1.89	-1.89	-1.85	-2.29	-2.58
3506985	-0.68	-0.58	-1.93	-1.63	-2.54	-2.54	-2.77	-2.43	-2.43	0.85	0.14	2.77	-3.12	-3,45	-2.49
551403	-1.58	-1.58	-1.43	-2.23	-1.26	-1.20	-1.77	-1.81	-0.26	-5.00	-1.43	-1.81	1.38	9.1	0.68
3948420	-1.49	-1.93	-2.81	-2.94	-2.74	-1.54	-2.17	-2.23	-0.49	-2.87	-2.23	-2.61	1.38	1.26	0.85
1722853	-0.38	-0.26	-1.20	-0.26	-1.14	-0.38	-0.38	-0.14	-1.26	-1.58	-1.32	-1.49	-0.38	-0.26	-0.26
1557490	-1.85	-1.71	-2.85	-2.23	-2.81	-1.07	-1.32	-1.8	-1.93	-0.58	-1.68	-0.58	1.58	1.20	0.38
3208425	-1.32	-1.32	-2.23	-2.14	-1.89	-0.26	-0.77	-0.14	-1.77	-1.93	-2.46	-1.20	0.68	0.38	-0.49
1668474	-1.89	-1.58	-1.68	-1.68	-1.58	-2.14	-1.72	-1.77	-1.20	-1.54	-1.14	-1.20	-0.68	-1.26	-0.93
1622542	-0.85	-1.14	-0.85	-1.32	-1.20	-1:02	-0.58	-1.32	-0.77	-0.38	0.14	-0.49	8.	1.07	0.49
4014318	-0.85	-0.68	-0.85	-0.49	-0.26	-0.68	-0.93	-0.68	-0.26	0.00	-0.58	0.14	-1.20	-1.49	-0.49
2394888	-0.77	-0.38	-0.14	0.14	-1.20	0.77	-0.38	-0.26	-1.81	-1.07	-1.07	-1.43	99.0	99.0	1.07
1345550	-3.17	4.25	-3.83	4.33	4.10	-4.68	-4.63	4.57	-4.39	4.19	4.9	-3.35	-4.71	-4.69	-3.69

9	Lung	Liver	Liver	Liver	Kidney	Kidney	Kidney	Pancreas	Spleen	Spleen	Spleen	Brain	Brain	Striatum
(2881)	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(5669)	(9669)	(2669)	(8669)	(8669)	(6669)	(1000)	(3971)
-1.54	-1.49	-1.77	-1.54	-0.77	-1.14	-1.32	-0.85	-3.10	-2.83	-3.12	-2.29	-0.49	-1.14	-1.26
-1.14	-1.20	-0.85	-1.14	-0.14	-1.38	-1.20	-0.85	-0.26	-0.68	-0.93	-0.38	-1.20	-1.20	-0.68
-1.32	-1.43	1.26	1.14	1.20	-0.14	0.14	-0.26	0.00	-1.20	-1.00	-1.00	0.00	-0.14	-0.68
-0.38	-0.26	-0.77	-0.38	-0.58	0.14	0.14	0.49	0.49	-0.77	-0.58	-0.38	0.49	-0.26	-0.14
-3.87	-3.41	-3.60	-3.23	-3.20	-3.74	-3.86	-3.28	-3.74	-3.52	-3.31	-3.26	-2.93	-3.39	-2.66
-4.15	-4.26	-3.83	-3.81	-3.15	-4.05	4.01	-3.94	-3.78	-3.54	-3.93	4 2	-3.31	-4.38	-3.91
-0.77	-0.68	-0.93	-1.07	-1.20	-0.26	-0.58	0.00	97:	-1.07	-1.26	-0.38	0.26	-0.26	-0.26
-1:00 -1:00	-1.07	1.26	1.49	1.93	1.32	0.49	0.58	-0.49	-0.58	-0.93	-0.14	-0.77	-1.07	-0.38
-0.38	0.00	-1.14	-0.68	-0.58	0.14	-0.26	0.00	-0.77	-0.38	-0.58	0.38	0.38	0.00	0.38
-4.20	4.10	4.26	4.05	-3.93	-3.80	-4.39	4.26	-4.39	-3.87	4.34	-3.85	4.71	-5.00	-3.80
-2.35	-1.89	-2.17	-2.04	-2.46	-1.49	-2.17	-1.43	-2.10	-2.20	-1.63	-1.58	1.43	99.0	-0.58
0.26	-0.14	0.00	-0.26	0.14	-0.14	-0.38	0.38	-0.58	-0.93	-0.58	-0.38	-0.38	-0.49	-0.26
-1.32	-0.85	-2.29	-1.93	-1.81	-0.58	-1.20	-0.38	-2.14	-1.26	-1.49	-0.93	0.49	-0.26	-0.38
0.00	0.14	-1.07	-0.49	-1.00	0.00	-0.26	97.0	-0.49	-0.26	-0.49	0.26	-0.38	-0.77	-0.14
-1.26	-1.07	-1.26	-1.26	-0.68	-1.14	-1.00	-1.32	-0.77	-0.85	-0.77	-1.20	-0.77	-0.85	-0.38
-3.31	-3.32	-3.70	-3.35	-3.35	-3.25	-3.49	-3.26	-3.32	-5.66	-3.42	-2.51	-3.20	4.17	-2.85
-0.38	-0.38	-1.7	-1.49	-1.54	-0.14	-0.58	-0.26	-1.58	-1.00	-1.26	-0.58	-0.14	-0.58	-0.58
-3.22	-3.25	-2.83	-2.85	-2.51	-3.22	-3.12	-3.47	-1.77	-2.72	-2.68	-2.10	-3.20	-3.55	-2.35
-0.14	0.14	-2.70	-2.96	-2.91	0.85	0.49	9.	-2.14	-0.58	•1.00	-0.26	1.43	0.93	0.58
-0.77	-0.58	-1.58	-1.26	-1.43	-0.58	·1.20	-0.58	-0.93	-1.32	-1.72	-0.58	-0.38	-0.77	-0.49
-0.58	-0.49	-0.49	-0.85	-0.58	-1.00	-0.58	-0.93	-0.77	-0.49	-0.58	99.0	0.14	0.00	0.14
4.10	4.34	-3.61	-3.78	-3.91	4.43	4.30	-4.25	4.59	-3.86	-4.21	4.21	-3.80	4. 2	-3.64
-0.68	-0.58	-1.14	-1.49	-1.00	-1.20	-0.77	-0.93	×	-0.58	-0.38	-0.49	1.54	1.32	0.26
-3.31	-3.17	-3.32	-2.98	-3.0g	-3.32	-3.12	-3.34	-2.72	-2.94	-2.70	-2.63	-2.70	-3.52	-2.72
-3.93	-3.90	4.1	4.15	-3.56	4.03	-3.75	4.36	-3.51	-2.81	-3.96	-3.47	-3.42	4.02	-2.79
-2.14	-2.43	-1.63	-1.72	-1.54	-2.43	-2.41	-2.56	×	-1.77	-1.54	-1.54	-1.32	-1.43	-0.85
-0.68	-0.58	-1.20	-1.26	-0.93	-0.93	-0.77	-1.07	-0.93	-1.72	-1.20	-1.14	-1.20	-1.49	-1.68
-2.14	-2.26	-5.00	-2.07	-1.77	-2.14	-2.41	-2.35	-1.72	-1.43	-2.14	-1.96	-2.07	-1.89	-1.07
-1.96	-2.04	-1.58	-1.77	-1.26	-1.58	-1.77	-1.49	-0.93	-1.68	-1.38	-1.32	-2.10	-2.04	-1.07
-2.35	-2.38	-2.32	-2.38	-2.00	-1.26	-1.85	-1.89	-2.04	-1.81	-2.29	-2.07	-1.20	-1.72	-1.07

Lung		r Liver	Liver	Kidney	Kidney	Kidney	Pancreas	Spleen	Spleen	Spleen	Brain	Brain	Striatum
(2152)	(4209)		(2147)	(6993)	(6994)	(6995)	(9669)	(2669)	(8669)	(6998)	(6669)	(1000)	(3971)
-			-3.58	-3.35	-3.17	-3.04	-3.25	85.2-	-2.98	-2.41	18'1-	-2.32	-2.14
-1.32	_		1.07	99.0	0.00	0.49	-1.89	-1.58	-2.23	-1.07	0.49	-0.26	-0.68
4.			-1.81	-1.49	-1.93	•1.68	-1.81	-1.38	-1.63	-1.26	0.26	0.14	-0.38
0.0			-2.46	-0.49	-0.93	-0.14	-1.85	0.0	-1.81	0.14	-1.93	-2.26	-2.14
-5.4			-5.04	-5.36	-5.79	-5.54	-4.95	-5.07	-4.82	-4.24	-5.57	-5.87	-5.19
-3.09	9 -0.38	8 -2.10	-1.72	-2.41	-2.96	-2.94	-1.72	-2.61	-2.63	-2.51	-2.63	-2.83	-2.04
-3.7			-2.29	-4.39	4.30	-4.06	-3.41	-3.79	-3.57	-3.57	-4.15	4.45	-3.38
-5.3			-5.09	-5.02	-5.06	-4.98	-5.36	-4.78	-4.97	4.64	-5.71	-5.88	-5.46
-3.5			4.76	-5.22	-5.50	4.84	-4.69	-3.75	-4.60	-4.15	-5.61	-5.95	-3.92
-1.7			-2.43	-0.49	-0.93	-0.85	-2.41	-1.93	-2.23	-2.07	0.00	-0.38	-0.58
-1.4 4:1-			-1.72	1.20	0.26	99.0	-0.26	-1.72	-2.17	-1.14	-1.20	-1.49	-1.07
-3.3			-2.46	-2.94	-2.68	-3.51	-3.42	-3.19	-3.83	-3.34	-3.81	-3.68	-3.02
. 0			-0.93	-0.93	-1.26	-0.58	0.38	-1.54	-1.58	-0.77	0.26	0.14	0.00
-2.2			-2.14	-2.61	-3.00	-2.66	-2.38	-1.63	-1.93	-0.85	-2.74	-2.66	-1.68
-2.6			-3.77	-3.04	-3.39	-2.61	-3.81	-2.87	-3.25	-2.72	-3.58	-3.78	-2.72
-3.0			0.85	1.49	0.58	<u>4</u>	-1.85	-2.49	-2.77	-2.38	-0.14	-1.00	0.26
-1.0			0.68	-0.14	-0.68	-0.26	1.54	-1.77	-2.35	-1.38	-0.85	-1.38	-1.14
-1.2	_		-1.00	-1.38	-1.54	-1.26	97:	-0.85	-0.77	-0.38	1.11	1.07	0.49
9.0			-1.07	-1.07	-1.38	-0.77	-2.00	-1.20	-1.26	-0.38	-1.20	-1.26	9.1-
-0.7			-2.49	-1.00	-1.89	-1.54	-1.85	-1.43	-2.07	-0.49	-0.14	-0.14	0.58
-0.5			-2.54	-0.26	-1.32	-0.14	-1.93	-1.63	-1.58	-1.20	-1.00	-1.00	-1.20
-2.0			-3.78	-1.68	-2.56	-1.20	-2.04	-2.20	-2.79	-1.58	-2.74	-3.09	-2.58
-0.5			-2.51	-1.93	-2.94	-0.14	-2.38	-1.68	-2.10	-1.26	-3.51	-2.89	-2.46
0.3			-2.77	-1.93	-2.49	-0.77	-2.20	-1. S 4	-2.38	-0.93	-3.00	-3.09	-2.20
-0.3	_		-2.17	-1.77	-2.07	-1.68	-2.23	-1.07	-1.38	-0.38	0.14	-0.38	-0.14
Ö.			-0.85	-0.38	-0.58	0.14	-0.93	0.00	-0.26	0.14	-0.49	-0.77	-0.93
0.0			-2.04	0.00	-1.43	-0.14	-1.43	-1.20	-1.26	-0.93	-2.00	-2.00	-1.81
0.5			-2.23	-1.58	-1.85	-1.14	-2.54	-1.14	-1.38	-0.58	-0.26	-1.14	8:
-1.5			-4.34	-1.72	-3.05	-1.32	-3.63	-2.72	-2.70	-1.26	-3.10	-3.15	-3.04
-2.1	_		-3.20	1.00	0.49	0.93	-2.07	-2.00	-2.96	-1.07	-1.81	-1.96	-1.14

Striatum (3971)
Brain (7000)
Brain (6999)
Spleen (6998)
Spleen (6998)
Spieen (6997)
Pancreas (6996)
Kidney (6995)
Kidney (6994)
Kidney (6993)
(2147)
Liver (4133)
Liver (4209)
Lung (2152) (
Lung (2881) (
<u> </u>

														•																
Striatum (3971)	-1.63	-1.63	0.14	-4.47	4.08	0.00	9.1-	-0.77	-0.26	-2.43	-2.04	-0.26	-0.68	-1.68	-0.77	-1.68	-2.10	-0.49	-0.26	-1.26	-0.85	-2.41	-1.38	-3.09	-4.27	-1.58	-2.56	-1.77	-0.68	0.38
Brain (7000)	-2.07	-2.29	-0.26	4.84	-4.65	0.0	-1.49	-1.49	-0.77	-3.55	-2.35	-0.38	-1.38	-2.63	-1.20	-2.14	-3.09	-0.85	-0.49	-2.72	-1.26	-3.19	-3.09	-2.20	-5.15	-2.56	-3.87	-2.63	-1,07	0.77
Brain (6999)	-1.96	2.26	-0.14	4.55	-4.46	0.26	-1.38	-1.26	-0.77	-3.02	-2.10	0.14	-0.77	-2.35	-1.07	-1.81	-2.96	-0.58	-0.85	-2.94	-1.00	-3.14	-3.02	-3.29	-4.63	-2.35	-3.35	-2.43	-1.00	99.0
Spleen (6998)	1.81	-0.38	-1.00	-2.54	-3.15	1.43	-1.20	-0.68	-0.58	-3.52	-1.58	-0.14	-0.38	-2.00	-1.14	-0.68	-0.93	-0.14	-0.68	-2.91	-0.93	-2.63	-1.38	-2.91	-4.34	-2.38	-0.49	-1.96	-0.49	-0.38
Spleen (6998)	0.14	-1.07	-1.38	4.32	4.48	1.20	-1.89	-0.77	-0.38	-3.50	-2.14	-0.85	-0.85	-2.14	-1.14	-1.49	-1.85	-0.58	-0.58	-2.91	-0.77	-0.26	-2.35	-2.41	-5.09	-1.63	-2.07	-1.72	-0.26	-0.77
Spleen (6997)	0.00	-0.38	-1.77	-3.84	-3.94	1.49	-1.85	-1.07	-0.68	-3.64	-2.43	-0.49	-1.07	-2.07	-0.85	-1.20	-1.96	-0.49	-0.93	-2.58	-1.07	-2.77	-1.89	-3.68	-4.93	-2.49	-1.93	-2.56	-0.49	-0.77
Pancreas (6996)	-1.72	-2.14	×	-4.60	-4.35	-0.26	-1.26	0.85	0.58	-3.34	-1.43	99.0	-0.93	-1.72	-0.77	-1.85	-2.26	-0.26	×	-2.89	-0.38	-1.68	-1.89	-2.07	4.79	×	-2.89	1.07	-0.85	-0.49
Kidney (6995)	-1.43	-0.58	-1.20	-4.79	-4.57	-0.26	-0.68	0.85	-1.07	-3.61	-1.49	1.26	-1.43	-3.09	0.38	-0.58	-0.26	-0.26	0.77	-3.12	0.14	-3.17	-2.00	-3.35	-4.98	-1.20	1.89	1.14	-0.85	-0.58
Kidney (6994)	-1.26	-0.85	-1.43	-5.10	4.90	-0.93	-1.68	0.14	-1.20	-3.19	-1.89	0.1	-1.43	-2.35	-0.26	-0.85	-0.49	-0.49	0.00	-2.79	-0.49	-3.46	-1.89	-3.05	-4.60	-1.63	0.38	2.00	-1.00	-0.85
Kidney (6993)	-1.26	-0.38	-0.93	4.7	4. 4.	-0.49	-1.20	0.49	-0.93	-3.79	-1.54	1.14	-1.14	-2.38	0.26	-0.58	0.00	-0.58	0.14	-3.32	9.0	-3.17	-1.58	-3.71	-5.26	-1.32	1.32	1.72	-0.93	-0.58
Liver (2147)	-1.20	-1.72	1.32	-4.32	-3.96	-0.58	-1.63	-0.68	-0.26	-2.94	-1.14	-1.72	-0.85	-5.00	0.38	-2.26	-2.20	0.00	0.26	-2.51	0.14	-2.14	-2.32	-2.56	2.49	1.26	-1.49	-1.8	-0.49	-0.85
Liver (4133)	-1.26	-2.20	5.04	4.49	4.31	-0.68	-1.68	-0.77	-0.26	-3.32	-1.07	-1.85	-0.93	-2.32	1.32	-2.41	-2.56	-0.26	0.38	-2.58	-0.85	-1.63	-2.58	-3.23	3.09	2.04	-1.14	-2.04	-1.07	-1.00
Liver (4209)	-1.00	-1.77	0.93	-4.21	4.10	-0.58	-1.38	-1.00	-0.14	-3.34	-1.38	-1.77	-0.77	-2.79	0.49	-2.35	-2.41	-0.68	0.26	-2.46	-0.58	-1.20	-2.26	-2.81	2.20	1.20	-1.63	-2.00	-0.49	-0.58
Lung (2152)	1.14	0.49	-1.26	-3.55	-3.99	-0.14	0.14	0.14	-0.68	-3.00	-1.32	0.85	-0.85	-2.32	-1.14	99.0	-2.04	-0.58	-1.58	-2.91	-1.32	-2.83	-2.32	-3.28	-4.93	-2.49	-2.77	-2.51	3.09	1.72
Lung (2881)	0.93	0.38	-1.58	-4.55	4.47	-0.14	-0.58	-0.38	-0.58	-3.46	-1.96	0.85	-0.93	-2.43	-1.26	0.14	₹. <u>-</u>	-0.77	-1.43	-2.89	-1.43	-3.10	-1.38	-3.26	4. 8.	-2.68	-2.26	-2.20	3.00	2.20
Clone ID	434377	2121863	1597231	4174437	2182901	1747979	1630553	478960	2132487	2921152	1846428	2796143	1805613	1431273	1804662	2921194	392368	2182861	1806436	2922143	1009691	1635004	2132752	1734393	4179338	1427623	3320987	2239819	876720	1600161

<u></u>	Jan 1	, m	liver	liver	I iver	Kidnev	Kidney	Vidney	Donctions	Chlash	Chlash	Culson	Droin	iii.a	Seriot.
Clone ID	(2881)	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(6995)	(9669)	(2669)	(8669)	(8669)	(6669)	(7000)	(3971)
2174130	181	1.85	-0.38	-0.38	-0.85	-0.26	-0.26	-0.26	-0.49	0.49	0.49	0.77	-0.93	-0.68	-0.14
2219077	2.83	1.81	0.00	-0.26	-0.38	-0.26	-0.68	-0.26	-0.49	0:00	-0.14	-0.49	-0.49	-0.85	-0.68
1965041	2:32	2.20	-0.58	-0.49	-0.93	1.38	0.93	0.77	-0.49	99.0	0.26	1.49	-0.58	-0.77	-0.49
1649959	2.49	2.26	-0.77	-0.77	-1.07	0.00	0.00	0.49	-0.93	-2.04	-2.04	-1.38	-1.72	-2.29	-1.54
1222317	2.10	2.10	-1.58	-1.77	-1.14	-0.26	-0.38	-0.26	-1.00	0.38	0.58	0.58	-1.38	-1.96	-0.26
2510171	3.14	2.72	-0.26	0.38	-0.77	-1.14	-1.32	0.1	-0.85	-1.77	-1.32	-1.68	-1.26	-1.63	-1.26
1988674	2.96	1.96	-0.77	-1.32	9:	-1.32	-0.93	-1.43	-1.07	-0.14	0.38	-0.68	-1.26	-0.68	-0.49
1672640	1.49	1.54	-1.54	-1.77	-1.77	-1.38	-1.81	-0.85	-1.26	0.58	0.14	99.0	-1.38	-1.07	-0.68
1749417	2.17	1.58	-1.07	-0.26	-0.77	1.71	1.14	2.32	-1.38	-0.77	-1.07	-0.77	-1.00	-1.00	-1.63
1926543	-0.68	-0.26	1.96	2.23	2.14	1.07	1.26	0.49	-0.26	0.00	-0.58	-0.38	-0.26	-0.68	0.00
1504934	-2.85	-2.38	3.09	3.82	3.07	-1.38	-0.93	-1.58	-1.96	-2.14	-2.07	-2.32	-2.32	-2.98	-1.96
2512879	0.38	0.38	2.81	3.02	3.17	-0.93	-1.85	-1,32	-2.29	-1.20	-1.68	-0.68	-3.02	-3.55	-2.72
1359832	0.38	0.38	2.49	3.31	2.96	-1.26	-2.23	-0.93	-2.94	-2.41	-2.51	-1.38	-5.09	-5.09	4. 8
1583076	0.38	0.26	2.68	3.20	3.07	-1.07	-1.89	-1.07	-2.20	-1.72	-1.96	-0.77	-3.32	-3.42	-2.68
139838	-2.87	-2.72	3.34	3.71	3.89	-2.89	-2.63	-2.79	-2.54	-2.85	-2.17	-2.54	-2.79	-3.15	-2.35
1344654	-1.20	-0.77	3.38	3.17	3.12	1.20	1.07	0.49	-1.00	-1.20	-0.93	-1.07	-1.32	-2.07	-1.14
2513979	-3.35	-2.85	3.52	3.91	3.95	-3.45	-2.68	-3.36	-3.25	-3.66	-2.79	-3.28	-3.04	-3.70	-3.34
2369312	-1.58	-0.58	4.09	3.62	4.10	-3.94	-4.03	-3.36	-3.61	-0.58	-1.96	0.14	-3.12	÷3.04	-1.54
2048364	-3.71	-1.89	3.46	3.99	3.68	-3.38	-3.73	-2.96	-3.34	-3.79	-3.34	-3.63	-2.46	-2.58	-1.58
85246	4.22	4.47	3.20	4.17	3.19	-3.72	-3.82	-4.29	4.	-4.87	-3.97	-4.49	-4.43	-5.34	-4.43
166337	-1.32	-2.07	3.26	3.93	3.38	-2.07	-2.10	-2.29	-1.20	-1.43	-1.20	•1.00	-2.38	-2.29	-1.68
138274	-1.00	-0.58	2.63	3.09	2.23	-1.20	-1.14	-1.07	-0.68	-0.93	-0.68	-0.26	-0.85	-0.77	-0.58
1633340	-2.07	-1.89	2.83	3.38	2.94	-1.89	-1.54	-1.96	-1.43	-1.63	-1.32	-1.58	-1.43	-2.00	-1.32
1982416	-0.93	-1.20	3.29	3.39	2.51	-1.32	-0.77	-1.32	-0.68	-0.14	-0.38	0.00	-0.85	-0.93	-0.26
946822	-0.68	-0.49	1.14	1.63	1.26	-0.49	-0.49	-0.14	-0.49	-0.85	-0.49	-0.58	-0.58	-0.58	-0.68
2517330	-0.26	-0.38	2.14	1.89	1.32	-0.38	-0.38	-0.49	0.14	-0.26	-0.14	-0.14	0.00	0.14	0.00
2516489	-0.85	÷.	2.79	3.00	2.72	0.14	0.38	99.0	-0.68	-1.07	-0.77	-1.20	-0.93	-0.93	-1.00
88741	-1.93	-1.49	3.92	3.69	2.56	-2.07	-1.93	-1.93	-1.32	-2.26	-1.00	-2.04	-1.58	-2.10	-1.43
168865	-2.26	-2.23	3.07	3.57	3.49	-2.23	-2.17	-2.63	-1.96	-1.68	-1.81	-2.10	-2.35	-2.58	-1.38
231779	-0.72	-0.93	5.00 -	2.23	1.8.	-0.68	-0.49	-0.71	8:	-0.38	-0.14	-0.26	-1.07	-0.85	-0.68

Clone ID 28	Lung L (2881) (2	Lung (2152)	Liver (4209)	Liver (4133)	Liver (2147)	Kidney (6993)	Kidney (6994)	Kidney (6995)	Pancreas (6996)	Spleen (6997)	Spleen (6998)	Spleen (6998)	Brain (6999)	Brain (7000)	Striatum (3971)
Ĺ		-0.93	18.1	1.32	1.38	1.26	1.32	0.85	0.00	-1.00	-0.85	-1.43	-0.85	-1.00	-0.49
1833801 -0.	_	0.58	2.17	2.70	2.68	1.32	1.14	1.14	×	-0.77	-0.68	-0.26	-0.26	-0.49	-0.26
1923613 0.		0.26	2.83	2.51	3.32	1.14	1.81	0.58	-0.93	-0.93	-0.77	-0.93	-0.49	-0.77	-0.38
_	0.77	-0.77	1.32	1.85	1.8.1	1.07	1.32	1.07	-0.85	-0.85	-1.14	-0.38	-1:00	-1.20	-1.00
1930954 -0.	_	0.38	3.07	2.66	1.8.1	0.93	1.07	0.49	×	-0.49	-0.77	-0.85	-1.26	-1.32	-0.58
1511658 -4.	_	5.14	3.62	4.31	2.70	-5.11	-5.15	-2.04	-4.02	4.7	-4.59	4.25	-5.39	-5.07	4.34
2590673 -1.		0.85	3.39	3.25	3.31	-0.49	-1.14	0.00	-0.85	-1.85	-1.26	-1.72	-1.49	.1.93	-1.20
1995380 0.		.93	1.58	2.41	5.00	0.85	-0.14	1.14	-0.68	-2.04	-2.23	-2.17	-0.68	-1.38	-0.85
167409 -4.		4.54	2.89	4.34	3.19	-3.89	-4.58	-3.98	-1.72	4.36	-3.47	-3.55	4.60	-4.62	-3.95
1846226 -0.		0.26	1.32	1.49	1.85	99.0	0.93	0.85	-1.07	-0.85	-1.26	-0.58	99.0	0.26	0.38
		3.19	3.42	4.84	2.89	-3.89	4 8	-3.61	-3.00	-3.81	-3.26	-3.09	-3.80	-3.91	-3.36
2517389 -2.		1.8.1	3.66	3.20	3.32	-1.07	-0.85	-1.43	-1.38	-1.43	-1.89	-1.32	-1.63	-2.20	-1.32
		1.14	3.23	3.14	2.49	1.43	0.1	1.20	-0.68	-1.20	-0.49	-0.93	-1.58	-1.26	-1.07
	_	1.14	3.22	3.36	0:00	-1. S	-1.93	-0.58	-1.20	-0.93	-1.49	-0.58	-1.63	-2.32	-1.93
		2.56	4.84	3.64	-1.43	-2.79	-2.20	-2.35	-1.68	-2.51	-1.68	-1.93	-2.68	-2.17	-2.23
~		2.07	3.12	4.10	3. S	-2.41	-2.10	-2.43	-1.77	-1.71	-1.81	-1.54	-2.26	-2.20	-1.38
_		2.38	3.28	3.63	3.63	-2.17	-2.35	-2.20	-1.63	-1.26	-1.77	-1.96	-2.32	-1.93	-0.85
		7.49	3.10	2.63	2.23	-0.58	-0.38	-0.49	-0.26	-0.14	0.00	-0.58	-0.26	-0.14	-0.26
		7.26	3.60	3.77	3.31	-2.74	-3.49	-3.46	-2.61	-1.07	-2.20	0.14	-3.34	4.07	-2.66
1861971 -4.		3.64	3.26	4.32	3.09	-5.41	-5.44	4.95	4.96	4.89	4.6	4.91	-5.12	-5.58	-4.47
		1.20	2.43	3.61	2.54	-0.26	-0.68	-1.00	-1.00	-1.07	-1.20	-1.43	-1.43	-1.81	-0.77
	-2.89 -2	2.83	3.46	3.87	3.88	-1.14	-2.17	-0.58	-1.81	-2.85	-2.98	-2.94	-1.68	-2.63	-2.17
_		0.85	2.98	3.32	2.74	0.77	0.00	0.58	×	-1.07	-0.85	-0.85	-0.85	-1.38	-0.68
		0.58	2.54	2.71	2.83	1.38	0.93	1.00	×	-1.38	-1.07	-0.77	-0.14	-0.38	-0.38
		1.49	2.70	4.40	-0.49	-2.07	-2.23	-1.93	-2.51	-2.46	-2.29	-2.51	-3.00	-3.32	-2.51
		1.43	3.04	4.00	2.51	-1.54	-1.89	-1.63	-1.14	-0.85	-1.07	-0.49	-1.93	-2.04	-1.00
1287840 -0.		0.77	1.54	1.07	1.93	0.38	0.49	0.58	-0.58	-1.00	-0.93	-0.58	-0.68	-0.68	-0.77
	0.77	0.93	2.46	3.55	2.63	-1.07	-0.85	-1.07	-0.26	-0.49	-0.49	-0.49	-0.38	-0.58	-0.14
	_	1.32	3.23	3.02	1.49	-1.49	-1.00	-1.72	9.1-	-1.38	-0.77	-1.49	-1.00	-1.38	-1.43
3553733 -0.	0.93	0.77	2.23	3.87	1.38	-0.68	-1.14	0.00	-1.00	-0.85	-1.38	-0.85	-0.93	-1.07	-0.58

2.58 3.52 4.06 3.70 -2.41 -0.26 2.17 2.29 2.10 0.49 -1.32 1.38 2.07 2.35 1.32 -1.37 2.89 3.12 3.31 -3.91 -1.77 3.39 2.51 3.23 -1.93 -1.77 3.39 2.51 3.23 -1.93 -0.85 2.00 2.61 1.96 -1.54 -0.85 2.00 2.61 1.96 -1.54 -0.85 1.26 1.88 3.47 -2.41 -2.79 3.26 3.84 4.10 -2.26 -2.79 3.26 3.88 3.47 -2.41 -2.79 3.26 3.88 3.47 -2.41 -2.79 3.26 3.88 3.47 -2.41 -0.85 1.26 1.85 1.72 -0.58 -0.85 1.26 1.83 1.07 1.07 -1.00 1.49 2.32 2.07 1.07 -1.63 1.72 2.26 1.26 2.4	Lung	Lung	Liver	Liver	Liver	Kidney	Kidney	Kidney	Pancreas	Spleen	Spleen	Spleen	Brain	Brain	Striatum
-2.72 -2.58 3.52 4.06 3.70 -241 -0.26 -0.26 -0.27 2.29 2.10 0.49 -2.35 -1.32 1.38 2.07 2.35 1.32 -1.93 -1.77 2.89 3.12 3.31 -1.93 -1.93 -1.77 3.39 2.51 3.23 -1.93 -1.93 -1.77 3.39 2.51 3.23 -1.93 -0.93 -0.85 2.00 2.61 1.96 -1.54 -2.56 -2.61 3.90 3.84 4.10 -2.56 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.4 3.82 2.94 -2.54 -1.26 -3.7 3.88 3.47 -2.41 -1.26 -3.07 3.74 2.70 -0.58 -1.29 -1.00 1.49 2.32 2.07 1.07 -1.20 -0.26 1.49 2.32 2.07 1.07 -1.49 -1.63 1.77 2.58 1.63	(2881)	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(6995)	(9669)	(2669)	(8669)	(8669)	(6669)	(7000)	(3971)
-0.26 -0.26 -0.26 -0.26 -0.26 -0.29 2.10 0.49 -2.35 -1.32 -1.32 1.38 2.07 2.35 -1.32 -1.93 -1.77 2.89 3.12 3.31 -3.91 -1.93 -1.77 3.39 2.51 3.23 -1.93 -1.93 -0.85 2.00 2.61 1.96 -1.54 -0.93 -0.85 2.79 3.84 4.10 -2.26 -2.56 -2.79 3.84 4.10 -2.26 -2.56 -2.79 3.84 4.10 -2.26 -2.56 -2.79 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.63 1.85 2.77 2.58 1.63 -1.49 -1.63 1.72 2.26 1.32 2.49 -1.49 -1.63		-2.58	3.52	4.06	3.70	-2.41	-2.54	-2.58	-1.81	-2.61	-2.20	-2.00	-2.85	-3.20	-2.32
-2.35 -1.32 1.38 2.07 2.35 1.32 -3.79 -3.77 2.89 3.12 3.31 -3.91 -1.93 -1.77 3.39 2.51 3.23 -1.93 -3.67 -3.46 3.52 3.47 3.78 -3.23 -0.93 -0.85 2.00 2.61 1.96 -1.54 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 -2.54 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.63 1.85 2.77 2.49 -1.49 -1.63 1.77	_	-0.26	2.17	2.29	2.10	0.49	0.14	0.26	1.07	-0.49	-0.85	-0.26	-1.85	-1.81	9:
-3.79 -3.77 2.89 3.12 3.31 -3.91 -1.93 -1.77 3.39 2.51 3.23 -1.93 -1.93 -1.77 3.39 2.51 3.23 -1.93 -0.93 -0.85 2.00 2.61 1.96 -1.54 -2.26 -2.61 3.90 3.84 4.10 -2.26 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 -2.41 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.72 2.49 -1.49 -1.63 1.72 2.72 2.49 -1.49 -1.26 2.96 3.02		-1.32	1.38	2.07	2.35	1.32	0.93	1.07	-0.14	-1.96	-2.41	-1.77	-2.10	-2.38	-1.68
-1.93 -1.77 3.39 2.51 3.23 -1.93 -3.67 -3.46 3.52 3.47 3.78 -3.23 -0.93 -0.85 2.00 2.61 1.96 -1.54 -2.26 -2.61 3.90 3.84 4.10 -2.26 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.83 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.63 1.72 2.72 2.49 -1.49 -1.63 1.77 2.58 1.63 -1.49 -1.63 1.77 2.72 2.49 -1.49 -1.26 2.96 3.02 2.10		-3.77	5.89	3.12	3.31	-3.91	-3.63	-3.45	-3.15	-3.45	-3.60	-3.28	-3.77	-3.91	-3.31
-3.67 -3.46 3.52 3.47 3.78 -3.23 -0.93 -0.85 2.00 2.61 1.96 -1.54 -2.26 -2.61 3.90 3.84 4.10 -2.26 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.00 1.49 2.32 2.07 1.07 -1.49 -1.63 1.85 2.77 2.35 1.58 -1.49 -1.63 1.77 2.58 1.63 -1.49 -1.63 1.77 2.79 1.85 -1.49 -1.26 2.96 3.02		-1.77	3.39	2.51	3.23	-1.93	-1.77	-1.68	-1.14	-1.32	-1.77	-1.14	-1.43	-1.81	-1,68
-0.93 -0.85 2.00 2.61 1.96 -1.54 -2.26 -2.61 3.90 3.84 4.10 -2.26 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.87 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.87 -1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.39 -1.00 1.49 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -1.49 -1.63 1.85 2.77 2.58 1.63 -1.49 -1.63 1.85 2.77 2.58 1.63 -1.49 -1.63 1.72 2.26 1.32 2.49 -1.49 -1.38 2.3		-3.46	3.52	3.47	3.78	-3.23	-2.96	4.01	-2.81	-3.20	-3.07	-2.94	-3.15	-3.86	-3.26
-2.26 -2.61 3.90 3.84 4.10 -2.26 -2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.00 -1.49 -1.09 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -0.58 -1.49 -1.63 1.85 2.77 2.58 1.63 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 -2.54 -2.69 3.17 2.79 1.58 -1.43 -1.38 2.51 1.72 2.72 2.49 -2.54 -2.68 2.38<		-0.85	2.00	2.61	1.96	-1.54	-1.49	-1.72	0.38	-0.85	-0.77	-0.85	-1.20	-1.43	-0.68
-2.58 -2.79 3.26 3.88 3.47 -2.41 -3.60 -3.34 2.81 3.82 2.94 -2.54 -0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.00 -1.49 -1.00 1.49 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 -2.51 -1.53 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.49 1.72 -2.54 -2.68 2.38 3.39 2.63 1.58 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54		-2.61	3.90	3. 28.	4.10	-2.26	-2.10	-2.23	-1.38	-1.89	-2.20	-1.72	-2.43	-2.38	-1.77
-3.60 -3.34 2.81 3.82 2.94 -2.54 0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 -2.51 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -1.43 -1.38 2.38 3.39 2.63 1.58 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.26 2.96		-2.79	3.26	3.88	3.47	-2.41	-2.54	-2.46	-2.14	-2.98	-2.54	-2.26	-2.91	-2.58	-2.43
0.26 0.14 1.96 2.63 1.54 0.93 -1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 -2.51 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -1.43 -1.38 2.51 1.72 2.72 2.49 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.68 2.51		-3.34	2.81	3.82	2.94	-2.54	-2.54	-3.12	-3.14	-3.73	-3.19	-2.79	4.31	-4.56	-3.72
-1.26 -0.85 1.26 1.85 1.72 -0.58 -1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.49 1.72 -2.54 -2.68 2.38 3.39 2.63 1.58 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.26 2.96 3.02 2.98 1.63 -1.54 -1.68 2.51 3.29 2.79 1.32 -1.36 1.07		0.14	1.96	2.63	<u>z</u> .	0.93	1.32	0.58	-1.07	-1.20	-1.26	-0.77	-2.00	-2.17	-1.32
-1.00 -0.26 3.07 3.74 2.70 -0.58 -1.49 -1.00 1.49 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.49 1.72 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.68 2.51 3.29 2.79 1.68 -1.96 -1.68 2.51 3.29 2.79 1.68 -1.30 -1.36		-0.85	1.26	1.85	1.72	-0.58	-0.26	-0.26	-1.85	0.38	-0.14	1:07	-1.07	-1.38	-0.85
-1.49 -1.00 149 2.32 2.07 1.07 -0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -1.43 -1.38 2.39 2.63 1.58 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 -1.39 -1.26 2.38		-0.26	3.07	3.74	2.70	-0.58	-1.89	0.49	-2.17	-1.96	-2.70	-1.43	-2.85	-3.32	-1.89
-0.38 0.14 3.12 4.13 3.19 -3.00 -2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.58 -1.94 -3.45 2.49 3.00 1.77 -1.20 -3.52 2.38 2.49 3.00 1.77 -1.20 -3.63 2.41		-1.00	1.49	2.32	2.07	1.07	1.49	0.58	-1.85	-1.93	-1.72	-1.68	-2.61	-2.93	.2.29
-2.51 -2.56 2.04 3.17 3.23 2.35 -1.49 -1.63 1.85 2.77 2.58 1.63 0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.49 1.72 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.68 2.51 3.29 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.68 -1.96 -1.68 2.51 3.29 2.79 1.68 -1.36 -3.69 2.98 1.68 -1.36 -3.69 2.98 1.68 -1.36 -3.69 2.98 1.68 -1.36 -3.69 2.98 1.68 -1.36 -3.69 2.99		0.14	3.12	4.13	3.19	-3.00	-2.94	-2.66	-1.54	-2.91	-2.04	-2.66	-2.66	-3.10	-2.10
-1.49 -1.63 1.85 2.77 2.58 1.63 0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -1.54 -1.68 2.51 3.29 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.20 -1.20 2.81 3.72 2.00 -1.43		-2.56	2.04	3.17	3.23	2.35	1.77	1.7	1.8.1	-1.96	-1.89	-1.77	-2.10	-2.70	-1.38
0.58 0.93 1.72 2.26 1.32 1.58 -2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-1.63	1.85	2.77	2.58	1.63	2.20	1.26	-1.63	-2.10	-2.04	-2.20	-1.54	-2.00	-1.93
-2.72 -2.04 1.77 3.66 1.68 1.72 -1.43 -1.38 2.51 1.72 2.72 2.49 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		0.93	1.72	2.26	1.32	1.58	1.43	1.32	0.26	-1.00	-1.49	-1.07	-1.63	-2.07	-1.68
-1.43 -1.38 2.51 1.72 2.72 2.49 -2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-2.04	1.71	3.66	1.68	1.72	99.0	1.8.1	×	-2.85	-2.20	-2.87	-1.93	-2.46	-1.93
-2.54 -2.68 2.38 3.39 2.63 1.58 -3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-1.38	2.51	1.72	2.72	2.49	1.63	2.07	-0.93	-1.72	-1.38	-1.77	-1.14	-1.54	-0.85
-3.78 -3.73 2.49 3.14 2.79 1.85 -1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.63 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-2.68	2.38	3.39	2.63	1.58	1.43	1.07	-2.17	-1.85	-0.77	-2.35	-2.38	-2.26	-1.58
-1.54 -1.26 2.96 3.02 2.10 1.93 -3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-3.73	2.49	3.14	2.79	1.85	2.04	1.58	-3.15	-2.81	-2.32	-3.41	-3.15	-3.69	-2.63
-3.28 -3.43 2.83 3.69 2.98 1.63 -1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-1.26	2.96	3.02	2.10	1.93	1.54	1.58	-0.93	-1,63	-1.38	-1.14	-2.07	-2.17	-1.20
-1.96 -1.68 2.51 3.29 2.79 1.32 0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-3.43	2.83	3.69	2.98	1.63	1.38	1.32	-1.89	-3.19	-2.81	-2.56	-3.19	-2.66	-2.41
0.38 1.07 1.26 2.14 1.89 1.68 -3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		-1.68	2.51	3.29	2.79	1.32	0.77	<u>착</u>	-2.07	-2.32	-2.41	-1.43	9. 1.	-1.49	-1.20
-3.46 -3.52 2.38 2.49 3.00 1.77 -1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43		1.07	1.26	2.14	1.89	1.68	1.20	1.68	-1.00	-1.14	-0.68	-0.85	-1.63	-1.54	-1.20
-1.20 -0.68 3.34 3.49 2.41 -1.49 -1.26 -1.20 2.81 3.72 2.00 -1.43	•	-3.52	2.38	2.49	3.00	1.71	1.85	1.49	-1.89	-3.70	-2.98	-2.63	-3.77	-3.47	-5.96
-1.26 -1.20 2.81 3.72 2.00 -1.43	Ċ	-0.68	3.34	3.49	2.41	-1.49	-1.38	-1.07	1.32	-1.43	-1.07	-1.38	-1.72	-1.49	-0.85
		-1.20	2.81	3.72	2.00	-1.43	-1,49	-1.20	1.49	-1.38	-1.58	-0.85	-1.32	-1.81	-1.00
0.68 0.93 0.93 1.58	_	0.26	0.68	0.93	0.93	1.58	1.58	1.93	-0.38	-0.85	-1.07	-0.68	-0.58	-1.14	-0.85

Clone ID	(2152)	Liver (4209)	Liver (4133)	Liver (2147)	Kidney (6993)	Kidney (6994)	Kidney (6995)	Pancreas (6996)	Spleen (6997)	Spleen (6998)	Spleen (6998)	Brain (6999)	Brain (7000)	Striatum (3971)
89	-1.14	-0.93	-0.85	-0.49	2.81	2.77	2.61	0.88	-1.32	-1.14	-1 20	-1 07	-1 38	-0.85
-0.85	-1.00	-0.77	-1.20	-1.20	1.89	1.43	1.49	-0.77	-0.49	0.0	-1.07	-1.49	-1.14	-0.68
-1.72	-1.63	-1.26	-1.68	-1.32	2.85	3.07	1.89	9:1	-1.38	-0.77	-1.43	-1.38	-1.32	-1.00
-2.00	₹. \$	-1.81	-1.93	-1.20	3.12	1.32	3.63	×	-1.85	-1.32	-1.26	-1.14	-1.14	0.0
89.0	0.77	-2.26	-2.56	-2.26	1.63	2.07	1.32	0.49	-0.58	-1.81	-1.81	-1.8	-0.68	-0.49
2910715 0.58	0.26	9:	-0.93	-0.77	2.54	1.32	2.81	0.49	-0.68	-0.77	-0.49	-1.43	-1.77	-1.14
-0.68	-0.85	0.49	0.85	0.49	1.89	1.32	1.85	×	-0.38	-0.49	0.00	-0.26	-0.26	-0.38
1.32	1.58	-0.77	-0.93	-1.07	2.17	1.93	2.26	×	-1.43	-1.07	-0.93	-1.77	-1.77	-1.00
1968695 -0.26	-0.49	-1.32	-1.00	-0.85	1.63	1.07	1.89	-1.20	-0.38	-0.14	0.00	-1.14	-1.07	-1.00
958344 -4.09	-3.74	-3.89	-3.54	-3.39	3.02	3.12	2.94	-2.10	-3.60	3.6	-3.81	4.03	-4.22	-2.93
	-2.29	-0.68	0.14	-0.38	2.43	1.7	2.70	-1.58	-2.54	-1.68	-2.14	-1.96	-3.05	-1.58
	-0.49	-1.49	-1.14	-1.26	1.49	1.49	<u>z</u> .	-0.14	-1.54	-1.54	-1.63	0.49	0.00	-0.26
1806451 -1.58	-1.14	-1,49	-1.00	-1.14	2.49	2.68	1.68	0.1.00	-1.43	-1.07	-0.93	-1.38	-1.85	-0.77
-2.93	-2.96	-0.26	0.14	0.14	3.17	2.17	2.94	-1.63	-2.94	-2.38	-2.20	-3.26	-3.23	-2.23
1.20	1.58	-1.20	-1.07	-0.68	1.63	1.63	1.93	-0.85	-0.85	-0.68	-0.58	-1.20	-0.58	-0.85
-1.72	-1.26	0.58	1.54	0.93	2.23	1.58	2.04	-2.17	-1.63	 \$.	-1.93	-0.58	-0.68	-0.49
-5.0 4	-2.20	1.77	2.17	2.70	2.72	2.43	2.54	-1.85	-2.17	-1.63	-1.58	-2.35	-2.43	-1.85
-3.32	-3.56	0.14	-0.14	-0.85	3.20	2.87	2.54	0.58	-2.98	-3.15	-2.89	-3.77	-3.79	-2.68
	-1.85	-2.43	-2.98	-2.49	2.51	2.38	2:32	-2.23	-1.83	-2.04	-1.38	1.63	1.20	0.58
254081 -5.47	-5.31	-4.95	-5.03	-5.13	-4.78	4.73	-5.17	4.21	4.70	-5.38	-5.43	-5.35	-5.44	4.66
	-5.22	4.34	4. 84	16.4	-4.36	-5.42	-5.00	4.39	-4.39	-4.52	4.81	-5.07	-5.31	-3.91
	-6.31	-5.95	-5.86	-5.77	-6.48	-6.63	-6.55	4.69	-6.10	-6.11	-5.81	6.6 20	-6.60	-5.98
_	4. 8.	-4.38	-4.83	-3.97	-5.08	4.71	4.82	4.28	4.75	-4.23	4.38	-5.01	4.77	4.55
2383235 -5.07	-5.35	-4.99	-4.95	-4.97	-5.48	-5.85	-5.69	4.59	4.95	-5.43	4.91	-5.73	-5.77	-5.00
	-0.85	-1.49	-1.81	-1.68	-2.14	-2.38	-1.49	2.43	-2.46	-1.38	-1.54	-2.07	-2.29	-1.85
2383205 -5.14	-5.34	4.54	-4.85	-4.73	-5.55	-5.63	-5.53	4.66	-5.37	-5.28	-4.89	-5.67	-5.63	-5.01
-5.38	-5.30	-5.41	-5.03	4.74	-5.25	-5.17	-5.35	5.66	4.97	4.95	4.73	4.88	-5.64	28.
	-0.77	-0.49	-1.20	-0.49	-0.58	-0.58	-0.58	3.55	-1:07	-0.49	-1.20	-0.38	-0.68	-0.49
1709828 1.14	0.38	-0.49	-0.49	-0.38	1.20	0.93	0.93	2.26	-0.26	-0.93	-0.14	-0.26	-0.38	0.00
2061119 -0.38	-0.58	-0.77	-0.68	-0.85	0.14	0.14	0.14	1.93	0.00	-0.26	0.00	-0.14	-0.38	-1.20

(2881)	I anno	Liver	l iver	iver	Kidney	Kidney	Kidney	Pancreas	Soleen	Spieen	Calera	Rrain	Rrain	Striatum
	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(5669)	(9669)	(2669)	(8669)	(8669)	(6669)	(7000)	(3971)
-2.94	-3.04	-2.83	-3.14	-3.04	-1.49	-1.72	-1.49	4.26	-2.94	-2.83	-2.89	-2.81	-3.46	-2.29
3.04	-3.39	-3.23	-3.09	-3.05	-3.45	-3.41	-3.39	4.96	-3.46	-2.85	-2.68	-3.35	-3.35	-3.32
-3.57	-3.68	-3.39	-3.69	-3.50	-3.67	4.55	-3.45	3.87	-3.73	-3.69	-3.69	-3.80	-3.89	-3.20
-3.47	-3.17	-3.38	-3.14	-2.77	-3.45	-2.89	-3.28	3.85	-2.17	-2.35	-2.94	-2.61	-3.20	-2.04
-4.65	-5.12	-5.48	-5.45	-5.13	-5.76	-5.69	-5.91	4.54	-5.76	-5.39	-5.03	-6.48	-6.49	-5.74
-6.64	-6.64	-6.35	-6.41	-6.23	-6.64 46.64	-6.64	-6.64	4.35	-6.64 4	45	-6.60	-6.6 <u>4</u>	2	-6.42
-6.20	-6.20	-6.03	-5.79	-5.51	-6.15	-6.08	-6.16	4.48	-5.95	-5.86	-5.76	-5.53	-6.12	-5.82
-1.20	-1.26	-0.77	0.26	-0.93	0.58	-0.26	0.58	2.20	-2.07	-2.07	-1.07	-2.35	-2.54	-2.04
	-1.43	-1.43	-1.20	-1.49	-1.38	-1.58	-1.00	2.83	-0.14	-0.14	0.00	-1.26	-1.07	-1.32
2373608 -4.11	-4.46	-3.46	-4.36	-3.60	4. 8	-3.79	-3.92	4.07	-4.22	-3.99	-3.49	4.10	-3.91	-3.78
	4.14	-4.32	-4.07	-3.79	4.14	4.08	-4.40	4.19	-3.51	-3.64	-3.68	-3.86	-4.50	-3.46
2923150 -6.52	-6.64	-6.21	-6.32	-6.20	-6.56	.6 49.6	-4.96	2.07	-6.46	-6.6 4	-6.19	20.05	-6.64	-6.55
	-1.49	2.56	3.78	1.38	-2.38	-2.91	-0.58	3.47	-1.63	-2.54	-2.72	-2.32	-2.98	0.14
-1.14	-1.26	2.68	3.79	1.8.1	-1.63	-1.20	-1.38	3.15	-1.72	-1.49	-1.20	-1.26	-1.58	-0.93
-1.26	-1.32	-0.26	-1.07	-0.49	1.89	1.72	1.85	2.41	-1.32	-0.49	-0.85	0.77	99.0	-0.38
-3.00	-2.14	-2.91	-2.93	-2.29	2.20	1.20	2.54	3.19	-1.38	-2.49	-1.85	-2.87	-3.25	-2.41
-0.26	0.26	-0.26	-0.58	0.0	-0.38	-0.26	-0.26	-0.58	2.00	2.07	1.93	-1.07	-1.00	-0.26
	0.93	-0.38	-0.77	-0.26	-0.14	-0.49	0.14	-0.49	2.54	2.17	19.2	-1.49	-1.58	-0.14
586245 -1.07	-0.26	-0.77	0.49	-0.58	-0.77	-0.49	-0.68	-1.89	2.72	1.07	2.70	-2.89	-3.02	-2.00
-1.58	-1.54	<u>-</u> .	-1.54	-1.43	-1.54	-2.43	-1.43	-2.07	2.20	2.63	2.46	-2.43	-2.89	-1.93
-1.72	-2.00	-1.32	-1.49	-1.58	-1.77	-2.14	-1.93	-0.49	-1.89	-1.77	-1.14	2.91	2.58	1.72
-2.10	-2.23	-2.68	-2.49	¥.:-	-3.34	-3.02	-2.58	-2.17	-2.04	-2.17	-2.35	1.68	0.58	3.52
1852659 -1.68	-1.32	-1.77	-2.38	-1.77	-2.43	-2.10	-2.20	-1.49	-2.17	-1.81	-1.81	3.09	2.91	1.38
-1.07	-0.85	-0.49	0.14	-0.49	-0.49	-0.77	0.14	-0.14	-0.85	-0.93	-0.26	1.72	1.26	1.49
-0.77	-0.26	-1.32	-1.49	-1.07	-1.38	-1.26	-1.07	-1.32	-0.93	-0.68	-0.68	2.17	1.93	1.54
1904244 -0.85	-0.38	0.00	0.0	0.26	-0.68	-0.14	-0.14	0.14	-0.85	-0.14	-0.26	2.23	2.04	1.43
-1.20	45.1.	-1.32	-0.68	-0.77	-1.38	-0.93	-1.20	-1.07	-1.20	-1.32	-0.58	2.58	2.63	1.96
	-1.43	-1.68	-1.54	-1.20	-0.85	-0.68	-0.77	-1.20	-0.14	-i.00	0.26	2.10	1.93	1.20
1412749 -1.00	9.1	-0.85	-1.00	-0.49	-1.14	-0.77	-1.26	-0.26	-0.77	-0.38	9:1	2.43	2.46	2.04
_	-0.93	-1.20	-1.07	-0.71	0.14	0.26	0.77	-1.00	-0.14	-0.26	-0.38	2.00	1.63	9.

	Lung	Lung	Liver	Liver	Liver	Kidney	Kidney	Kidney	Pancreas	Spleen	Spleen	Spleen	Brain	Brain	Striatum
Clone ID	(2881)	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(2669)	(9669)	(6997)	(8669)	(8669)	(6669)	(7000)	(3971)
2949085	-0.26	-0.14	-1.07	-0.93	-1.20	-0.49	-0.77	-0.49	-0.68	-0.14	-0.38	0.00	2.17	1.68	1.07
2963196	-2.17	-2.00	-2.23	-2.29	-2.26	-2.38	-2.81	-2.10	-2.43	-2.00	-2.32	-1.77	2.35	1.26	2.56
1505977	-1.77	-1.72	-1.26	-1.26	-1.49	-2.17	-2.26	-2.14	-1.49	-2.43	-1.49	-1.89	3.19	2.38	1.58
1674985	-0.77	-0.49	-0.49	-1.00	-0.68	-0.26	-0.26	-0.38	-0.49	-0.58	-0.49	-0.49	1.85	1.89	1.20
2109054	-1.14	-0.58	-0.68	-0.58	-1.14	-0.14	-0.58	-0.26	-0.77	-1.32	-1.07	-0.77	2.35	1.81	1.38
3317039	-1.14	9:1-	-1.07	-1.00	-0.93	0.58	0.14	0.93	-0.68	-1.14	-1.26	-0.85	2.10	2.10	1.68
2838551	-0.93	-0.68	-0.77	-1.00	-0.58	-0.38	-0.38	-0.58	-0.14	-0.85	-0.58	-0.77	1.63	1.63	0.77
1477568	-1.26	-1.26	-2.20	-2.14	-2.32	-0.77	-1.43	-0.77	-1.93	-1.20	-1.77	-0.77	2.14	1.26	2.77
2963871	-0.26	-0.26	-1.32	-1.58	-1.38	-0.77	-0.93	-0.68	-0.77	-0.85	-0.68	-0.58	1.32	1.54	1.72
1740547	-0.77	-1.07	-1.26	-1.38	-1.26	-1.32	-1.20	-1.43	-1.14	-0.77	-0.38	-0.14	2.61	2.41	2.46
2292011	-2.00	-2.41	-1.81	-2.04	-2.04	-2.29	-2.72	-2.10	-2.38	-1.96	-2.51	-2.17	3.29	3.02	0.0
1349484	-0.26	-0.14	-0.26	-0.38	-0.49	-0.49	-0.77	-0.58	×	0.00	-0.14	0.00	1.93	1.85	1.32
1674253	1.00	0.68	-1.00	-1.07	-0.93	0.14	0.58	0:00	-0.85	-0.49	99.0-	-0.26	1.7	1.49	0.85
1932189	-2.38	-2.00	-2.70	-2.46	-2.43	-2.56	-2.38	-2.35	-2.04	-1.26	-2.29	-1.26	3.25	2.61	0.85
1403041	-1.81	-1.58	-1.68	-1.38	-1.14	-1.49	-1.43	-1.43	-1.14	-1.72	-1.20	-0.85	2.96	2.26	8.
1486358	-1.72	-1.26	-2.70	-2.29	-2.23	-1.63	-1.89	-1.20	-2.56	-2.14	-2.54	-2.29	2.14	1.89	0.85
1439065	-0.14	-0.14	0.38	-0.58	0.14	-0.49	-0.49	-0.49	×	-0.14	0.38	0.00	1.85	1.54	1.77
530629	-0.85	-1.14	-0.58	-T:00	-0.58	-1.32	-1.00	9:1:	×	-0.93	-0.38	-0.38	2.83	2.43	1.68
1672676	-1.72	-1.63	-2.10	-2.26	-2.10	-5.00	-2.17	-1.58	-1.89	-1.54	-1.68	-1.32	2.89	2.58	1.68
1989129	90.	-1:01	-1.81	-1.68	-1.81	-0.14	-1.14	-0.14	-1.58	-1.20	-1.77	-0.58	2.29	1.89	2.91
1486348	-2.46	-2.38	-2.43	-2.38	-2.41	-2.54	-2.51	-2.81	-1 68	-1.72	-1.68	-1.63	2.38	2.68	1.63
1397294	-0.49	-0.49	-1.38	-1.14	-1.07	-1.32	-1.77	-1.20	-1.32	0.26	-0.93	0.58	2.70	2.26	1.68
2844322	-1.77	-1.26	-2.00	-2.04	-2.14	-2.23	-2.58	-2.17	-1.93	-2.17	-5.00	-1.20	2.85	2.46	2.07
1481440	-1.14	-1.32	1.07	-1.38	-0.85	-1.49	-1.43	-1.26	-1.00	-1.26	-0.49	-0.68	2.38	2.43	1.63
26459	-1.00	9:1-	-0.85	-0.85	-1.14	-1.20	-1.20	-0.93	-1.14	-0.77	-0.93	-0.85	2.17	2.23	99.0
1406786	-0.68	-0.58	-0.93	-1.38	-1.38	-1.26	-T:00	-0.85	-1.49	-1.14	-0.49	-1.14	2.07	1.72	0.93
1485846	-5.50	-5.53	-5.15	-5.17	4.72	-5.57	-5.68	-5.44	-5.02	-5.42	-5.00	-4.87	3.02	2.54	2.23
2153242	-1.54	-1.68	-1.58	-1.72	-1.54	-2.14	-1.72	-2.00	-1.43	-1.81	-1.14	-0.77	2.89	2.51	1.14
2157981	-1.93	-1.85	-1.93	-1.8 -	-1.49	-0.38	-0.49	-0.26	-1.07	-2.38	-1.49	-1.43	3.09	2.32	0.85
3244361	-1.20	-1.07	0.68	1.38	0.85	-0.85	-1.26	-1.20	-0.58	-1.32	-1.07	-0.77	2.14	1.93	1.07

Table ?

	Lung	Lung	Liver	Liver	Liver	Kidnev	Kidnev	Kidney	Pancreas	Soleen	Snleen	Spleen	R. risin	Rrain	Ctrishim
Clone ID	(2881)	(2152)	(4209)	(4133)	(2147)	(6993)	(6994)	(5669)	(9669)	(2669)	(8669)	(8669)	(6669)	(7000)	(3971)
1986737	-1.43	-1.26	-2.26	-1.63	-1.96	-1.07	-0.68	-0.93	-1.77	-0.85	-1.43	0.00	2.32	2.14	0.85
2506867	-2.93	-2.61	-2.85	-2.98	-3.23	-1.20	-1.07	-0.49	-2.49	-3.15	-3.05	-2.77	3.32	2.51	1.49
1211682	-1.81	-1.96	-1.07	-1.54	-1.26	-1.89	-2.35	-2.23	-2.46	-1.26	-1.85	-1.14	2.79	2.41	1.58
1416354	-0.93	-0.85	-1.38	-1.14	-1.26	-1.58	-1.32	-1.38	-1.26	-0.77	-0.49	-0.68	1.96	1.49	1.07
2963962	-1.26	-1.26	-1.07	-1.58	-1.00	-1.68	-1.77	-1.58	-1.07	-1.20	-1.14	-1.20	1.43	0.85	1.49
1761086	-1.93	-1.93	-1.58	-2.14	-1.72	-1.20	-1.38	-1.38	-1.81	-2.04	-1.81	-1.96	7.	1.20	0.26
2588552	1.68	1.72	-0.77	-1.38	9:-	-1.43	-1.26	-1.07	-0.58	-1.96	-0.93	-0.68	2.72	1.85	2.46
1901271	-0.85	-0.38	2.04	1.14	0.38	-0.14	0.38	0.00	-1.20	-0.38	0.14	0.14	1.63	1.49	1.07
1740924	8:-	-0.93	1.43	1.14	1.38	-1.14	-0.85	-1.49	-0.58	-0.49	-0.68	-0.68	1.89	1.96	0.77
1480159	-1.54	-1.58	-1.26	-1.32	-1.26	-0.49	-0.26	-0.49	1.43	-1.49	-1.00	-0.38	2.17	2.00	0.77

Table 4

Clone ID	Var. Betw.	Var. Within	F	Probability
2380381	1.94	0.10	20.13	6.82E-08
1618422	2.04	0.07	27.49	5.37E-09
2672064	2.41	0.10	23.48	1.96E-08
608361	1.97	0.09	23.03	2.29E-08
1922596	4.97	0.19	25.77	9.14E-09
1850033	5.92	0.40	14.64	1.42E-06
986987	8.95	0.10	86.39	2.99E-13
718807	5.91	0.09	67.09	2.71E-12
2880435	1.47	0.06	24.37	1.45E-08
187326	10.19	0.13	79.62	6.10E-13
1997963	6.10	0.17	36.56	4.95E-10
467700	8.97	0.20	45.64	7.52E-11
57382	11.72	0.12	97.40	1.04E-13
1222442	4.12	0.17	23.82	1.74E-08
4013105	9.43	0.26	36.28	5.29E-10
924319	15.30	0.53	28.81	3.64E-09
1645119	3.78	0.11	34.35	8.37E-10
1379925	8.88	0.10	93.06	1.56E-13
1900961	6.90	0.17	40.30	2.17E-10
3506985	8.86	0.42	21.22	4.45E-08
551403	4.53	0.21	21.39	4.17E-08
3948420	7.12	0.19	36.73	4.76E-10
1722853	2.58	0.10	25.92	8.71E-09
1557490	4.82	0.15	33.20	1.11E-09
3208425	4.49	0.22	20.44	6.03E-08
1668474	5.40	0.08	67.90	2.44E-12
1622542	2.13	0.07	30.18	2.47E-09
4014318	3.14	0.15	20.97	4.89E-08
2394888	5.04	0.13	37.38	4.11E-10
1345550	14.73	0.19	76.01	9.14E-13
1719955	7.24	0.23	31.18	1.88E-09
2256026	2.96	0.11	26.92	6.38E-09
1538086	2.63	0.07	38.49	3.21E-10
958633	1.62	0.07	23.10	2.24E-08
2635943	10.60	0.16	66.67	2.86E-12
121888	11.84	0.13	88.75	2.36E-13
1627492	2.26	0.07	33.25	1.10E-09
4073867	2.26	0.11	21.01	4.82E-08
2190170	1.94	0.08	23.90	1.70E-08
972224	14.59	0.30	49.39	3.83E-11
1413644	4.89	0.24	20.10	6.90E-08
1538224	1.89	0.09	20.37	1.10E-07
2623268	2.63	0.12	21.59	3.87E-08
1665533	1.42	0.07	19.97	7.25E-08
981484	2.10	0.04	47.76	5.10E-11
973629	11.67	0.18	66.17	3.06E-12
1539638	1.56	0.04	35.82	5.89E-10
3015758	10.73	0.24	44.75	8.89E-11
2832314	4.17	0.14	30.35	2.36E-09
1702996	2.53	0.08	31.33	1.81E-09
839947	2.19	0.09	24.61	1.33E-08
1867522	17.51	0.28	61.87	5.47E-12
1987831	2.13	80.0	27.25	1.06E-08
2639708	9.66	0.07	137.49	4.99E-15
973815	11.77	0.23	51.52	2.66E-11
169884	11.47	0.12	96.95	2.14E-13
2638235	3.76	0.05	70.07	1.86E-12

Table 4

Clone ID	Var. Betw.	Var. Within	F	Probability
305198	8.01	0.19	42.81	1.30E-10
57997	6,98	0.15	45.44	7.81E-11
986558	7.92	0.13	61.57	5.71E-12
224996	9.69	0.26	37.77	3.76E-10
661259	3.88	0.18	21.82	3.55E-08
3246379	4.92	0.18	26.85	6.53E-09
78783	4.25	0.16	17.54	3.57E-07
2639181	27.23	0.12	219.82	7.75E-17
1672467	11.44	0.12	77.23	
2950063		0.13	65.86	7.96E-13
	13.85 22.52	0.19	119.44	3.18E-12
3288518				1.73E-14
184110	20.44	0.53	38.26	3.37E-10
1368173	5.43	0.09	61.20	6.02E-12
1813409	4.65	0.19	24.90	1.21E-08
58309	17.08	0.14	121.53	1.49E-14
1721744	3.00	0.09	35.26	6.71E-10
1924344	7.76	0.17	45.89	7.18E-11
3176845	12.14	0.19	62.97	4.70E-12
2286809	8.52	0.25	34.50	8.07E-10
1985244	4.68	0.16	29.30	3.16E-09
1570042	3.22	0.12	27.83	4.85E-09
2079906	2.69	0.14	19.61	8.40E-08
2852042	5.26	0.24	21.94	3.40E-08
1319020	4.01	0.15	26.40	7.49E-09
1572555	7.76	0.23	34.07	8.98E-10
782235	6.11	0.42	14.43	1.58E-06
1314882	6.00	0.29	20.42	1.08E-07
1403636	3.69	0.15	24.94	1.20E-08
1968921	1.21	0.06	20.09	6.93E-08
1558081	3.17	0.15	20.86	5.12E-08
2495131	4.68	0.17	26.87	6.48E-09
4049957	9.52	0.39	24.32	1.47E-08
1686585	6.01	0.18	33.56	1.02E-09
2696735	8.26	0.23	36.41	5.12E-10
1720149	5.48	0.24	22.65	2.63E-08
1866751	8.79	0.28	31.47	1.74E-09
1851696	5.84	0.12	50.27	3.28E-11
93820	7.72	0.34	22.63	2.65E-08
2368282	0.10	0.06	1.69	1.63E-01
2831248	1.22	0.03	35.01	7.14E-10
182802	0.82	0.09	8.93	4.98E-05
1003884	2.80	0.10	27.91	4.74E-09
1120	0.99	0.04	24.45	1.41E-08
1308542	1.47	0.05	26.85	6.52E-09
3820761	6.10	0.25	24.89	1.22E-08
1999167	3.20	0.16	20.08	6.95E-08
1522716	4.89	0.22	21.84	3.53E-08
1612969	1.71	0.05	34.60	7.88E-10
337500	1.99	0.09	22.42	2.85E-08
1285380	1.08	0.05	23.71	1.81E-08
1636639	2.34	0.06	37.45	4.04E-10
1985870	1.91	0.08	23.67	1.83E-08
1677936	15.10	0.56	26.99	6.26E-09
910612	13.68	0.66	20.60	5.65E-08
2594407	14.00	0.62	22.42	2.85E-08
963536	7.29	0.14	51.69	2.59E-11
2252895	6.28	0.14	26.86	6.50E-09
4434693	U.20	۷.۷.	40.00	い.シリロニ・リゲ

Table 4

Clone ID	Var. Betw.	Var. Within	F	Probability
2804190	1.78	0.05	32.78	1.24E-09
1998428	7.92	0.08	93.61	1.48E-13
1800114	4.50	0.18	24.96	1.19E-08
1806769	6.28	0.19	33.07	1.15E-09
2474163	3.77	0.16	23.26	2.11E-08
1435374	7.49	0.28	26.56	7.12E-09
. 434377	3.63	0.17	21.28	4.35E-08
2121863	4.60	0.09	50.89	2.96E-11
1597231	4.47	0.13	35.24	1.27E-09
4174437	13.13	0.41	32.27	1.41E-09
2182901	13.23	0.39	33.98	9.18E-10
1747979	1.80	0.05	36.38	5.17E-10
1630553	4.76	0.11	41.76	1.60E-10
478960	2.02	0.06	33.56	1.02E-09
2132487	2.54	0.10	26.35	7.61E-09
2921152	9.32	0.12	76.38	8.76E-13
1846428	6.42	0.10	67.23	2.66E-12
2796143	3.39	0.10	32.61	1.30E-09
1805613	3.54	0.14	25.38	1.04E-08
1431273	6.39	0.12	53.05	2.07E-11
1804662	2.47	0.11	21.54	3.95E-08
2921194	4.16	0.06	71.14	1.63E-12
395368	7.68	0.16	47.72	5.14E-11
2182861	1.49	0.07	21.65	3.79E-08
1806436	2.67	0.08	33.51	1.93E-09
2922143	8.80	0.24	36.96	4.51E-10
1696001	3.19	0.10	33.34	1.08E-09
1635004	9.35	0.40	23.56	1.91E-08
2132752	8.31	0.35	24.01	1.63E-08
1734393	9.31	0.18	52.61	2.22E-11
4179338	23.18	0.38	60.49	6.66E-12
1427623	8.58	0.27	31.57	3.16E-09 1
3320987	8.40	0.23	35.93	5.74E-10
2239819	7.95	0.12	65.54	3.32E-12
876720	3.67	0.03	111.15	3.27E-14
1910091	1.78	0.05	37.15	4.32E-10
2174130	1.34	0.05	24.70	1.30E-08
2219077	1.77	0.10	17.69	3.33E-07
1965041	2.32	0.11	21.88	3.48E-08
1649959	4.06	0.08	48.69	4.32E-11
1222317	2.48	0.12	19.82	7.71E-08
2510171	5.01	0.33	15.39	9.76E-07
1988674	2.89	0.13	22.61	2.66E-08
1672640	3.40	0.17	20.16	6.71E-08
1749417	4.09	0.11	36.76	4.72E-10
1926543	1.80	0.06	28.63	3.83E-09
1504934	7.25	0.13	57.58	1.02E-11
2512879	6.33	0.10	61.41	5.84E-12
1359832	9.34	0.25	37.96	3.60E-10
1583076	6.62	0.15	45.58	7.60E-11
139838	9.81	0.11	91.36	1.83E-13
1344654	5.30	0.10	50.79	3.01E-11
2513979	11.65	0.18	64.60	3.77E-12
2369312	12.93	0.31	41.06	1.85E-10
2048364	11.94	0.24	50.57	3.12E-11
85246	15.28	0.19	80.75	5.39E-13
166337	6.51	0.18	36.47	5.06E-10

Table 4

Clone ID	Var. Betw.	Var. Within	F	Probability
138274	2.89	0.06	50.18	3.34E-11
1633340	5.88	0.08	73.59	1.21E-12
1982416	4.23	0.10	43.11	1.21E-12 1.22E-10
946822	0.84	0.10	23.67	1.83E-08
	1.21	0.04	30.23	2.44E-09
2517330	*	0.04		
2516489	3.69	0.08	48.89	4.17E-11
88741	6.33		39.74	2.45E-10
168865	7.32	0.11	69.05	2.11E-12
231779	2.11	0.03	65.83	3.20E-12
234123	2.35	0.05	45.40	7.87E-11
1833801	2.53	0.07	34.08	1.67E-09
1923613	3.53	0.08	43.51	1.13E-10
2058620	2.22	0.08	28.30	4.23E-09
1930954	2.94	0.10	28.90	6.55E-09
1511658	15.98	0.55	29.28	3.18E-09
2590673	5.18	0.10	53.53	1.91E-11
1995380	3.92	0.13	29.18	3.27E-09
167409	13.73	0.23	59.33	7.87E-12
1846226	2.37	0.05	43.87	1.05E-10
2052185	12.30	0.22	55.64·	1.37E-11
2517389	6.16	0.09	68.31	2.32E-12
911015	4.29	0.11	39.90	2.36E-10
604856	3.92	0.60	6.50	3.91E-04
1448718	6.21	1.54	4.04	5.66E-03
2517268	6.93	0.10	68.50	2.26E-12
167134	7.22	0.12	60.59	6.57E-12
2843638	2.14	0.05	41.93	1.55E-10
1813269	9.85	0.34	29.17	3.29E-09
1861971	16.91	0.16	103.79	5.97E-14
2005973	4.25	0.21	19.94	7.33E-08
2515729	9.83	0.15	66.87	2.79E-12
2132356	4.65	0.08	56.22	2.42E-11
1001726	3.99	0.07	59.77	1.43E-11
2631845	6.14	1.08	5.70	8.59E-04
86390	4.78	0.24	20.25	6.48E-08
1287840	1.23	0.05	22.75	2.54E-08
2516905	3.22	0.09	35.40	6.50E-10
606122	3.70	0.18	20.77	5.29E-08
3553733	3.67	0.33	11.16	1.05E-05
1813381	9.36	0.21	43.66	1.10E-10
1988108	3.39	0.07	47.86	5.01E-11
1644648	5.80	0.16	36.83	4.65E-10
2516104	12.64	0.21	61.15	6.06E-12
2516448	5.80	0.14	40.95	1.89E-10
2514507	12.10	0.32	37.31	4.17E-10
1427470	3.80	0.09	43.37	1.16E-10
1311471	9.16	0.16	58.72	8.61E-12
195142	10.59	0.10	107.66	4.32E-14
29598	14.19	0.21	67.15	2.69E-12
1968576	4.52	0.10	46.73	6.15E-11
2959255	3.40	0.15	23.02	2.30E-08
446969	9.50	0.15	26.46	7.36E-09
1631511	9.30 8.27	0.36	26.46 56.65	1.17E-11
1508741	8.27 9.90	0.13 0.18	56.65 54.89	
				1.54E-11
2513602	8.11	0.16	49.65	3.66E-11
1981145	6.12	0.10	64.25	3.95E-12
2103752	3.95	0.07	54.70	1.59E-11

Table 4

Clone ID	Var. Betw.	Var. Within	F	Probability
2658782	9.83	0.26	37.29	7.89E-10
2099420	5.81	0.09	64.47	3.83E-12
637639	7.71	0.26	29.49	3.00E-09
279249	12.48	0.16	77.94	7.35E-13
1379063	6.24	0.20	30.82	2.08E-09
89747	11.71	0.16	75.19	1.01E-12
2515873	6.73	0.12	57.38	1.05E-11
1432372	4.27	0.11	40.13	2.25E-10
1633719	11.91	0.13	89.18	2.26E-13
1712663	4.84	0.14	35.46	6.41E-10
4285203	4.91	0.19	25.41	1.03E-08
1634342	2.22	0.09	24.38	1
				1.44E-08
1418871	3.42	0.05	71.00	1.66E-12
3766382	1.81	0.09	19.98	7.22E-08
943181	3.56	0.10	34.37	8.34E-10
603761	5.67	0.35	16.30	6.27E-07
1297562	4.01	0.17	23.67	1.83E-08
2910715	3.39	0.12	27.78	4.92E-09
19 69 75	1.26	0.05	23.77	3.21E-08
1453049	4.31	0.16	27.74	9.16E-09
1968695	2.01	0.07	30.29	2.40E-09
958344	10.67	0.11	100.25	8.10E-14
2820985	6.64	0.31	21.48	4.04E-08
1633393	2.80	0.04	62.93	4.73E-12
1806451	3.96	0.11	34.69	7.70E-10
2674772	9.66	0.15	64.17	3.99E-12
1376121	3.04	0.05	67.05	2.73E-12
831794	3.93	0.07	54.41	1.66E-11
1427681	8.17	0.15	52.87	2.13E-11
2912830	10.21	0.19	54.94	1.53E-11
504786	6.84	0.14	49.12	4.00E-11
254081	7.89	0.09	91.66	1.78E-13
1330674	7.28	0.27	27.09	6.06E-09
2377834	10.49	0.08	132.69	6.83E-15
2075464	7.13	0.12	61.36	5.89E-12
2383235	8.80	0.14	61.55	5.73E-12
1285503	1.07	0.16	6.72	3.18E-04
2383205	8.56	0.08	103.23	6.26E-14
2015871	0.76	0.28	2.71	3.41E-02
2374046	0.25	0.12	2.16	7.91E-02
1709828	1.54	0.06	25.45	1.01E-08
2061119	1.48	0.07	20.21	6.58E-08
3665105	5.13	0.07	34.78	7.55E-10
2068983	6.01	0.13	49.04	
2242648	4.90	0.12		4.06E-11
	1	3	41.17	1.81E-10
885032	4.17	0.15	27.40	5.52E-09
2383830	9.62	0.36	26.48	7.32E-09
2085191	10.37	0.09	119.16	1.77E-14
2792982	9.77	0.31	31.68	1.65E-09
179929	5.42	0.18	30.27	2.41E-09
2741788	2.88	0.05	53.93	1.79E-11
2373608	7.06	0.22	31.40	1.78E-09
2182095	13.19	0.26	51.25	2.78E-11
2923150	17.49	0.34	50.73	3.04E-11
293495	6.68	0.78	8.52	6.83E-05
4284270	5.92	0.18	33.45	1.05E-09

Table 4

Clone ID	Var. Betw.	Var. Within	F	Probability
1921393	9.15	0.21	43.78	1.07E-10
1447866	1.52	0.07	21.82	3.56E-08
1666737	2.87	0.14	20.22	6.57E-08
586245	4.67	0.28	16.50	5.71E-07
194162	8.72	0.49	17.90	3.04E-07
243123	4.13	0.14	28.53	3.95E-09
382416	5.66	0.44	12.79	3.89E-06
1852659	4.73	0.19	24.47	1.40E-08
3220181	1.78	0.09	20.77	5.30E-08
1726307	2.30	0.05	45.27	8.05E-11
1904244	1.49	0.03		
			16.95	4.65E-07
2039955	3.05	0.11	27.19	5.87E-09
2675641	2.23	0.12	19.34	9.39E-08
1412749	2.58	0.06	42.61	1.35E-10
1963854	1.85	0.09	21.03	4.80E-08
2949085	1.39	0.07	20.01	7.15E-08
2963196	4.17	0.14	29.26	3.20E-09
1505977	4.36	0.20	22.00	3.33E-08
1674985	1.33	0.04	31.95	1.54E-09
2109054	2.60	0.12	20.99	4.87E-08
3317039	2.16	0.07	30.17	2.48E-09
2838551	1.00	0.05	19.36	9.30E-08
1477568	3.38	0.17	19.47	8.88E-08
2963871	1.59	0.04	40.44	2.11E-10
1740547	3.18	0.02	133.38	6.53E-15
2292011	5.13	0.49	10.51	1.60E-05
1349484	1.28	0.05	26.46	1.35E-08
1674253	1.65	0.06	28.15	4.41E-09
1932189	5.13	0.24	21.07	4.71E-08
1403041	3.36	0.35	9.69	2.84E-05
1486358	3.26	0.11	29.08	3.37E-09
1439065	1.19	0.05	21.71	6.66E-08
530629	2.83	0.19	14.94	1.22E-06
1672676	4.19	0.08	50.44	3.19E-11
1989129	3.08	0.14	21.69	3.73E-08
1486348	4.85	0.12	40.19	2.22E-10
1397294	3.23	0.18	18.26	2.60E-07
2844322	4.50	0.10	46.79	6.08E-11
1481440	2.69	0.13	20.45	6.01E-08
26459	2.26	0.11	20.02	7.11E-08
1406786	1.74	0.09	20.45	6.01E-08
1485846	13.79	0.09	155.44	1.68E-15
2153242	3.68	0.15	24.68	1.30E-08
2157981	4.43	0.28	15.59	8.82E-07
3244361	2.35	0.09	26.64	6.95E-09
1986737	3.57	0.20	17.42	3.76E-07
2506867	6.38	0.29	21.92	3.42E-08
1211682	5.24	0.10	54.00	1.77E-11
1416354	3.06	0.13	24.40	1.43E-08
2963962	2.75	0.08	34.00	9.13E-10
1761086	3.61	0.09	40.13	2.25E-10
2588552	4.95	0.23	21.57	3.91E-08
1901271	3.46	0.16	22.22	3.07E-08
1740924	2.32	0.08	27.25	5.77E-09
1480159	3.06	0.12	24.71	1.29E-08

60

	Fourth																					Sk Muscle								
	Third																	٠	Uterus	Spleen		Brain								
	Second											Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Uterus	Uterus	Ovary	Brain	Brain					
	First	Heart	Heart	Heart	Неал	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle
	Brain	-0.84	0.48	0.40	-1:00	0.83	-0.73	-1.07	1.20	0.14	-1.07	-0.07	-1.56	-0.17	-0.16	-0.07	-1.87	-0.42	-0.78	-1.33	-2.23	1.45	<u>~</u>	0.03	1.94	0.69	-0.18	1.19	-0.96	1.23
	Spleen	6. 28.	0.05	-0.49	-0.15	-1.47	-0.56	-0.56	-0.82	-0.18	-0.82	<u>-</u> .	-1.06	-1.72	-1.06	-0.50	-1.26	-0.65	-0.46	-1.24	5	-1.32	-1.90	-1.14	-0.0	-1.36	-0.51	0.0	-0.05	-0.77
	Pancreas	-0.92	-0.18	-1.66	0.82	-1.35	-0.47	-0.75	0.24	-0.49	-0.50	-0.95	-0.97	-1.55	-1.02	.1.66	-1.16	-0.59	-1.19	-1.05	<u>.</u> 4	0.17	0.19	-0.94	÷ \$	-1.26	-0.42	-0.43	-0.16	-1.39
	Kidney	0.83	-1.13	0.24	-1.07	0.77	-0.87	-0.95	-1.35	6. 29.	-1.37	0.31	-1.39	-0.46	0.30	0.39	-1.73	-0.46	-0.79	-0.96	-1.79	-1.16	-1.31	0.03	-0.25	0.11	-1.10	-0.66	-0.66	0.46
re Set)	Liver	0.85	-1.08	-1.42	-0.51	1.42	-0.95	-0.81	-0.83	-0.55	-0.78	-1.25	-1.32	-1.75	0.27	-1.92	-1.30	-0.30	-0.90	-1.16	-1.24	-1.21	-2.16	-0.54	-1.75	-1.59	-0.87	-0.79	-0.43	0.02
ean(Enti	Lung	-0.77	0.17	0.40	Ó.06	-1.61	-0.67	-0.54	-0.50	-0.31	-0.77	-0.93	-1.16	-1.72	-1.52	-1.43	0.98	-0.84	-1.08	<u>÷</u> 4	0.37	-1.18	-1.05	-0.14	-0.74	-0.86	-0.84	-0.68	-0.41	-0.12
Mean(tissue)-Mean(Entire Set)	Intestine	0.12	0.70	6 4	-0.02	-0.68	-0.31	-0.70	-0.62	-0.16	-0.88	-0.48	-0.07	-0.63	-0.13	-1.77	-1.38	-0.51	-1.21	0.35	0.21	-1.20	-1.17	-0.55	-1.18	-0.05	-0.86	0.03	-0.35	-1.14
Mean(ti	Stomach	-0.30	-0.17	-0.08	0.32	-0.60	-0.12	-0.41	-0.45	-0.34	-0.69	-0.41	0.49	-0.29	-0.29	-1.22	-1.24	-0.80	-0.95	-0.28	4.0	0.50	0.87	0.26	.	-0.34	-0.22	-0.3 4	-0.16	-:- -:-
	Ovary	-0.30	9	-0.74	-0.87	-1.69	-0.40	ó. 2	-0.31	-0.49	-0.66	-0.90	-1.24	-0.88	<u>-</u> 1.60	-0.76	-0.92	-0.66	-1.08	-0.62	-2.06	-0.15	0.00	1.86	6 28	-0.70	-0.36	-0.66	0.10	-0.84
	Uterus	-0.89	0.93	0.69	0.65	.1.8	0.02	6.34 4	-0.83	0.23	-0.40	-0.95	0.61	-0.77	-1.66	0.37	-0.95	-0.69	-0.81	1.54	-1.72	1.66	1.93	-0.48	0.95	-0.39	-0.50	-0.66	0.17	-0.90
	Sk Muscle	0.20	-1.16	-0.40	0.20	<u>-</u>	0.67	0.26	-0.17	-0.58	1.41	2.64	2.42	3.92	1.68	2.66	3.10	<u>.</u>	3.38	2.30	2.50	5 .	1.78	-0.27	-0.60	2.87	3.73	2.06	3.10	3.41
	Heart	l	1.52	2.10	1.98	1.91	3.78	5.33	3.97	2.07	5.39	2.95	4.14	4.06	2.19	4.01	5.61	2.75	3.79	3.18	2.79	1.78	2.03	2.41	2.70	1.31	1.37	-0.24	-0.24	-8
	Clone ID	2380381	1618422	2672064	198309	1922596	1850033	286984	718807	2880435	187326	1997963	467700	57382	1222442	4013105	924319	1645119	1379925	190061	3506985	551403	3948420	1722853	1557490	3208425	1668474	1622542	4014318	2394888

Table 5

		Γ								_									-		_	_						=	
	Fourth																												
	Third																												
	Second																											Heart	Heart
	First	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle
	Brain	-1.12	0.30	Ġ.	-0.0	-0.16	-0.57	6 8 9	0.08	-0.92	0.01	-1.56	1.36	6. 4.	4.0	-0.41	0.0	-1.09	-0.06	-0.98	1.05	-0.25	0.48	-0.67	1.24	-0.79	0.80	-0.38	-1.02
	Spleen	-0.62	-1.49	-0.27	-0.81	-0.77	-0.94	-0.96	-0.73	-0.73	-0. 4	-1.08	-0.96	-0.70	-0.74	-0.14	-0.28	-0.55	-0.58	-0.45	-0.55	-0.92	-0.19	-0.73	-0.28	-0.56	-0.80	-0.79	-0.92
	Pancreas	-1.15	-1.84	0.13	0.26	0.30	-1.32	-0.90	-0.83	-0.67	-1.01	-1.45	-1.26	-0.65	-1.65	-0.47	-0.10	-1.01	-1.21	0.29	-2.07	Ġ 2	-0.37	-1.23	*	-0.53	-0.90		-0.49
	Kidney	-1.39	0.16	-0.75	0.17	90.0	-1.21	-1.13	-0.11	0.61	-0.29	-1.21	-0.85	- - -	-0.23	0.02	-0.49	-1.02	0.0	-1.21	0.85	-0.50	6. 4.	-0.97	-0.76	-1.06	-1.43	45.	-0.48
tire Set)	Liver	28.	-0.09	-0.32	1.46	-0.77	-0.92	-0.72	-0.90	1.37	-1.05	-1.14	-1.37		-1.52	-0.83	-0.41	-1.15	-1.22	-0.67	-2.79	-1.14	-0.25	-0.41	-1.00	-0.92	-1.33	-0.81	-0.69
Mean(tissue)-Mean(Entire Set)	Lung	-0.35	-0.40	-0.48	<u>.</u> 8	-0.53	-1.10	-0.92	-0.69	-1.16	-0.28	-0.89	-1.19	90.0	-0.61	0.02	-0.40	.1.03	9	-0.83	-0.05	-0.39	-0.19	-0.75	-0.50	-0.83	0.80	-1.18	0.02
issue)-N	Intestine	-0.92	-1.21	-0.37	-0.73	-0.63	-0.47	-1.24	-0.15	-0.18	-0.25	-0.68	-0.14	-0.61	-0.15	-0.41	-0.33	-0.67	0.28	-0.99	-0.23	6.04	-0.37	-1.54	-0.37	-0.56	-0.88	-0.90	-0.67
Mean(t	Stomach	-0.69	-1.08	-0.46	-0.65	-0.61	-0.34	-0.43	-0.41	-0.45	-0.31	-0.09	-0.26	-0.82	0.65	-0.46	-0.05	-0.35	0.05	-0.48	-0.19	0.46	-0.14	-0.56	-0.32	-0.66	-0. 4	-0.70	0.18
	Ovary	ľ												•				-0.77							×	-0.82	-0.41	×	-0.88
	Uterus	0.0	-1.39	0.13	-0.91	4.0 4	-0.26	-0.61	0.10	-0.56	0.39	0.13	0.36	-0.07	0.97	-0.12	-0.54	-0.53	0.6	-0.58	0.00	1.21	-1.06	-1.55	0.00	-0.42	6 2	-1.30	-0.60
	Sk Muscle	6.89	4.16	3.03	2.04	1.57	5.72	5.92	2.40	1.62	2.24	6.70	3.15	1.71	2.07	1.93	2.58	6.01	1.69	5.84	1.81	2.32	2.43	7.47	1.63	5.54	5.96	4.51	2.34
	Heart	-0.59	1.25	0.01	0.13	0.99	0.59	1.23	0.30	0.35	0.20	0. 4	0.61	Ξ	0.14	0.46	0.0	0.70	-0.34	0.08	0.76	0.08	-0.11	0.02	0.25	0.36	0.84	2.50	2.16
	Clone ID	1345550	1719955	2256026	1538086	958633	2635943	121888	1627492	4073867	2190170	972224	1413644	1538224	2623268	1665533	981484	973629	1539638	3015758	2832314	1702996	839947	1867522	1987831	2639708	973815	169884	2638235

Table 5

		Г	_	_			-																		_		_		
	Fourth																									Intestine			
	Third																									Sk Muscle			
	Second	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Heart	Неап	Heart	Heart	Heart	Heart	Heart	Uterus	Uterus	Kidney	Pancreas	Brain			Heart	Heart	Ovary	Ovary	Ovary
	First	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Sk Muscle	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus				
	Brain	-0.67	-1.08	-0.50	-0.79	0.03	0.71	-1.74	-1.97	-1.24	-1.50	-1.90	-2.07	0.55	-0.89	-1.37	0.20	-1.39	-1.86	0.19	-0.93	1.61	-0.55	0.86	-0.65	-1.91	-1.77	-1.95	0.35
	Spleen	-0.83	-0.80	-1.23	-1.36	-1.45	-0.72	-0.19	-i.i4	-1.33	-1.16	-1.02	-1.08	-1.20	-1.32	-1.32	-1.23	-0.50	-1.45	-2.06	<u>-</u> 2	-0.16	-0.34	-0.57	-1.05	-1.30	-0.50	-0.80	-0.46
	Pancreas	-0.71	-0.27	-1.21	-1.95	-1.71	-1.10	-1.48	-1.38	-0.47	-0.92	-1.58	-1.61	-1.53	0.10	-1.29	0.45	-1.41	-2.31	-1.36	1.73	-0.50	-1.40	-1.09	-1.51	-1.14	-1.20	-1.39	-1.75
	Kidney	-1.29	-0.96	-0. 24	-1.88	0.57	-0.99	-0.15	<u>-1.99</u>	-1.51	-1.76	-1.24	-2.10	0.12	1.07	-0.92	-0.86	-1.79	-1.51	1.69	-0.16	-0.89	-0.47	-0.72	-0.15	-0.92	-0.49	-0.91	-1.36
ire Set)	Liver	-0.94	-0.88	-1.40	-1.98	1.29	-1.07	-1.63	-1.50	-0.15	-0.76	-1.46	-1.08	-1.79	6.64 4	-0.93	-0.56	-1.16	-2.4 4	0.81	0.70	-0.61	-0.55	<u>-1.8</u>	-1.91	-2.58	-1.33	-1.73	-1.93
ean(Ent	Lung	-0.81	-1.08	-1.21	-0.35	-1.33	-0.87	0.32	-1.66	<u>-</u> .	-0.90	-1.12	-0.88	-0.91	-1.21	-1.29	-0.71	÷	90.	-2.37	-0.92	-0.81	0.05	90.0	-0.28	-0.79	0.87	0.88	0.00
Mean(tissue)-Mean(Entire Set)	Intestine	-0.91	-0.88	-0.71	-0.03	-0.84 48.0	-0.65	0.10	-1.28	-0.95	-1.63	-1.89	-1.46	ó. 2	-0.45	-1.25	-0.66	0.16	0.65	-0.60	-0.52	-0.90	1.24	1.17	-0.22	1.57	0.25	9.0	0.56
Mean(ti	Stomach	-0.33	0.29	-0.21	0.54	-0.35	-0.50	0.37	-1.79	-0.83	-0.51	<u>-</u> 2	-0.42	-0.63	0.42	-0.46	-0.45	0. 64	8.	-0.75	-0.79	-0.66	0.56	1.43	0.13	0.98	0.71	0.63	0.74
	Ovary	-1.25	-0.67	-0.43	9	-I.14	-0.97	-0.01	-1.35	-1.23	-0.26	-0.89	-1.40	0.1	-1.60	-1.99	-0.19	-0.30	<u>0:</u>	-1.36	-0.07	-0.57	1.19	0.89	1.35	0.89	2.86	2.53	2.07
	Uterus	-0.67	-0.15	-0.10	1.46	-0.74	-0.33	0.11	-1.34	-0.15	-0.22	-0.41	-1.14	-0.19	-0.93	-1.98	0.38	1.63	3.13	-1.62	-0.61	-0.39	2.72	3.56	2.47	2.67	4.14	3.4	2.31
	Sk Muscle	3.74	4.08	3.44	4.47	1.81	3.14	2.12	6.83	4.45	5.44	7.79	6.08	3.01	2.68	5.75	1.95	4.20	4.37	3.52	3.13	2.41	-0.62	-1.16	0.73	1.72	-0.47	0.23	0.94
	Heart	3.03	1.82	3.20	1.53	1.60	1.70	1.54	5.65	3.49	3.16	2.63	4. 2	1.89	1.60	4.05	1.83	0.70	0.92	1.31	0.70	0.42	-0.86	-1.06	<u>-</u> 8.	1.86	-0.33	0.56	-0.25
7.	Clone ID	305198	57997	986558	224996	661259	3246379	78783	2639181	1672467	2950063	3288518	184110	1368173	1813409	28309	1721744	1924344	3176845	5286809	1985244	1570042	2079906	2852042	1319020	1572555	782235	1314882	1403636

Table 5

	<u> </u>	Τ													_										_				
	Fourth				Intestine																								
	Third			Sk Muscle	Stomach	Kidney	Intestine		Stomach																				
	Second	Ovary	Ovary	Ovary	Ovary	Ovary	Stomach	Intestine	Intestine	Lung	Brain						Heart	Uterus	Uterus	Uterus	Pancreas	Pancreas							
	First	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus	Uterus	Ovary	Ovary	Ovary	Ovary	Ovary	Ovary	Ovary	Ovary	Ovary	Ovary	Ovary	Stomach						
	Brain	-0.54	-1.52	0.0	-1.63	-0.90	-1.37	-0.91	-1.70	-1.41	3.25	-0.41	-0.76	-0.46	-1.73	-1.00	-0.53	-1.94	-1.94	-1.19	-0.05	-0.77	-0.14	-0.66	-0.45	-1.46	-1.33	-1.38	-0.86
	Spleen	0.14	-0.71	-0.87	-0.76	-1.27	-1.03	-0.53	-0.75	-2.05	-1.11	0.00	0.07	-0.72	-0.36	0.27	-0.41	-2.57	-0.50	0.48	-0.24	0.42	0.31	-0.67	1.15	-0.32	-0.67	-0.79	-0.61
	Pancreas	-0.74	1.01	-2.38	-2.17	-1.33	-1.02	-1.69	-1.54	-1.86	-1.07	0.02	0.12	-0.15	-0.77	1.22	93	-1.14	-1.40	-1.39	1.82	1.62	-0.25	1.29	-0.75	-0.51	-0.76	-0.95	-0.69
	Kidney	-0.09	- 0.11	-1.36	-0.57	<u>2</u> .	-I.14	-0.33	-1.11	-1.08	1.31	-0.47	0.19	-0.32	9.	0.16	-0.67	0.35	1.13	-0.51	-0.32	0.34	-0.22	-1.14	-0.83	-1.47	-1.37	-0.98	-1.05
ire Set)	Liver	-0.81	-1.56	-1.62	-2.47	-2.09	-1.57	-0.93	-1.78	-1.29	-1.08	-0.12	-1.02	-0.32	-1.48	-0.43	0.46	-1.45	7.02	-2.58	-0.30	-0.22	-0.41	-0.88	-0.68	-0.72	-1.18	-1.00	-0.57
ean(Ent	Lung	-0.26	0.55	0.45	0.24	-1.37	-1.06	-0.03	-0.55	1.7.1	-1.47	-0.21	0.35	-0.55	0.79	-0.17	-0.37	0.70	90.0	0.67	ь Х	-0.10	0.32	0.07	0.58	-0.74	-0.76	1.10	-0.64 49
Mean(tissue)-Mean(Entire Set)	Intestine	0.19	0.26	0.08	<u>28</u> .	-0.10	1.91	1.87	2.66	1.36	-0.88	-0.19	-0.15	1.07	0.36	-0.21	-0.35	0.49	0.15	0.14	-0.51	0.18	-0.17	0.64	0.73	98.0	0.79	0.52	0.89
Mean(t	Stomach	0.08	99.0	0.11	1.88	0.94	2.40	1.48	2.33	0.91	-0.98	0.01	0.17	0.41	0.23	-0.07	0.S	0.57	0.34	0.55	-0.22	0.43	2.14	2.13	1.92	8.48	8. 2	8.00	5.80
	Ovary	1.57	1.74	2.30	2.60	2.81	0.80	1.31	0.72	1.21	-0.24	4.25	2.34	4.23	1.72	2.02	1.55	2.98	1.66	3.45	3.45	2.43	-0.62	-0.52	-0.58	-0.58	-0.27	-1.22	-0.74
	Uterus	1.86	2.44	2.74	4.73	2.99	4.57	3.6	4.21	2.62	3.62	-0.02	1.08	-0.44	1.46	0.65	-0.69	2.23	1.62	2.47	0.68	1.12	-0.35	0.87	-0.43	-0.52	-0.41	-0.99	-0.54
	Sk Muscle	-0.21	0.19	1.51	-0.62	1.1	-0.61	-1.13	-0.09	-0.24	-0.63	90.0	-0.19	0.11	-0.54	0.20	-0.36	0.65	-1.37	0.12	-0.20	-1.21	-0.45	-0.51	-0.60	-0.24	0.01	-0.40	-0.04 40.04
	Heart	0.01	0.59	0.58	-0.58	-0.02	0.30	-1.28	-0.77	0.88	-0.71	-0.17	-0.15	-0.14	0.53	-0.29	1.52	1.30	0.22	0.17	0.08	-1.02	-0.14	0.88	-0.45	-0.85	-0.22	-1.02	-0.15
	Clone ID	1968921	1558081	2495131	4049957	1686585	2696735	1720149	1866751	1851696	93820	2368282	2831248	182802	1003884	1120	1308542	3820761	1999167	1522716	1612969	337500	1285380	1636639	1985870	1677936	910612	2594407	963536

Table 5

	Γ	Γ-		_				_									_												
	Fourth							Liver																					
	Third					Lung)	Intestine																					
	Second	Intestine	Intestine	Intestine	Intestine	Intestine	Kidney	Pancreas																					
	First	Stomach	Stomach	Stomach	Stomach	Stomach	Stomach	Stomach	Intestine	Intestine	Intestine	Intestine																	
	Brain	-0.94	-0.32	-1.70	-1.05	-1.45	0.67	-2.36	-1.59	-1.85	-0.08	-1.27	-1.26	0.02	-0.51	-0.94	-0.40	-0.48	-1.05	90.0	-0.51	-0.59	-0.63	-1.45	-1.28	-0.51	-0.24	-0.23	-0.51
	Spleen	-0.72	Ġ \$	-0.92	-0.41	-1.33	-1.20	-1.16	0.94	-0.40	-1.38	-0.22	-0.72	1.30	-0.87	-0.60	-0.35	-1.03	-0.93	-0.26	-0.34	6. 4	-0.66	-0.70	-0.14	-0.27	-0.43	-0.72	-0.40
	Pancreas	-0.75	-0.46	-0.20	÷.	0.18	-0.33	1.83	-1.43	-1.93		-1.25	-1.22	-0.34	-0.49	1.08	0.78	-0.81	-0.32	0.91	-0.50	60 0-	-0.38	-1.42	-0.82	-0.13		-0.80	0.15
	Kidney	-0.64	÷0.60	-1.01	1.01	-0.96	1.65	1.25	-1.03	-0.39	-1.18 x	-1.54	-1.49	-0.63	-0.41	0.73	-0.87	-1.00	-0.52	1.36	-0.90	-0.97	0.51	-0.25	1.19	-0.31	0.60 x	0.99	0.41
ire Set)		-0.99	-0.69	-0.82	-0.70	-0.91	9. 4	1.62	-0.86	-1.69	1.43	-0.99	-0.99	-0.69	-0.79	-0.58	-0.03	-0.68	-0.08	-1.55	-0.42	-0.74	1.1	-1.91	-0.95	-0.18	0.60	-0.43	0.0
Mean(tissue)-Mean(Entire Set)	Lung	-0.95	-0.07	1.08	0.79	2.06	-0.49	1.35	1.24	0.88	-1.23	-0.38	-0.72	-0.16	0.37	0.16	-0.35	-0.61	-0.38	1.05	-0.32	-0.51	-0.94	0.74	-0.26	-0.52	-0.94	-0.85	-0.75
ssue)-M	Intestine	2.64	1.57	2.37	2.34	2.27	-1.12	1.78	2.29	2.51	1.71	6.41	6.43	1.62	3.81	1.91	2.68	5.47	4.38	1.58	3.29	4.52	2.23	2.36	4.57	2.15	2.24	5.23	3.01
Mean(ti	Stomach	4.13	2.01	4.74	2.37	3.14	2.85	2.16	-0.81	1.20	-0.57	0.0	-0.06	0.36	10.64	0.72	0.25	-0.15	-0.83	0.81	0.01	0.00	-0.19	9.	0.01	-0.2 22	-0.74	0.57	. 0.11
	Ovary	-0.93	-0.26	-0.77	-1.09	-0.59	-1.02	-0.58	-0.71	-0.05	×	-0.58	-0.72	-0.34	-1.19	-0.83	-0.81	-0.71	-0.37	-0.15	-0.42	-0.69	-0.68	1.27	-0.91	-0.25	×	-1.48	-1.24
	Uterus	-0.77	-0.36	-0.85	9. 8.	-0.80	-1.46	-1.56	0. 8	1.20	-1.34	-0.66	-0.21	0.13	-0.12	-0.65	-0.72	-0.85	-0.20	-1.58	-0.38	-0.81	-0.81	1.06	-1.08	-0.19	-0.19	-1.19	-0.91
	Sk Muscle	0.21	-0.33	-0.23	-0.93	-0.15	0.16	-1.61	0.13	90.0	99.0	-0.03	0.32	-0.68	-0.17	-0.21	0.07	-0.07	0.55	-1.30	0.35	-0.20	-0.36	-0.38	-0.59	0.17	-0.77	-0.56	-0.63
	Heart	-0.27	-0.39	-1.03	-1.28	•0.94	-0.62	-1.67	0.10	-0.05	1.33	-0.99	-0.75	-0.87	-0.37	-0.60	-0.40	-0.42	-1.05	-0.68	-0.59	-0.26	-0.24	0.25	-1.25	-0.11	-0. 44	-0.27	-0. 18
	Clone ID	2252895	2804190	1998428	1800114	1806769	2474163	1435374	434377	2121863	1597231	4174437	2182901	1747979	1630553	478960	2132487	2921152	1846428	2796143	1805613	1431273	1804662	2921194	392368	2182861	1806436	2922143	1696001

Table

		_			_										_	_								_					
	Fourth																												
	Third							Pancreas																					
	Second	Stomach	Stomach	Stomach	Liver	Liver	Kidney	Kidney											Kidney										
	First	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Lung	Lung	Lung	Lung	Lung	Lung	Lung	Lung	Lung	Lung	Lung	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver
	Brain	-1.23	-1.22	-0.74	-1.55	-1.11	. 1.99	-1.21	-0.49	0.81	-0.76	-0.62	-0.88	-1.30	-1.1	-0.74	-0.25	9:	-0.72	-0.37	96.0	-2.40	-3.57	-2.40	-0.75	-1.02	-1.02	0.70	0.20
	Spleen	-0.20	-0.60	-0.88	-1.65	<u>-</u>	-0.22	-1.02	0.0	-0.43	0.40	-0.16	0.54	-1.27	0.61	-0.94	0.42	0.51	-0.37	-0.37	-0.75	-0.49	-0.93	-0.74	-0.51	-0.58	0.30	1.06	-1.18
	Pancreas	0.01	-0.62	0.05	-1.66		-1.62	2.13	-0.42	-0.28	-0.67	ó. 4	-0.75	-0.38	-0.91	-0.20	-0.51	-1.22	-0.89	-0.32	-0.53	-1.60	-1.78	-1.46	-0.52	-0.51	-0.91	-1.74	-0.93
		-1.58	-0.55	-1.25	-1.81	-0.33 x	2.47	2.68	-0.50	-0.47	-0.44	0.36	0.76	0.71	-0.21	0.16	-0.67	-1.31	2.23	0.89	0.13	-0.67	-0.31	-0.60	-0.76	1.41	-0.83	-1.91	-0.95
e Set)	Kidney Liver	0.03	-1.12	-0.75	5.72	2.56	-0.15	-0.88	-0.26	-0.60	-0.72	0.17	-0.93	-0.32	-1.40	0.43	-0.47	-1.65	-0.21	5.06	4.76	3.69	4.09	3.73	5.66	3.71	6.13	5.81	6.12
an(Enti		-0.85	-0.36	-0.97	-1.52	-1.29	-1.23	-1.12	3.45	2.13	1.53	2.07	1.83	2.91	2.15	3.38	2.93	1.62	2.35	-0.41	-0.90	0.99	1.33	0.83	-0.61	-0.25	-0.56	0.95	-0.30
sue)-Me	Lung	4.64	4.19	4.66	5.83	3.63	3.89	3.63	-0. 44	-0.31	0.19	0.42	-1.16	9.0	0.13	0.67	0.02	-0.50	-0.28	-0.01	-0.85	0.37	0.47	0.66	-0.70	-0.70	-1.00	1.7	-0.63
Mean(tissue)-Mean(Entire Set)	Intestine Stomach				-0.67							•				•													
~		-0.93	-0.11	-0.46	-2.02		-1.27	-1.14	-0.58	-0.64	96.0	0.05	-0.75	-0.99	-0.98	1.20	-0.64	0.52	-0.36	-0.64	-0.20	-0.51	-0.27	-0.69	-0.60	-0.71	-0.32	99.0	-1.20
	Ovary Uterus	-1.16	-0.65	-1.03	-2.01	-0.96 x	9. 28.	-1.12	-0.42	-0.23	-0.05	0.05	0.31	-0.62	0.56	.1.08	-0.40 40	1.07	-0.37	-0.86	-0.47	-0.31	0.0	-0.49	-1.25	-0.67	-0.56	-0.91	-1.45
	Sk Muscle			-0.40														0.55											
	- Heart	-1.17	-1.41	-0.90														1.48											
	Clone ID	1635004	2132752	1734393	4179338	1427623	3320987	2239819	876720	16000161	2174130	2219077	1965041	1649959	1222317	2510171	1988674	1672640	1749417	1926543	1504934	2512879	1359832	1583076	139838	1344654	2513979	2369312	2048364

Table 5

	Fourth							-				_							•					•					
	Third																												
	Second																												
	First	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver
	Brain	-1:21	-1.16	-0.35	-0.69	-0.22	-0.46	0.08	-0.53	-0.59	-0.78	-0.48	-0.52	-0.80	-0.57	-1.05	-1.29	-1.32	-0.85	-0.58	-1.41	0.52	9.1.	-0.66	-1.08	1.14	-0.72	-0.66	-0.50
		-0.92	-0.25	-0.24	-0.62	0.28	-0.48	-0.15	-0.59	-0.65	-0.54	0.13	-0.83	-1.03	-0.90	-0.78	-0.94	-0.93	-0.92	-1.76	-0.81	-0.82	-0.70	-0.49	ó. 26	0.17	0.40	-0.41	-0.46
	Spleen							0.17																		-	•		
	Pancreas							-0.38						•			•									•	•		
<u>ક</u>	Kidney																									•	•		
intire S	Liver				_		_	3 1.82			_			_	_			_		_		_				-	-	_	
Mean(E	Lung	-0.6	-0.2	0.3	-0.9	4.	0.3	-0.23	-0.3	0.	-0.6	-0.5	-0.7	-0.7	-0.0	.0 8	.0.7	÷	-0.3	Ξ	-1.2	о <u>.</u> 4.	-0.5	-0.7	-0.5	0.25	-0.67	-0.76	-0.9
ssue)-	Intestine	-1.19	-0.48	-0.40	1.4	-0.35	0.0	0.21	-0.59	-0.73	0.30	0.56	0.52	0.46	-1.05	-0.42	0.14	-1.17	-0.72	0.19	-0.77	0.48	9.0	-0.65	0.0	-0.75	-0.43	-0.61	-0.47
Mean(tissue)-Mean(Entire Set)	Stomach	-0.54	-0.13	-0.38	-0.40	-0.21	-0.27	-0.22	-0.68	-0.79	0.52	0.01	ó. 4	-0.19	-0.46	-0.61	-0.24	0.28	0.06	0.19	0.85	0.01	-1.03	-0.26	-0.20	0.26	-0.03	-0.19	0.17
		-0.65	-0.24	-0.46	-0.87	-1.27	0.42	-0.81	-0.78	-0.21	-1.21	-0.38	-0.81		-0.29	0.01		-0.94	-0.63	0.65	-0.38	0.85	-0.73	-0.79	-0.54	0.50	20.0	-0.81	-1.18
	Ovary	l						-0.73						×			×									•	•		
	Uterus	3.33						-0.50																					
	Sk Muscle							-0.01																		•			
L	Heart																												
	Clone ID	8524	16633	13827	163334	198241	94682	2517330	251648	8874	16886	23177	23412	183380	192361	205862	193095	151165	259067	199538	16740	184622	205218	251738	91101	60485	144871	251726	16713

Table 5

		_																	_										
	Fourth																Kidney	•											
	Third																Intestine											Kidney	
	Second															Ovary	Ovary	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Intestine	Lung
	First	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver							
	Brain	-0.39	-2.16	-1.30	-0.70	-0.37	-0.70	-0.24	-1.38	-1.00	-0.68	-0.09	-0.39	-0.27	-1.19	-1.45	-1.54	-1.62	-0.95	-1.54	-0.83	-1.26	-1.15	-2.18	-1.54	-0.78	-1.42	-1.62	-0.93
	Spleen	-0.41	0.15	-1.06	-0.60	-1.14	-0.65	-1.01	-0.86	-0.14	-0.81	-0.21	-0.33	-0.43	-0.67	-0.43	-1.53	-1.40	-0.72	-1.19	-0.55	-1.00	-1.10	-1.22	-0.79	0.76	-0.77	-0.78	-0.85
i	Pancreas	-0.43	-1.42	-1.21	-0.37	-0.05	×	×	-0.95	-0.48	-0.56	0.02	-0.12	-0.41	-0.21	1.17	0.38	<u>-1.</u>	-0.45	-0.92	0.65	6. 4.	-0.64	-1.12	-0.78	-1.53	-0.90	-0.86	0.15
	Kidney	-0.65	-2.04	-1.51	-0.05	0.49	0.72	1.16	-0.51	-1.03	0.51	-0.72	-0.52	-0.01	-0.91	0.39	1.62	-1.62	-1.10	-1.52	-1.31	-1.26	-0.97	-0.71	1.23	-0.05	0.60	7 8	-1.18
tire Set)	Liver	2.48	4.75	7.31	3.49	5.52	3.29	2.77	3.77	3.84	1.54	3.16	3.46	3.08	5.36	2.29	2.45	5.15	3.73	5.48	2.46	4.88	5.03	5.21	2.33	1.93	4.4	2.95	5.17
Mean(tissue)-Mean(Entire Set)	Lung	0.38	1.28	0.00	-0.45	-0.89	-0.57	-0.05	0.59	-0.31	4.0-	-0.48	-0.43	-0.17	-0.98	-0.08	-1.07	-1.33	-0.90	-1.21	-0.32	-1.07	-1.15	-1.1	0.55	.0. 4	0.56	-0.22	1.65
issue)-N	Intestine	-0.39	0.22	-1.47	0.27	-0.63	-0.67	-1.05	0.12	-0.56	0.48	-0.45	-0.22	-0.51	-1.01	-0.38	1.65	ж 8	1.62	2.14	1.70	1.74	1.93	3.21	1.55	1.67	1.82	2.70	-1.23
Mean(Stomach	-0.17	-0.77	-0.20	0.50	-0.83	-0.61	-0.56	0.08	999	0.0	0.09	-0.15	-0.35	-0.75	-0.33	0.38	-0.76	-1.01	-0.88	0.53	-0.48	<u>4</u>	1.23	0.29	-0.78	-0.05	-0.69	-0.93
	Очагу				-1.29		×	×																					
	Uterus							-0.42																					
	Sk Muscle	ŀ						-0.48	_					_												-0.90	-1.59	-1.21	-0.32
	Heart	L						-0.45								_												- \$.:-	
	Clone ID	2843638	1813269	1861971	2005973	2515729	2132356	1001726	2631845	86390	1287840	2516905	606122	3553733	1813381	1988108	1644648	2516104	2516448	2514507	1427470	1311471	195142	29598	1968576	2959255	446969	1631511	1508741

Table 5

																							_		_				_
	Fourth																												
	Third																												
	Second	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Pancreas	Pancreas												Intestine	Intestine	Intestine
	First	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Liver	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney
	Brain	-1.06	-1.07	-1.53	-0.89	-0.50	-0.88	-1.25	-1.17	1.0	-0.26	-1.22	-1.74	-0.72	-0.90	-0.70	-0.52	-0.47	-0.46	0.32	-0.17	-0.93	-0.41	-1.35	-0.87	-0.93	-1.16	0.49	-0.87
	Spleen	-0.87	-1.37	-0.92	-1.42	-0.94	-0.46	6.9 2	-0.74	-1.1	-1.08	-0.65	<u>-</u> .	-0.66	-0.80	-0.71	-0.64	0.11	-0.42	-0.40	-0.85	-0.13	-0. 4 0	-0.99	0.02	-0.89	-1.08	-1.15	-0.69
	Pancreas	-0.80	-0.88	0.52		-0.25	-0.98	-1.25	-0.29	-0.15	-1.10	-0.77	-0.23	1.95	1.96	-0.22	-0.27	-0.14	-0.23	×	<u>5</u>	1.00			-1.01	0.68	-0.55	0.28	-0.54
	Kidney	2.96	2.45	1.71	2.62 x	2.74	2.55	3.73	2.32	3.18	2.18	1.75	3.36	-0.68	-0.90	1.86	3.31	2.23	3.37	3.77	2.23	2.73	1.58 x	2.28 x	1.73	5.82	3.34	1.92	2.74
ire Set)	Liver	3.82	3.15	2.03	3.58	3.00	3.99	4.71	3.34	4.91	3.83	2.00	4.28	3.71	3.32	1.00	-0.18	-0.43	-0.65	-0.57	-1.81	-0.39	0.50	-0.76	-0.86	-0.82	0.73	-0.88	-0.75
ean(Ent	Lung	-1.29	-0.85	0.89	<u>-</u> 1.9	-0.64 4	-0.90	-1.55	-0.49	-1.33	-0.93	0.84	-1.48	0.01	-0.60	0.08	-0.26	-0.32	-0.63	-0.54	<u>.</u> 3	0.92	-0.66	1.41	-0.05	-0.96	-1.34	-0.13	-0.91
Mean(tissue)-Mean(Entire Set)	Intestine	-1.08	0.71	0.43	1.01	-0.51	-1.32	-1.23	0.25	9	-1.06	0.84	1.29	-0.57	-0.17	0.81	-0.58	0.0	-0.45	-0.86	-1.15	-0.86	-0.20	0.46	<u>-</u> .	-0.87	2. 4	1.65	1.88
Mean(t)	Stomach	-0.78	-0.86	-0.16	-0.82	-0.90	-0.72	-0.88	-0.21	-1.00	-0.97	99.0	-0.98	-0.03	-0.75	0.10	-0.45	0.15	-0.30	-0.30	-1.08	0.67	о П	1.16	-0.18	-0.43	-0.40	-0.35	-0.35
	Ovary	-1.00	-0.88	0.40	×	-1.39	-0.77	90.0	-0.74	-1.30	-0.57	-1.35	-1.39	6. 4	-1.06	-0.22	-0.68	-0.51	-0.43	×	-0.21	-1.34	×	×	-0.18	-0.89	-0.45	-0.07	-0.68
	Uterus	-0.69	-0.63	-1.12	-1.84	-1.28	-0.88	-1.28	-0.97	-1.22	-0.49	-1.53	-1.62	-0.62	-0.25	-0.60	-0.42	0.43	-0.43	-0.79	0.95	-0.86	-0.48	-0.91	0.06	-0.98	-1.08	-0.69	0.17
	Sk Muscle	-0.42	-0.78	-1.31	-1.13	-0.71	-0.60	-0.82	-0.73	-0.66	6. 4.	-0.96	-0.86	-0.60	1.26	.1.03	0.00	-0.61	0.01	-0.17	-0.53	-0.53	-0.20	-0.55	-0. 4	-0.31	-0.60	-1.00	-0.15
	Heart					-0.43												_											
	Clone ID	2513602	1981145	2103752	2658782	2099420	637639	279249	1379063	89747	2515873	1432372	1633719	1712663	4285203	1634342	1418871	3766382	943181	603761	1297562	2910715	196975	1453049	1968695	958344	2820985	1633393	1806451

		Fourth			•				-				_			,														
		Third					Liver																				Intestine			Stomach
		Second	Intestine	Lung	Liver	Liver	Pancreas	Brain																			Heart	Ovary	Stomach	Intestine
		First	Kidney	Kidney	Kidney	Kidney	Kidney	Kidney	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas											
		Brain	-1.47	-0.38	0.0	-1.18	-1.40	2.35	-0.39	-0.56	-0.81	-0.81	-0.81	-0.67	-0.78	-0.66	0.16	-0.27	-0.79	-0.22	-0.50	-0.58	-0.28	-1.45	-0.73	-0.82	-1.81	-0.49	-0.85	-1.27
		Spleen	-1.07	-0.20	-: :-	-0.76	-1.00	-0.53	-0.41	-0.37	-0.41	-0.49	-0.41	0.39	-0.52	0.42	0.24	-0.50	-0.30	-0.25	-0.16	-0.65	-0.15	-0.61	-0.79	-0.85	-1.24	0.63	-0.83	-0.94
		Эргссіі	-0.20	-0.35	.1.58	-0.82	2.60	1.02	8.97	8.59	0.28	8.25	9.28	83	9.32	2	ຊ	2.20	1.71	6.89	7.80	6.92	6.19	9.31	0.19	9.48	2.70	3.55	7.14	98.9
		Pancreas				3.60										•	•													
	šet)	Kidney			_	_				_	_	_	_	•		•					_				_					
	Intire S	Liver	l			4 3.24				_		_		-		•	•							_		_				
	Mean(E	Lung	-1.3	~	-0.7	-0.84	-1.2	9.0	6.	0.3	-0.3	-0.4	0.0	9. 2	-0.2	-0.50	9.0	9.0	-0.7	- 0.3	-0.2	-0.2	-0.7	0.2	-0.5	9.	-0.7	-0.9	-0.7	-1.2
	ssue)-	Intestine	2.41	-0.67	-1.15	-1.17	-1.18	-0.98	-1.10	-0.65	6. 2	-0.29	-0.96	01.1	-0.56	-0.42	-0.16	0.45	0.10	-0.08	0.52	0 .09	0.12	-0.50	0.85	1.34	1.65	1.10	0.80	4.43
	Mean(tissue)-Mean(Entire Set)	Stomach	-0.78	0.18	-0.57	-1.02	ó. 4	0.6 2	-0.34	-0.08	-0.50	1.22	-0.24	0.07	-0.25	-0.36	-0.39	0.48	9.	-0.49	9. 8	-0.19	0.47	-0.06	-0.33	0.0	1.30	0.66	2.56	2.23
ľ	~		-1.24	-0.76	9:	-0.35	-0.22	-1.17	-0.14	-0.48	-0.28	ó. 4	0.28	0.49	0.00	0.10	0.81	0.79	1.32	-1.12	-0.30	9.0	-0.51	0.31	-0.27	-0.05	-1.39	1.65	-0.92	-1.35
l		Ovary	t			-0.83							•	•		_	•													
		Uterus	i			-0.27																								
		Sk Muscle				-0.99											•													
		Heart	<u> </u>										<u> </u>																	
		Clone ID	2674772	137612	83179	1427681	291283(50478	25408	133067	237783	207546	238323	128550	238320;	201587	2374040	1709828	2061119	366510	2068983	224264	882037	238383(208519	279298;	17992	274178	2373608	2182095

Table 5

		Г	_					_	_	_																			—
	Fourth																												
	Third	Stomach				Stomach				Intestine																			
	Second	Intestine	Liver	Liver	Kidney	Kidney			Uterus	Stomach																			
	First	Pancreas	Pancreas	Pancreas	Pancreas	Pancreas	Spleen	Spleen	Spleen	Spleen	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain
	Brain	-1.67	-0.54	-0.40	0.68	-1.42	-0.84	-1.08	-2.19	<u>.</u>	3.56	3.38	3.88	1.68	2.32	1.90	3.14	2.39	2.77	1.71	1.88	3.46	3.67	1.93	2.00	2.27	1.77	3.00	1.82
	Spleen	-1.49	-1.12	-0.62	-0.56	-0.48	3.	2.43	2.61	3.20	4	-0.73	-0.51	-0.49	-0.31	-0.42	-0.29	0.35	-0.25	-0.10	0.07	-0.63	-0.65	-0.23	-0.90	-0.77	-0.31	-0.30	-0.41
	Pancreas	10.01	4.65	4.01	2.73	4.61	-0. 6	-0.50	4.1-	-1.30	0.67	-0.72	-0.07	0.05	-0.88	0.13	-0.33	-0.56	0.20	-0.84	-0. 44	-1.03	-0.20	-0.20	-0.61	-0.37	0.29	-0.98	-0.47
	Kidney	-1.11	-0.78	-0.55	2.14	3.40	-0.36	-0.17	-0.20	-1.03	-0.78	-1.53	-0.83	-0.18	-0.79	-0.32	-0.43	-0.12	-0.59	0.55	-0.34	-1.03	-0.91	-0.01	-0.18	98.0	-0.02	9.04	-0.50
ire Set)	Liver	-1.30	3.75	3.61	-0.29	-1.28	-0.34	-0.48	0.16	-0.73	-0.31	-0.78	-0.55	- 0.09	-0.85	80.0	-0.18	-0.83	-0.31	-0.85	-0.83	-0.86	-0.05	-0.43	-0.65	-0.69	-0.36	-1.28	-1.14
Mean(tissue)-Mean(Entire Set)	Lung	-1.15	-0.07	-0.23	-0.63	- 8	0.17	1.03	-0.35	-0.52	-0.77	-0.35	-0.15	-0.78	-0.15	-0.46	-0.45	-0.85	-0.51	-0.74	-0.12	-0.70	6. 4.	-0.38	-0.70	-0.66	-0.31	-0.49	0.12
ssue)-M	Intestine	3.67	-1.08	-0.83	-0.52	-0.28	0.28	0.36	0.09	1.56	-0.20	-0.94	-0.32	1.4	-0.49	-0.25	-0.52	-0.20	0.03	0.91	-0.49	-0·	-0.83	-0.29	<u>-</u> :-	-0.47	-0.30	-0.66	0.14
Mean(ti	Stomach	2.97	0.39	-0.87	-0.36	3.15	0.57	0.30	-0.14	3.19	0.19	6,64	-0.73	-0.22	0.08	-0.54	-0.42	0.17	0.03	0.23	-0.19	0.12	-0.26	-0.59	-0.56	-0.0	-0.25	-0.13	0.03
	Ovary	-0.86	0.18	-0.91	-0.26	-1:09	-0. 4	-0.94	-0.23	-1.03	-0.77	0.69	-0.75	0.05	0.58	0.26	-0.52	0.27	-1.03	-0.10	0.24	-0.49	-0.48	÷0.09	0.29	0.18	-0.25	-0.82	0.29
	Uterus	-0.82	-1.56	-0.63	-0.35	0.26	-0.13	-0.27	1.74	-1.05	-0.54	0.69	-0.49	-0.38	0.26	-0.32	-0.36	0.39	-0.76	0.23	0.50	-0.27	0.34	-0.25	0.29	-0.01	0.0	-0.22	0.87
	Sk Muscle	-0.28	-1.09	-0.21	-0.65	-1.10	-0.31	-0.49	-0.26	-0.35	-0.27	0.52	-0.49	-0.65	0.74	0.13	0.05	-0.73	-0.46	-0.87	-0.46	0.29	-0.39	-0.39	1.38	0.01	-0.22	- 0.04	-0.32
	Heart	-1.16	0.10	-0.80	-0.52	-1.28	-0.47	-1.13	-0.37	-1.15	-0.53	0.42	0.05	-0.53	-0.60	-0.21	-0.51	-0.29	0.00	-0.61	0.16	0.18	-0.21	0.46	0.45	-0.49	-0.09	0.65	-0.25
	Clone ID	2923150	293495	4284270	958923	1921393	1447866	1666737	586245	194162	243123	382416	1852659	3220181	1726307	1904244	2039955	2675641	1412749	1963854	2949085	2963196	1505977	1674985	2109054	3317039	2838551	1477568	2963871

			_									_							_						_				
	Fourth																												
	Third																												
	Second																								Heart	Heart	Uterus	Intestine	Lung
	First	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain	Brain
	Brain	3.15	3.68	1.71	1.70	3.97	2.66	3.03	1.68	2.68	3.59	2.95	3.71	2.75	3.64	2.82	2.49	2.14	6.58	3.38	3.23	2.16	2.63	4.06	3.18	2.16	1.78	1.77	2.78
	Spleen	0.24	-0. 6	÷0.0	-0.14	0.13	-0.67	-0.92	9.0	-0.20	-0.30	-0.60	-0.20	0.51	-0.61	-0.14	-0.05	-0.36	==	-0.03	-0.62	-0.60	0.10	-1.37	-0.50	0.0	-0.66	-1.17	-0.75
	Pancreas	-0.47	-0.80	×	-0.52	-0.30	-0.55	-1.16	×	×	-0.68	-1.00	-0.20	-0.78	-0.75	-0.33	-0.34	-0.92	-1.92	-0.23	0.07	-0.14	-0.9	-0.86	-1.54	-0.61	-0.55	<u>-</u> .	-0.15
	Kidney	-0.66	-0.80	9.0	0.57	-0.69	-0.86	-0.17	-0.53	-0.74	-0.71	0.11	-1.14	-0.89	-1.15	-0.72	-0.31	-0.47	-1.58	-0.75	0.77	-0.66	-0.04	0.71	-1.24	-0.77	-1.15	-0.55	-0.82
tire Set)	Liver	-0. 49.0	-0.39	-0.37	-0.67	-0.80	-0.81		-0.06	-0.36	-0.95	-1.18	-0.93	-0.66	-0.88	-0.43	-0.15	-0.66	-1.03	-0.41	-0.60	1.42	-1.10	-1.40	-0.37	-0.60	-0.70	-1.05	-0.61
Mean(tissue)-Mean(Entire Set)	Lung	-0.28	-0.37	-0.12	1.02	ó. 2	-0.67	-0.17	-0.13	-0.34	-0.51	-0.33	-0.53	0.13	-0.16	-0.34	-0.20	-0.05	-1.26	-0.29	-0.68	-0.6 4	-0.59	-0.91	-1.94	-0.39	-0.80	-1.03	1.97
issue)-N	Intestine	-0.21	-0.68	-0.37	-0.43	-0.30	-0.41	-0.23	-0.17	-0.19	-0.42	-0.03	-0.33	-0.54	-0.55	-0. 4	-0.67	-0.48	6 2	0.16	-0.73	-0.54	-0.57	-0.18	0.47	-0.46	-0.29	1.61	÷1.10
Mean(t	Stomach	-0.22	-0.13	-0.41	-0.56	-0.14	-0.17	-0.05	-0.30	-0.47	-0.36	0.10	-0.34	, 90.04	-0.36	-0.52	-0.30	-0.07	-0.49	-0.31	-0.20	-0.36	-1:01	-0.88	-0.43	-0.93	-0.23	0.57	-0.23
	Очагу			×		-1.17	-		×					•							•		<u>:</u>						
	Uterus	-0.44	-0.09	0.21	-0.80	-0.99	0.53	-0.0	-0.58	-0.39	0.32	0.26	0.41	-0.30	0.46	-0.25	-0.83	0.25	0.0	-0.68	-0.45	-0.23	-0.16	0.21	-0.91	-0.27	1.60	-1.19	-1.45
	Sk Muscle	-0.49	-0.24	0.22	-0.28	-0.50	0.45	-0.50	-0.37	0.15	-0.47	-0.44 44	0.33	0.01	-0.22	0.26	-0.56	0.48	-0.40	-0.37	-0.53	90.0	1.12	0.12	-0.92	-0.66	-0.36	0.98	0.98
	Heart	-0.31	0.10	-0.29	-0.51	0.07	0.36	0.28	0.13	-0.42	90.0	-0.39											-0.10	-0.67	1.89	1.96	3.		
	Clone ID	1740547	2292011	1349484	1674253	1932189	1403041	1486358	1439065	530629	1672676	1989129	1486348	1397294	2844322	1481440	26459	1406786	1485846	2153242	2157981	3244361	1986737	2506867	1211682	1416354	2963962	1761086	2588552

Table 5

WO 01/32927

	Fourth			
	Third			-
	Second	Liver	Liver	Pancreas
	First		Brain	
	Brain	1.73	1.90	2.55
	Spleen	0.30	-0.26	-0.05
		-0.87	-0.23	2.34
	Pancreas	0.41	-0.80	0.50
e Set)	Kidney	1.52	1.67	0.38
ın(Entir	Liver	l	-0.51	-
se)-Mea	Lung		-0.52	- 1
dean(tissue)-Mean(Entire Set)	Intestine		-0.23 -(
Ř	Stomach		-0.64	
	Очагу	-1.10	-0.84 -	
,	Uterus	- 96'1- 6	-0.43 -(-0.07
	Sk Muscle	-1.09	-0.0 c	- 98.0-
	Heart	l.	<u>4</u>	
	Clone ID	1901271	1740924	148015

73

What is claimed is:

10

15

20

25

35

1. A plurality of cell and tissue specific polynucleotides selected from SEQ ID NOs:1-416 or the complement thereof.

- 5 2. A subset of the polynucleotides of claim 1, wherein the subset is selected from at least one of the groups consisting of
 - a) SEQ ID NOs:209-218 and 1-10, cell specific polynucleotides of heart and fragments thereof,
 - b) SEQ ID NOs:219-249 and 11-41, cell specific polynucleotides of skeletal muscle and fragments thereof;
 - c) SEQ ID NOs:250-251 and 42-43, cell specific polynucleotides of uterus and fragments thereof:
 - d) SEQ ID NOs:252-256 and 44-48, cell specific polynucleotides of ovary and fragments thereof;
 - e) SEQ-ID NOs:257-263 and 49-55, cell specific polynucleotides of stomach and fragments thereof;
 - f) SEQ ID NOs:264-283 and 56-75, cell specific polynucleotides of intestine and fragments thereof;
 - g) SEQ ID NOs:284-293 and 76-85, cell specific polynucleotides of lung and fragments thereof;
 - h) SEQ ID NOs:294-345 and 86-137, cell specific polynucleotides of liver and fragments thereof;
 - i) SEQ ID NOs:346-356 and 138-148, cell specific polynucleotides of kidney and fragments thereof;
 - j) SEQ ID NOs:357-374 and 149-166, cell specific polynucleotides of pancreas and fragments thereof; and
 - k) SEQ ID NOs:375-416 and 167-208, cell specific polynucleotides of brain and fragments thereof.
 - 2. The composition of claim 1, wherein the polynucleotides are immobilized on a substrate.
- 30 3. A high throughput method for detecting expression of a polynucleotide in a sample, the method comprising:
 - a) hybridizing the polynucleotides of claim 1 with the nucleic acids of the sample under condition to form a hybridization complex; and
 - b) detecting the hybridization complex, wherein the presence of hybridization complex indicates expression of the polynucleotide in the sample.
 - 4. The method of claim 3 wherein the nucleic acids of the sample are amplified prior to

hybridization.

20

5. The method of claim 3 wherein hybridization complex formation indicates the differentiation of embryonic stem cells into a tissue selected from the group consisting of brain, heart, kidney, liver, lung, muscle or pancreatic tissues.

- 6. A high throughput method of screening molecules or compounds to identify a ligand, the method comprising:
 - a) combining the polynucleotides of claim 1 with molecules or compounds under conditions to allow specific binding; and
- b) detecting specific binding, thereby identifying a ligand which specifically binds to the
 10 composition.
 - 7. The method of claim 6 wherein the molecules or compounds are selected from DNA molecules, RNA molecules, peptide nucleic acids, mimetics, peptides, and proteins.
 - 8. An isolated polynucleotide selected from SEQ ID NOs:212, 228, 233, 259, 271, 287, 316-319, 324, 370, 379, 380, 383, 410, and 412 or a fragment thereof.
- 9. The polynucleotides of claim 8 wherein the fragments are SEQ ID NOs:4, 20, 25, 51, 63, 79, 108-111, 116, 162, 171, 172, 175, 202, and 204, respectively.
 - 10. An expression vector containing a polynucleotide of claim 8.
 - 11. A host cell containing the expression vector of claim 10
 - 12. A method for producing a protein, the method comprising the steps of:
 - (a) culturing the host cell of claim 11 under conditions for the expression of protein; and
 - (b) recovering the protein from the host cell culture.
 - 13. A protein produced by the method of claim 12.
 - 14. A high-throughput method for screening a library of molecules or compounds to identify at least one ligand which specifically binds a protein, the method comprising:
- 25 (a) combining the protein of claim 13 with the library under conditions to allow specific binding; and
 - (b) detecting specific binding between the protein and a molecule or compound, thereby identifying a ligand which specifically binds the protein.
- 15. The method of claim 14 wherein the library is selected from DNA molecules, RNA molecules, peptide nucleic acids, mimetics, peptides, proteins, agonists, antagonists, antibodies or their fragments, immunoglobulins, inhibitors, drug compounds, and pharmaceutical agents.
 - 16. A method of purifying a ligand from a sample, the method comprising:
 - a) combining the protein of claim 13 with a sample under conditions to allow specific binding;
- 35 b) recovering the bound protein; and
 - c) separating the protein from the ligand, thereby obtaining purified ligand.

17. A composition comprising the protein of claim 13 in conjunction with a pharmaceutical carrier.

18. A purified antibody that specifically binds to the protein of claim 13.

```
caaacagaaq ctggagaagg agaagagtga gctgaagatg gagactgatg acctcagcag 3780
taacgcagag gccatttcca aagccaaggg aaaccttgaa aagatgtgcc gctctctaga 3840
agatcaagtg agtgagetta agaccaagga agaggagcag cageggetga tcaatgacet 3900
cacagcacag agagcgcgcc tgcagacaga agcgggtgaa tattctcgac aattagatga 3960
gaaagatget ttagtetete agettteaag gageaageaa geatetaete ageagattga 4020 agagetgaaa cateaactag aggaagaaac taaageeaag aacgeeetgg egeatgeeet 4080 geagtettee egeeacgaet gtgaeetget gegggaacag tatgaggagg ageaggaate 4140 caaggeegag etgeagagg caetgteeaa ggeeaacaee gaggttgeee aatggaggae 4200
caaatacqaq acqqatqcca tccaqcqcac agaggagctg gaggaggcca agaaaaagtt 4260
ggcccagcgc ctgcaagaag ctgaggaaca tgtagaagct gtgaacgcca aatgtgcttc 4320
ccttgagaag acgaagcagc ggctccagaa tgaagttgaa gacctcatgc ttgatgtgga 4380
aaggtetaat qeageetgtg cageeettga taagaageaa aggaaetttg acaaggteet 4440
atcagaatgg aagcagaagt atgaggaaac tcaggctgaa cttgaggcct cccagaagga 4500
gtcacgttct cttagcactg agctgttcaa ggtgaagaat gtctatgagg aatccctgga 4560 tcaactcgaa acgctaagaa gagaaaataa gaacttgcaa caggagattt ctgacctcac 4620
tgagcagatt gcagagggag gaaagcaaat tcatgaattg gagaaaataa agaagcaagt 4680
agaacaagag aaatgtgaaa ttcaggctgc tttagaggaa gcagaggcat ctcttgaaca 4740
tgaagaagga aagattetge gtateeaget tgagttaaac caagteaagt etgaagttga 4800 tagaaaaate geagaaaagg atgaggaaat tgaeeagetg aagagaaace acaetagagt 4860
cqtqqaqaca atqcaqaqca cqctqqatqc aqaqattaga agcagaaatg atgctctgag 4920
agtcaagaag aaaatggaag gagatctgaa tgaaatggaa atccagctga accatgccaa 4980
tcgcttagct gcagagagtt taaggaacta caggaacacc caaggaatcc tgaaggaaac 5040 ccagctccac ctggatgatg ctctccgggg ccaggaggac ctcaaggaac agctggcaat 5100
tgtggagcgc agagccaacc tgctgcaggc tgagatcgag gagctgtggg ccactctgga 5160
acagacagag agaagcagga aaatcgccga acaggagctc ctggatgcca gtgagcgtgt 5220
ccaqctecte cacaeccaga ataccagtet cattaacace aagaagaaat tagaaaatga 5280
cgtttcccaa ctccaaagtg aagtggaaga agtaatccaa gaatcacgca atgcagaaga 5340
gaaagccaag aaggccatca ctgatgctgc catgatggct gaggagctga agaaggaaca 5400
ggacaccage geceaectgg ageggatgaa gaagaaectg gageagaegg tgaaggaeet 5460 geageategt etagatgagg eegageaget ggegetgaag ggtgggaaga ageagateea 5520
gaaactggag gccagggtac gtgagcttga aggagaggtt gaaaatgaac agaaacgtaa 5580
tgcagaggct gttaaaggtt tacggaaaca tgagcgacga gtaaaagaac tcacctacca 5640
gactgaagaa gatcgcaaga atgttctcag gctgcaggac ttggtagata aattacaggc 5700
gaaggtgaaa tcatacaaga gacaagctga ggaggctgag gaacaatcca atgctaatct 5760
atctaaattc cqcaaactcc aqcatqaqct qqaggaggcc gaggaacggg ctgacattgc 5820
tgagtcccag gtcaacaaat tgcgagtgaa gagccgagag gttcacacaa aaatcagtgc 5880
agagtaaaca cacctgcctg atgctatcaa gaggctgaag aaaggcacaa aatgtgctat 5940
tittggtcac ttgctitatg acgtttattt tcctgttaaa gctgaataaa taaaaactac 6000
agtaaatgta tacatt
                                                                             6016.
<210> 231
<211> 3454
<212> DNA
<213> Homo sapiens
<221> misc feature
<223> Incyte ID No: 1627492.con
<400> 231
cctggtcagc gtcccatccc ggtcgggagt tctctccagg cggcacgatg ccgaggaaac 60
agtgaccetg agcgaagcea agccgggcgg caggtgtggc tttgataget ggtggtgcca 120
cttectqqcc ttqqatqaqc cqtacqcctc tqtaaaccca acttectcac ctttgaaaca 180
gctgcctggt tcagcattaa tgaagattag tcagtgacag gcctggtgtg ctgagtccgc 240
acatagaaga atcaaaaatg tccaaaatgt aactggagag aaagtgggca acttttggga 300 gtgacttttc cacaggaact tctgcaatgt cccatcaacc tctcagctgc ctcactgaaa 360
aggaggacag ccccagtgaa agcacaggaa atggacccc ccacctggcc cacccaaacc 420
tgggacacgt ttaccccgga ggagctgctg cagcagatga aagagctcct gaccgagaac 480
caccagetga aagaageeat gaagetaaat aatcaageea tgaaagggag atttgaggag 540
ctttcggcct ggacagagaa acagaaggaa gaacgccagt tttttgagat acagagcaaa 600
gaaqcaaaaag agcgtctaat ggccttgagt catgagaatg agaaattgaa ggaagagctt 660
ggaaaactaa aagggaaatc agaaaggtca tctgaggacc ccactgatga ctccaggett 720
cccagggccg aagcggagca ggaaaaggac cagctcagga cccaggtggt gaggctacaa 780
gcagagaagg cagacctgtt gggcatcgtg tctgaactgc agctcaagct gaactccagc 840
ggctcctcag aagattcctt tgttgaaatt aggatggctg aaggagaagc agaagggtca 900
gtaaaagaaa tcaagcatag tcctgggccc acgagaacag tctccactgg cacggcattg 960
tctaaatata ggagcagatc tgcagatggg gccaagaatt acttcgaaca tgaggagtta 1020
```

```
actgtgagec ageteetget gtgeetaagg gaagggaate agaaggtgga gagaettgaa 1080
gttgcactca aggaggccaa agaaagagtt tcagattttg aaaagaaaac aagtaatcgt 1140
tctgagattg aaacccagac agaggggagc acagagaaag agaatgatga agagaaaggc 1200
ccggagactg ttggaagcga agtggaagca ctgaacctcc aggtgacatc tctgtttaag 1260
gagetteaag aggeteatae aaaacteage gaagetgage taatgaagaa gagaetteaa 1320
gaaaagtgtc aggcccttga aaggaaaaat tctgcaattc catcagagtt gaatgaaaag 1380
caagagettg tttatactaa caaaaagtta gagetacaag tggaaageat getateagaa 1440 atcaaaatgg aacaggetaa aacagaggat gaaaagteca aattaactgt getacagatg 1500
acacacaaca agettettea agaacataat aatgeattga aaacaattga ggaactaaca 1560
agaaaagagt cagaaaaagt ggacagggca gtgctgaagg aactgagtga aaaactggaa 1620
tgttctgatt ttcatgctga aagagcagcg agagagaaaa ttcatgagga aaaggagcaa 1800
ctggcattgc agctggcagt tctgctgaaa gagaatgatg ctttcgaaga cggaggcagg 1860
cagteettga tggagatgea gagtegteat ggggegagaa caagtgaete tgaccageag 1920 gettaeettg tteaaagagg agetgaggae agggaetgge ggeaacageg gaatatteeg 1980
atteatteet geeceaagtg tggagaggtt etgeetgeet eegtettega aageateatt 2040
ctettteage agaactgeea getgeaatge eagttgetee ttiteeteat gaattttete 2100
tetegetget ettteageat gaaaateaga acagtaaaet teeatetgag eeetgaggat 2160 ggteatggtt teeaggteet etteetgett ggeaatggtt tgetteattt eateeatttg 2220
cagetytttg gaagecagag cettetetge eagttecagt titteactea giteetteag 2280
cactgoodtg tocacttttt ctgactcttt tottgttagt toctcaattg ttttcaatgc 2340
attattatgt tettgaagaa gettgttgtg tgteatetgt ageacagtta atttggaett 2400
ttcatcctct gttttagcct gttccatttt gatttctgat agcatgcttt ccacttgtag 2460
ctctaacttt tgttagtata aacaagctct tgcttttcat tcaactctga tggaattgca 2520
gaatttttee ttteaaggge etgacaceta agaaaggtea agattteatg aggataaaca 2580 atgeteettt acgtegeagt ggettttaaa caaaceceaa ggttatgtae aatataagaa 2640
ttttaggget gtagggttta tgaatgeaaa atgaaataca taateeteet tgettettea 2700
ctagacctgg ccatatttct gaacccttac gcctaaacat aaaaaagtac agatctaagc 2760
tcacatgcag tactgtcctc tttgaataat tgtttaaact agtcatacag atacattttt 2820
agtatttaaa cacagaccac agtagtaatt agctaaggcg cttctcatgt agtgatgtgt 2880
ggatatettt tatattaaaa aaaaagttat aggttetgte aattgeaaag actttagttt 2940
ctgacaaaga ttcaataagg gaaaaaggaa gttcccctaa gtcttcttaa agatcggaaa 3000,
gaggatttca atataataca aataaatgac agctatgcac aaagcattaa tgcccagccc 3060
attagacata tcatttaaca caatgtatac agaagaaatt acaacacaca atttacaaat 3120
gccaagacag gctcagagaa ttgaaataaa taccttgccc aacacaaata agttgcagac 3180
catatgttaa atctaggtct gtttgtccaa agtccttagt tgtagctgcc atgttgtatc 3240 acgttaccat aattctacag agtgttggga attataacct caagaaaaca cacacacctc 3300
cgtattgtgc tagaaacatg tttgccaatg aatccaatag aacagcatca acttaggttt 3360,
gctaagtttt gggtaacttc ttacatcaag agaaacaagc aaatgccaaa cgctcaatct 3420
acatgttagc ctgaaataat taactgattg aaat
                                                                          3454
<210> 232
<211> 1553
<212> DNA
<213> Homo sapiens
<221> misc_feature
<223> Incyte ID No: 3354111CB1
cccacgcgtc cgcagccatg gagcagcttc gcgccgccgc ccgtctgcag attgttctgg 60
gccacctegg ecgeceteg geeggggetg tegtagetea teccacttea gggactattt 120
cetetgecag tttecateet caacaattee agtataetet ggataataat gttetaacce 180
tggaacagag aaaattttat gaagaaaatg ggtttctagt aatcaaaaat cttgtacctg 240 atgccgatat tcaacgcttt cggaatgagt ttgaaaaaat ctgcagaaag gaggtgaaac 300
cattaggatt aacagtaatg agagatgtga ccatttcgaa atccgaatat gctccaagtg 360
agaagatgat cacgaaggtc caggatttcc aggaagataa ggagctcttc agatactgca 420
ctctccccga gattctgaaa tatgtggagt gcttcactgg acctaatatt atggccatgc 480
gcacaatgtt gataaacaaa cetecagatt etggcaagaa gacgteeegt caceceetge 540
accaggacet geactattte ecetteagge ecagegatet categtttge geetggaegg 600
cgatggagca catcagccgg aacaacggct gtctggttgt gctcccaggc acacacaagg 660
geteeetgaa geeceacgat taceecaagt gggaggggg agttaacaaa atgtteeacg 720 ggateeagga etacgaggaa aacaaggeec gggtgeacet ggtgatggag aagggegaca 780
etgttttett ccatcetttg etcatecaeg gatetggtea gaataaaaec cagggattee 840
ggaaggcaat ttcctgccat ttcgccagtg ccgattgcca ctacattgac gtgaagggca 900
```